



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2604SMAZ0789.2957
 Batch #: A001260406



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23599

The Creams, Mellow Indica - 100 mg

Batch #: A001260406
 Strain: Northern Lights
 Parent Batch #: OGZD-VE1001
 Production Method: Alcohol
 Harvest Date: 09/15/2025
 Received: 04/10/2026

Sample ID: 2604SMAZ0789.2957
 Amount Received: 61.8 g
 Sample Type: Soft Chew
 Sample Collected: 04/10/2026 10:38:00
 Manufacture Date: 04/06/2026
 Published: 04/14/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

| | | |
|---|---------------------------------------|--|
| Cannabinoid Profile (Q3) Tested | Microbial Contaminants Pass | Residual Solvents Not Tested |
| Pesticides, Fungicides, and Growth Regulators Not Tested | Mycotoxins Not Tested | Heavy Metals Not Tested |

Additional Analytes (Not Regulated)

| | | |
|---|---|--|
| Terpenes Total (Q3) Not Tested | Moisture Analysis (Q3) Not Tested | Water Activity (Q3) Not Tested |
| Filth & Foreign (Q3) Not Tested | Homogeneity (Q3) Not Tested | Additional Microbial Contaminants (Q3) Not Tested |

10.7594 mg/serving
 107.5938 mg/container
 Total THC

0.3337 mg/serving
 3.3372 mg/container
 Total CBD

ND mg/serving
 ND mg/container
 CBN

ND mg/serving
 ND mg/container
 CBG

11.0931 mg/serving
 110.9310 mg/container
 Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2604SMAZ0789.2957
 Batch #: A001260406



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23599

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 04/10/2026
 SOP: 418.AZ
 Batch Number: 5776
 Test ID: 131066

Sample Analysis

Date: 04/13/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 1.014 g
 Volume: 10 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g | mg/serving | mg/package | Qualifier |
|---------|------------|------------|------|----------------|--------|------------|------------|-----------|
| CBC | 0.0030 | 0.0100 | 1 | ND | ND | ND | ND | M2 |
| CBD | 0.0030 | 0.0100 | 1 | 0.0054 | 0.0540 | 0.3337 | 3.3372 | M2 |
| CBDA | 0.0030 | 0.0100 | 1 | ND | ND | ND | ND | M2 |
| CBDV | 0.0030 | 0.0100 | 1 | ND | ND | ND | ND | M2 |
| CBG | 0.0030 | 0.0100 | 1 | ND | ND | ND | ND | M2 |
| CBGA | 0.0030 | 0.0100 | 1 | ND | ND | ND | ND | M2 |
| CBN | 0.0030 | 0.0100 | 1 | ND | ND | ND | ND | M2 |
| d8-THC | 0.0030 | 0.0100 | 1 | ND | ND | ND | ND | M2 |
| d9-THC | 0.0030 | 0.0100 | 1 | 0.1741 | 1.7410 | 10.7594 | 107.5938 | M2 |
| THCA | 0.0030 | 0.0100 | 1 | ND | ND | ND | ND | M2 |
| THCV | 0.0030 | 0.0100 | 1 | ND | ND | ND | ND | M2 |

| Cannabinoid Totals | Actual % (w/w) | mg/g | mg/serving | mg/package | Qualifier |
|--------------------|----------------|--------|------------|------------|-----------|
| Total THC | 0.1741 | 1.7410 | 10.7594 | 107.5938 | |
| Total CBD | 0.0054 | 0.0540 | 0.3337 | 3.3372 | |
| Total Cannabinoids | 0.1795 | 1.7950 | 11.0931 | 110.9310 | Q3 |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 6.18 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2604SMAZ0789.2957
 Batch #: A001260406



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23599

Microbial Analysis
Pass

Sample Prep

Batch Date: 04/13/2026
 SOP: 412.AZ
 Batch Number: 5792
 Test ID: 131074

Sample Analysis

Date: 04/14/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.013 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 10 CFU/g | < 10 CFU/g | Pass | |

Sample Prep

Batch Date: 04/13/2026
 SOP: 406.AZ
 Batch Number: 5791
 Test ID: 131077

Sample Analysis

Date: 04/14/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.029 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2604SMAZ0789.2957
 Batch #: A001260406



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23599

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2604SMAZ0789.2957
 Batch #: A001260406



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23599

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2603SMAZ0675.2510
 Batch #: OGZD-VE1001



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23664

Indica Distillate

Batch #: OGZD-VE1001
 Strain: Northern Lights
 Parent Batch #: TR01
 Production Method: Alcohol
 Harvest Date: 09/15/2025
 Received: 03/27/2026

Sample ID: 2603SMAZ0675.2510
 Amount Received: 6.4 g
 Sample Type: Distillate
 Sample Collected: 03/27/2026 11:14:00
 Manufacture Date: 01/05/2025
 Published: 04/16/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

| | | |
|---|---------------------------------------|----------------------------------|
| Cannabinoid Profile (Q3) Tested | Microbial Contaminants Pass | Residual Solvents Pass |
| Pesticides, Fungicides, and Growth Regulators Pass | Mycotoxins Pass | Heavy Metals Pass |

Additional Analytes (Not Regulated)

| | | |
|---|---|--|
| Terpenes Total (Q3) Not Tested | Moisture Analysis (Q3) Not Tested | Water Activity (Q3) Not Tested |
| Filth & Foreign (Q3) Not Tested | Homogeneity (Q3) Not Tested | Additional Microbial Contaminants (Q3) Not Tested |

| |
|--|
| 95.0771% Total THC |
| 2.8149% Total CBD |
| 0.1093% CBN |
| ND CBG |
| 98.0013% Total Cannabinoids (Q3) |

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2603SMAZ0675.2510
 Batch #: OGZD-VE1001



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23664

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 03/27/2026
 SOP: 418.AZ
 Batch Number: 5636
 Test ID: 127469

Sample Analysis

Date: 03/31/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.041 g
 Volume: 40 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g | Qualifier |
|---------|------------|------------|------|----------------|----------|-----------|
| CBC | 0.3140 | 0.9530 | 1 | ND | ND | |
| CBD | 0.3140 | 0.9530 | 1 | 2.8149 | 28.1490 | |
| CBDA | 0.3140 | 0.9530 | 1 | ND | ND | |
| CBDV | 0.3140 | 0.9530 | 1 | ND | ND | |
| CBG | 0.3140 | 0.9530 | 1 | ND | ND | |
| CBGA | 0.3140 | 0.9530 | 1 | ND | ND | |
| CBN | 0.3140 | 0.9530 | 1 | 0.1093 | 1.0930 | |
| d8-THC | 0.3140 | 0.9530 | 1 | ND | ND | |
| d9-THC | 0.3140 | 0.9530 | 1 | 95.0771 | 950.7710 | |
| THCA | 0.3140 | 0.9530 | 1 | ND | ND | |
| THCV | 0.3140 | 0.9530 | 1 | ND | ND | |

| Cannabinoid Totals | Actual % (w/w) | mg/g | Qualifier |
|--------------------|----------------|----------|-----------|
| Total THC | 95.0771 | 950.7710 | |
| Total CBD | 2.8149 | 28.1490 | |
| Total Cannabinoids | 98.0013 | 980.0130 | Q3 |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2603SMAZ0675.2510
 Batch #: OGZD-VE1001



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23664

Microbial Analysis
Pass

Sample Prep

Batch Date: 03/30/2026
 SOP: 412.AZ
 Batch Number: 5645
 Test ID: 127480

Sample Analysis

Date: 03/31/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.085 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 100 CFU/g | < 10 CFU/g | Pass | |

Sample Prep

Batch Date: 03/30/2026
 SOP: 406.AZ
 Batch Number: 5642
 Test ID: 127482

Sample Analysis

Date: 04/01/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.001 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Sample Prep

Batch Date: 03/30/2026
 SOP: 406.AZ
 Batch Number: 5643
 Test ID: 127484

Sample Analysis

Date: 03/31/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.001 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|-----------------------|--------------------------|--------------------------|-----------|-----------|
| Aspergillus flavus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus fumigatus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus niger | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus terreus | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2603SMAZ0675.2510
 Batch #: OGZD-VE1001



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23664

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 03/30/2026
 SOP: 405.AZ
 Batch Number: 5640
 Test ID: 127470

Sample Analysis

Date: 03/31/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.0548 g

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|-----------------|-----------------|------|--------------------|---------------|-----------|-------------------|-----------------|------|--------------------|---------------|-----------|
| Acetone | 122 / 365 | 1 | 1000 | ND | | Heptane | 608 / 1825 | 1 | 5000 | ND | |
| Acetonitrile | 50 / 150 | 1 | 410 | ND | | Hexanes | 35 / 106 | 1 | 290 | ND | |
| Benzene | 0.24 / 0.73 | 1 | 2 | ND | | Isopropyl acetate | 608 / 1825 | 1 | 5000 | ND | |
| Butanes | 152 / 456 | 1 | 5000 | ND | | Methanol | 365 / 1095 | 1 | 3000 | ND | |
| Chloroform | 7 / 22 | 1 | 60 | ND | | Pentanes | 152 / 456 | 1 | 5000 | ND | |
| Dichloromethane | 73 / 219 | 1 | 600 | ND | | 2-Propanol (IPA) | 608 / 1825 | 1 | 5000 | ND | |
| Ethanol | 608 / 1825 | 1 | 5000 | ND | | Toluene | 108 / 325 | 1 | 890 | ND | |
| Ethyl acetate | 608 / 1825 | 1 | 5000 | ND | | Xylenes | 265 / 792 | 1 | 2170 | ND | |
| Ethyl ether | 608 / 1825 | 1 | 5000 | ND | | | | | | | |

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2603SMAZ0675.2510
 Batch #: OGZD-VE100I



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23664

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 03/30/2026
 SOP: 428.AZ
 Batch Number: 5654
 Test ID: 127471

Sample Analysis
 Date: 03/31/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.210 g
 Volume: 6 mL

| Analyte | LOD (ppm) | LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------|-----------|-----------|------|--------------------|---------------|-----------|
| Arsenic | 0.057 | 0.191 | 10 | 0.4 | ND | |
| Cadmium | 0.057 | 0.191 | 10 | 0.4 | ND | |
| Lead | 0.057 | 0.476 | 10 | 1 | ND | |
| Mercury | 0.057 | 0.095 | 10 | 0.2 | ND | |

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 03/27/2026
 SOP: 432.AZ
 Batch Number: 5638
 Test ID: 127473

Sample Analysis
 Date: 03/30/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.524 g
 Volume: 12.5 mL

| Analyte | LOD (ppb) | LOQ (ppb) | Dil. | Action Limit (ppb) | Results (ppb) | Qualifier |
|------------------|-----------|-----------|------|--------------------|---------------|-----------|
| Total Aflatoxins | 3.82 | 9.54 | 1 | 20 | ND | |
| Aflatoxin B1 | 3.82 | 9.54 | 1 | | ND | |
| Aflatoxin B2 | 3.82 | 9.54 | 1 | | ND | I1 |
| Aflatoxin G1 | 3.82 | 9.54 | 1 | | ND | |
| Aflatoxin G2 | 3.82 | 4.77 | 1 | | ND | |
| Ochratoxin A | 9.54 | 9.54 | 1 | 20 | ND | I1, L1 V1 |

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2603SMAZ0675.2510
 Batch #: OGZD-VE1001



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23664

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 03/27/2026
 SOP: 432.AZ
 Batch Number: 5638
 Test ID: 127472

Sample Analysis

Date: 03/30/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.524 g
 Volume: 12.5 mL

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------------------|-----------------|------|--------------------|---------------|-----------|--------------------|-----------------|------|--------------------|---------------|-----------|
| Abamectin B1a | 0.079 / 0.239 | 1 | 0.5 | ND | | Hexythiazox | 0.159 / 0.477 | 1 | 1 | ND | |
| Acephate | 0.064 / 0.191 | 1 | 0.4 | ND | | Imazalil | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Acetamiprid | 0.031 / 0.095 | 1 | 0.2 | ND | | Imidacloprid | 0.064 / 0.191 | 1 | 0.4 | ND | |
| Aldicarb | 0.064 / 0.191 | 1 | 0.4 | ND | | Kresoxim-methyl | 0.064 / 0.191 | 1 | 0.4 | ND | |
| Azoxystrobin | 0.031 / 0.095 | 1 | 0.2 | ND | | Malathion | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Bifenazate | 0.031 / 0.095 | 1 | 0.2 | ND | | Metaxyl | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Bifenthrin | 0.031 / 0.095 | 1 | 0.2 | ND | | Methiocarb | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Boscalid | 0.064 / 0.191 | 1 | 0.4 | ND | | Methomyl | 0.064 / 0.191 | 1 | 0.4 | ND | |
| Carbaryl | 0.031 / 0.095 | 1 | 0.2 | ND | | Myclobutanil | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Carbofuran | 0.031 / 0.095 | 1 | 0.2 | ND | | Naled | 0.079 / 0.239 | 1 | 0.5 | ND | |
| Chlorantraniliprole | 0.031 / 0.095 | 1 | 0.2 | ND | | Oxamyl | 0.159 / 0.477 | 1 | 1 | ND | |
| Chlorfenapyr | 0.159 / 0.477 | 1 | 1 | ND | 11 | Pacllobutrazol | 0.064 / 0.191 | 1 | 0.4 | ND | |
| Chlorpyrifos | 0.031 / 0.095 | 1 | 0.2 | ND | | Permethrins | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Clofentezine | 0.031 / 0.095 | 1 | 0.2 | ND | | Phosmet | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Cyfluthrin | 0.159 / 0.477 | 1 | 1 | ND | | Piperonyl Butoxide | 0.318 / 0.954 | 1 | 2 | ND | |
| Cypermethrin | 0.159 / 0.477 | 1 | 1 | ND | | Prallethrin | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Daminozide | 0.159 / 0.477 | 1 | 1 | ND | | Propiconazole | 0.064 / 0.191 | 1 | 0.4 | ND | |
| Diazinon | 0.031 / 0.095 | 1 | 0.2 | ND | | Propoxur | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Dichlorvos | 0.016 / 0.048 | 1 | 0.1 | ND | | Pyrethrins | 0.133 / 0.400 | 1 | 1 | ND | |
| Dimethoate | 0.031 / 0.095 | 1 | 0.2 | ND | | Pyridaben | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Ethoprophos | 0.031 / 0.095 | 1 | 0.2 | ND | | Spinosad | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Etofenprox | 0.064 / 0.191 | 1 | 0.4 | ND | | Spiromesifen | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Etoxazole | 0.031 / 0.095 | 1 | 0.2 | ND | | Spirotetramat | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Fenoxycarb | 0.031 / 0.095 | 1 | 0.2 | ND | | Spiroxamine | 0.064 / 0.191 | 1 | 0.4 | ND | |
| Fenpyroximate | 0.064 / 0.191 | 1 | 0.4 | ND | | Tebuconazole | 0.064 / 0.191 | 1 | 0.4 | ND | |
| Fipronil | 0.064 / 0.191 | 1 | 0.4 | ND | | Thiacloprid | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Fonicamid | 0.159 / 0.477 | 1 | 1 | ND | | Thiamethoxam | 0.031 / 0.095 | 1 | 0.2 | ND | |
| Fludioxonil | 0.064 / 0.191 | 1 | 0.4 | ND | | Trifloxystrobin | 0.031 / 0.095 | 1 | 0.2 | ND | |

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2603SMAZ0675.2510
 Batch #: OGZD-VE1001



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23664

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2603SMAZ0675.2510
 Batch #: OGZD-VE1001



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23664

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>

| | | | |
|---|---|--|------------------------------|
| Arizona Dept. of Health Services Warning | | Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child | |
| Final Product Information: | | | |
| <i>Product Form</i> | Distillate | | |
| <i>Strain</i> | Hybrid Blend | Hybrid | |
| <i>Batch Number</i> | TR01 | | |
| <i>Date of Manufacture</i> | 01/05/2026 | | |
| <i>Manufactured By</i> | The Distillery (Life Changers Investments LLC) 0000156ESTDP70697204 | | |
| <i>Packaged By</i> | The Distillery (Life Changers Investments LLC) 0000156ESTDP70697204 | | |
| <i>Distributed By</i> | GTL LLC (00000128DCNB00202967) | | |
| | Lucid Distribution (Life Changers Investments) 0000156ESTDP70697204 | | |
| Starting Material Information: | | | |
| <i>Type</i> | Flower | | |
| <i>Batch Number(s)</i> | Bubba Cookies - 1415.BUBBACOOKIES | 06/22/2025 | |
| | Supermax OG - 1442.SUPERMAXOG | 09/15/2025 | |
| <i>Type of Extraction</i> | Alcohol | | |
| <i>Harvest Date(s)</i> | 06/22/25, 09/15/25 | | |
| <i>Cultivated By</i> | Tru Med (00000079DCUU00478481) | | |
| Marijuana Establishment(s) | | | |
| <i>Establishment Name</i> | <i>Establishment License</i> | <i>Establishment Name</i> | <i>Establishment License</i> |
| 4245 Investments LLC | 00000036ESXU42814428 | M&T Retail Facility | 00000101ESZO30906924 |
| 480 License Holdings, LLC | 0000154ESTQJ31348041 | MCD-SE Venture 25, LLC | 0000167ESTML86118201 |
| Absolute Health Care Inc | 00000027ESMP88938972 | MCD-SE Venture 26, LLC | 0000162ESTOS80671885 |
| All Rebel Rockers Inc | 00000131ESYX97720376 | Medmar Tanque Verde LLC | 00000081DCPK00962019 |
| Arizona Cannabis Society, Inc. | 00000090DCYT00194857 | MMJ Apothecary | 00000100ESEC12878172 |
| Arizona Natures Wellness | 00000030ESDG72791381 | Natural Herbal Remedies Inc | 00000058ESFA63267513 |
| AZ Compassionate Care Inc | 00000076ESON21559195 | Natural Remedy Patient Center | 00000125ESMC92036121 |
| AZCL1 | 00000054ESDU93884651 | Nature's Healing Center Inc | 00000041ESLU31226658 |
| Blue Palo Verde 1, LLC | 0000150ESTPZ83854528 | Nature's Wonder INC | 00000075ESJK64208740 |
| Cactus Bloom Facilities Management LLC | 00000144ESQK21738687 | Non Profit Patient Center Inc | 0000146ESTKT01674214 |
| Cardinal Square, Inc | 000000132ESFR7510840 | Perpetual Healthcare Inc | 00000033DCCK00134006 |
| Catalina Hills Botanical Care Inc | 00000025ESOX62486193 | Phytotherapeutics of Tucson | 00000049ESUK39624376 |
| Compassionate Care of AZ Inc | 00000091ESHS96689917 | Pinal County Wellness Center | 00000059ESZW76539792 |
| Devine Desert Healing Inc | 00000026ESRZ88769978 | Ponderosa Botanical Care Inc | 00000109ESVM44878444 |
| Dynamic Trio Holdings LLC | 0000146ESTKT01674214 | PP Wellness Center | 00000050ESTO08528992 |
| EBA Holdings, Inc | 00000068ESZM96727661 | Swallowtail 3, LLC | 0000161ESTOJ23023764 |
| Green Lightning LLC | 0000157ESTHZ07905975 | The Desert Valley Pharmacy Inc | 00000089ESLW87335751 |
| GTL LLC | 00000034ESEZ92106085 | The Health Center of Cochise Inc | 00000099ESVM28064808 |
| Healing Healthcare 3 Inc | 00000020ESEN67630727 | The Kind Relief Inc | 00000053ESYR15319850 |
| High Mountain Health, LLC | 00000087ESWR93327597 | Uncle Harry Corp | 00000129ESRG43839179 |
| K Group Partners LLC | 00000029ESAA16670843 | Whoa QC Inc | 00000069ESPV40435704 |
| | | Woodstock 1 | 0000168ESTBM41952754 |
| | | Zonacare | 00000024ESUV84524312 |



Lucid Distribution
 21644 N 9th Ave Suite 202
 Phoenix, AZ 85027
 License #: 000156ESTDP70697204
 Sample ID: 2601SMAZ0016.0051
 Batch #: TR01



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19868

Distill-TR01

Batch #: TR01
 Strain: Hybrid
 Parent Batch #:
 Production Method: Alcohol
 Harvest Date: 09/15/2025
 Received: 01/05/2026

Sample ID: 2601SMAZ0016.0051
 Amount Received: 7.3 g
 Sample Type: Distillate
 Sample Collected: 01/05/2026 09:58:00
 Manufacture Date: 01/05/2026
 Published: 01/07/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

| | | |
|---|---------------------------------------|----------------------------------|
| Cannabinoid Profile (Q3) Tested | Microbial Contaminants Pass | Residual Solvents Pass |
| Pesticides, Fungicides, and Growth Regulators Pass | Mycotoxins Pass | Heavy Metals Pass |

Additional Analytes (Not Regulated)

| | | |
|---|---|--|
| Terpenes Total (Q3) Not Tested | Moisture Analysis (Q3) Not Tested | Water Activity (Q3) Not Tested |
| Filth & Foreign (Q3) Not Tested | Homogeneity (Q3) Not Tested | Additional Microbial Contaminants (Q3) Not Tested |

| |
|--|
| 91.9918% Total THC |
| 0.2292% Total CBD |
| 1.2582% CBN |
| 2.6568% CBG |
| 96.6993% Total Cannabinoids (Q3) |

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
 21644 N 9th Ave Suite 202
 Phoenix, AZ 85027
 License #: 000156ESTDP70697204
 Sample ID: 2601SMAZ0016.0051
 Batch #: TR01



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19868

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/05/2026
 SOP: 418.AZ
 Batch Number: 4880
 Test ID: 109438

Sample Analysis

Date: 01/06/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 0.040 g
 Volume: 40 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g | Qualifier |
|---------|------------|------------|------|----------------|----------|-----------|
| CBC | 0.3220 | 0.9770 | 1 | ND | ND | M1 |
| CBD | 0.3220 | 0.9770 | 1 | 0.2292 | 2.2920 | M1 |
| CBDA | 0.3220 | 0.9770 | 1 | ND | ND | M1 |
| CBDV | 0.3220 | 0.9770 | 1 | ND | ND | M1 |
| CBG | 0.3220 | 0.9770 | 1 | 2.6568 | 26.5680 | M1 |
| CBGA | 0.3220 | 0.9770 | 1 | ND | ND | M1 |
| CBN | 0.3220 | 0.9770 | 1 | 1.2582 | 12.5820 | M1 |
| d8-THC | 0.3220 | 0.9770 | 1 | ND | ND | M1 |
| d9-THC | 0.3220 | 0.9770 | 1 | 91.9918 | 919.9180 | M1 |
| THCA | 0.3220 | 0.9770 | 1 | ND | ND | M1 |
| THCV | 0.3220 | 0.9770 | 1 | 0.5633 | 5.6330 | M1 |

| Cannabinoid Totals | Actual % (w/w) | mg/g | Qualifier |
|--------------------|----------------|----------|-----------|
| Total THC | 91.9918 | 919.9180 | |
| Total CBD | 0.2292 | 2.2920 | |
| Total Cannabinoids | 96.6993 | 966.9930 | Q3 |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
 21644 N 9th Ave Suite 202
 Phoenix, AZ 85027
 License #: 000156ESTDP70697204
 Sample ID: 2601SMAZ0016.0051
 Batch #: TR01



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19868

Microbial Analysis
Pass

Sample Prep

Batch Date: 01/06/2026
 SOP: 412.AZ
 Batch Number: 4899
 Test ID: 109452

Sample Analysis

Date: 01/07/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.050 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 100 CFU/g | < 10 CFU/g | Pass | |

Sample Prep

Batch Date: 01/06/2026
 SOP: 406.AZ
 Batch Number: 4895
 Test ID: 109453

Sample Analysis

Date: 01/07/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.014 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Sample Prep

Batch Date: 01/06/2026
 SOP: 406.AZ
 Batch Number: 4895
 Test ID: 109455

Sample Analysis

Date: 01/07/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.014 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|-----------------------|--------------------------|--------------------------|-----------|-----------|
| Aspergillus flavus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus fumigatus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus niger | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus terreus | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
 21644 N 9th Ave Suite 202
 Phoenix, AZ 85027
 License #: 000156ESTDP70697204
 Sample ID: 2601SMAZ0016.0051
 Batch #: TR01



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19868

Residual Solvents
 HS-GC-MS **Pass**

Sample Prep
 Batch Date: 01/06/2026
 SOP: 405.AZ
 Batch Number: 4891
 Test ID: 109439

Sample Analysis
 Date: 01/07/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.053 g

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|-----------------|-----------------|------|--------------------|---------------|-----------|-------------------|-----------------|------|--------------------|---------------|-----------|
| Acetone | 62 / 189 | 1 | 1000 | ND | | Heptane | 315 / 943 | 1 | 5000 | ND | |
| Acetonitrile | 26 / 77 | 1 | 410 | ND | | Hexanes | 45 / 137 | 1 | 290 | ND | |
| Benzene | 0.13 / 0.38 | 1 | 2 | ND | | Isopropyl acetate | 315 / 943 | 1 | 5000 | ND | |
| Butanes | 157 / 472 | 1 | 5000 | ND | | Methanol | 189 / 566 | 1 | 3000 | ND | |
| Chloroform | 4 / 11 | 1 | 60 | ND | | Pentanes | 315 / 943 | 1 | 5000 | ND | |
| Dichloromethane | 38 / 113 | 1 | 600 | ND | | 2-Propanol (IPA) | 315 / 943 | 1 | 5000 | ND | |
| Ethanol | 315 / 943 | 1 | 5000 | ND | | Toluene | 57 / 168 | 1 | 890 | ND | |
| Ethyl acetate | 315 / 943 | 1 | 5000 | ND | | Xylenes | 274 / 819 | 1 | 2170 | ND | |
| Ethyl ether | 315 / 943 | 1 | 5000 | ND | | | | | | | |

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
 21644 N 9th Ave Suite 202
 Phoenix, AZ 85027
 License #: 000156ESTDP70697204
 Sample ID: 2601SMAZ0016.0051
 Batch #: TR01



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19868

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 01/06/2026
 SOP: 428.AZ
 Batch Number: 4890
 Test ID: 109440

Sample Analysis
 Date: 01/06/2026
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.229 g
 Volume: 6 mL

| Analyte | LOD (ppm) | LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------|-----------|-----------|------|--------------------|---------------|-----------|
| Arsenic | 0.052 | 0.175 | 10 | 0.4 | ND | |
| Cadmium | 0.052 | 0.175 | 10 | 0.4 | ND | |
| Lead | 0.052 | 0.437 | 10 | 1 | <LOQ | |
| Mercury | 0.052 | 0.087 | 10 | 0.2 | ND | |

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 01/05/2026
 SOP: 432.AZ
 Batch Number: 4885
 Test ID: 109442

Sample Analysis
 Date: 01/06/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.571 g
 Volume: 12.5 mL

| Analyte | LOD (ppb) | LOQ (ppb) | Dil. | Action Limit (ppb) | Results (ppb) | Qualifier |
|------------------|-----------|-----------|------|--------------------|---------------|-----------|
| Total Aflatoxins | 3.50 | 8.76 | 1 | 20 | ND | |
| Aflatoxin B1 | 3.50 | 8.76 | 1 | | ND | |
| Aflatoxin B2 | 3.50 | 8.76 | 1 | | ND | |
| Aflatoxin G1 | 3.50 | 8.76 | 1 | | ND | |
| Aflatoxin G2 | 3.50 | 4.38 | 1 | | ND | |
| Ochratoxin A | 8.76 | 8.76 | 1 | 20 | ND | I1, L1 |

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
 21644 N 9th Ave Suite 202
 Phoenix, AZ 85027
 License #: 000156ESTDP70697204
 Sample ID: 2601SMAZ0016.0051
 Batch #: TR01



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19868

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 01/05/2026
 SOP: 432.AZ
 Batch Number: 4885
 Test ID: 109441

Sample Analysis

Date: 01/06/2026
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.571 g
 Volume: 12.5 mL

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------------------|-----------------|------|--------------------|---------------|-----------|--------------------|-----------------|------|--------------------|---------------|-----------|
| Abamectin B1a | 0.073 / 0.219 | 1 | 0.5 | ND | L1 | Hexythiazox | 0.146 / 0.438 | 1 | 1 | ND | R1 |
| Acephate | 0.059 / 0.175 | 1 | 0.4 | ND | L1 | Imazalil | 0.029 / 0.088 | 1 | 0.2 | ND | |
| Acetamiprid | 0.029 / 0.088 | 1 | 0.2 | ND | | Imidacloprid | 0.059 / 0.175 | 1 | 0.4 | ND | L1 |
| Aldicarb | 0.059 / 0.175 | 1 | 0.4 | ND | | Kresoxim-methyl | 0.059 / 0.175 | 1 | 0.4 | ND | |
| Azoxystrobin | 0.029 / 0.088 | 1 | 0.2 | ND | | Malathion | 0.029 / 0.088 | 1 | 0.2 | ND | |
| Bifenazate | 0.029 / 0.088 | 1 | 0.2 | ND | | Metaxyl | 0.029 / 0.088 | 1 | 0.2 | ND | |
| Bifenthrin | 0.029 / 0.088 | 1 | 0.2 | ND | R1 | Methiocarb | 0.029 / 0.088 | 1 | 0.2 | ND | |
| Boscalid | 0.059 / 0.175 | 1 | 0.4 | ND | | Methomyl | 0.059 / 0.175 | 1 | 0.4 | ND | |
| Carbaryl | 0.029 / 0.088 | 1 | 0.2 | ND | | Myclobutanil | 0.029 / 0.088 | 1 | 0.2 | ND | L1 |
| Carbofuran | 0.029 / 0.088 | 1 | 0.2 | ND | | Naled | 0.073 / 0.219 | 1 | 0.5 | ND | |
| Chlorantraniliprole | 0.029 / 0.088 | 1 | 0.2 | ND | L1 | Oxamyl | 0.146 / 0.438 | 1 | 1 | ND | |
| Chlorfenapyr | 0.146 / 0.438 | 1 | 1 | ND | | Pacllobutrazol | 0.059 / 0.175 | 1 | 0.4 | ND | L1 |
| Chlorpyrifos | 0.029 / 0.088 | 1 | 0.2 | ND | | Permethrins | 0.029 / 0.088 | 1 | 0.2 | ND | L1 |
| Clofentezine | 0.029 / 0.088 | 1 | 0.2 | ND | | Phosmet | 0.029 / 0.088 | 1 | 0.2 | ND | |
| Cyfluthrin | 0.146 / 0.438 | 1 | 1 | ND | | Piperonyl Butoxide | 0.292 / 0.876 | 1 | 2 | ND | |
| Cypermethrin | 0.146 / 0.438 | 1 | 1 | ND | R1 | Prallethrin | 0.029 / 0.088 | 1 | 0.2 | ND | L1 |
| Daminozide | 0.146 / 0.438 | 1 | 1 | ND | | Propiconazole | 0.059 / 0.175 | 1 | 0.4 | ND | |
| Diazinon | 0.029 / 0.088 | 1 | 0.2 | ND | | Propoxur | 0.029 / 0.088 | 1 | 0.2 | ND | |
| Dichlorvos | 0.015 / 0.044 | 1 | 0.1 | ND | | Pyrethrins | 0.122 / 0.367 | 1 | 1 | ND | L1 |
| Dimethoate | 0.029 / 0.088 | 1 | 0.2 | ND | | Pyridaben | 0.029 / 0.088 | 1 | 0.2 | ND | L1 |
| Ethoprophos | 0.029 / 0.088 | 1 | 0.2 | ND | | Spinosad | 0.029 / 0.088 | 1 | 0.2 | ND | |
| Etofenprox | 0.059 / 0.175 | 1 | 0.4 | ND | R1 | Spiromesifen | 0.029 / 0.088 | 1 | 0.2 | ND | |
| Etoxazole | 0.029 / 0.088 | 1 | 0.2 | ND | L1 | Spirotetramat | 0.029 / 0.088 | 1 | 0.2 | ND | L1 |
| Fenoxycarb | 0.029 / 0.088 | 1 | 0.2 | ND | | Spiroxamine | 0.059 / 0.175 | 1 | 0.4 | ND | |
| Fenpyroximate | 0.059 / 0.175 | 1 | 0.4 | ND | L1 | Tebuconazole | 0.059 / 0.175 | 1 | 0.4 | ND | L1 |
| Fipronil | 0.059 / 0.175 | 1 | 0.4 | ND | L1, R1 | Thiacloprid | 0.029 / 0.088 | 1 | 0.2 | ND | L1 |
| Fonicamid | 0.146 / 0.438 | 1 | 1 | ND | L1 | Thiamethoxam | 0.029 / 0.088 | 1 | 0.2 | ND | |
| Fludioxonil | 0.059 / 0.175 | 1 | 0.4 | ND | | Trifloxystrobin | 0.029 / 0.088 | 1 | 0.2 | ND | |

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
21644 N 9th Ave Suite 202
Phoenix, AZ 85027
License #: 000156ESTDP70697204
Sample ID: 2601SMAZ0016.0051
Batch #: TR01



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 19868

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution
 21644 N 9th Ave Suite 202
 Phoenix, AZ 85027
 License #: 000156ESTDP70697204
 Sample ID: 2601SMAZ0016.0051
 Batch #: TR01



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 19868

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>