



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2511SMAZ2016.6032
Batch #: A002251111



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18237

The Creams, Sunny Sativa - 100 mg

Batch #: A002251111
Strain: Blue Dream
Parent Batch #: OGZD-VE081S
Production Method: Alcohol
Harvest Date: 04/08/2025
Received: 11/14/2025

Sample ID: 2511SMAZ2016.6032
Amount Received: 61.1 g
Sample Type: Soft Chew
Sample Collected: 11/14/2025 12:10:00
Manufacture Date: 11/11/2025
Published: 11/19/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Not Tested	11.2424 mg/serving 112.4240 mg/container Total THC
Pesticides, Fungicides, and Growth Regulators Not Tested	Mycotoxins Not Tested	Heavy Metals Not Tested	0.3544 mg/serving 3.5438 mg/container Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	<LOQ CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	<LOQ CBG

11.6029 mg/serving
116.0289 mg/container
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2511SMAZ2016.6032
 Batch #: A002251111



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18237

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/13/2025
SOP: 418.AZ
Batch Number: 4547
Test ID: 101015

Sample Analysis

Date: 11/17/2025
SOP: 417.AZ - HPLC
Sample Weight: 1.011 g
Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.0030	0.0100	1	ND	ND	ND	ND	
CBD	0.0030	0.0100	1	0.0058	0.0580	0.3544	3.5438	
CBDA	0.0030	0.0100	1	ND	ND	ND	ND	
CBDV	0.0030	0.0100	1	<LOQ	<LOQ	<LOQ	<LOQ	
CBG	0.0030	0.0100	1	<LOQ	<LOQ	<LOQ	<LOQ	
CBGA	0.0030	0.0100	1	ND	ND	ND	ND	
CBN	0.0030	0.0100	1	<LOQ	<LOQ	<LOQ	<LOQ	
d8-THC	0.0030	0.0100	1	ND	ND	ND	ND	
d9-THC	0.0030	0.0100	1	0.1840	1.8400	11.2424	112.4240	
THCA	0.0030	0.0100	1	ND	ND	ND	ND	
THCV	0.0030	0.0100	1	ND	ND	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.1840	1.8400	11.2424	112.4240	
Total CBD	0.0058	0.0580	0.3544	3.5438	
Total Cannabinoids	0.1899	1.8990	11.6029	116.0289	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 6.11 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
 Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2511SMAZ2016.6032
Batch #: A002251111



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 18237

Microbial Analysis

Pass

Sample Prep

Batch Date: 11/17/2025
SOP: 412.AZ
Batch Number: 4554
Test ID: 101021

Sample Analysis

Date: 11/18/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.053 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/17/2025
SOP: 406.AZ
Batch Number: 4553
Test ID: 101024

Sample Analysis

Date: 11/19/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.002 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2511SMAZ2016.6032
Batch #: A002251111



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 18237

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2511SMAZ2016.6032
Batch #: A002251111



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 18237

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2510SMAZ1843.5467
Batch #: OGZD-VE081



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17511

Sativa Distillate

Batch #: OGZD-VE081
Strain: Blue Dream
Parent Batch #: LCD-0812D
Production Method: Alcohol
Harvest Date: 04/08/2025
Received: 10/22/2025

Sample ID: 2510SMAZ1843.5467
Amount Received: 7.2 g
Sample Type: Distillate
Sample Collected: 10/22/2025 12:36:00
Manufacture Date: 08/12/2025
Published: 10/27/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	91.4497% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	2.8006% Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	0.1165% CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	0.1501% CBG

94.5169%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2510SMAZ1843.5467
Batch #: OGZD-VE081



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17511

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 10/22/2025
SOP: 418.AZ
Batch Number: 4381
Test ID: 96735

Sample Analysis

Date: 10/23/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.040 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3220	0.9770	1	ND	ND	
CBD	0.3220	0.9770	1	2.8006	28.0060	
CBDA	0.3220	0.9770	1	ND	ND	
CBDV	0.3220	0.9770	1	ND	ND	
CBG	0.3220	0.9770	1	0.1501	1.5010	
CBGA	0.3220	0.9770	1	ND	ND	
CBN	0.3220	0.9770	1	0.1165	1.1650	
d8-THC	0.3220	0.9770	1	ND	ND	
d9-THC	0.3220	0.9770	1	91.4497	914.4970	
THCA	0.3220	0.9770	1	ND	ND	
THCV	0.3220	0.9770	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	91.4497	914.4970	
Total CBD	2.8006	28.0060	
Total Cannabinoids	94.5169	945.1690	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

AMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2510SMAZ1843.5467
 Batch #: OGZD-VE081



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 17511

Microbial Analysis

Pass

Sample Prep

Batch Date: 10/23/2025
SOP: 412.AZ
Batch Number: 4395
Test ID: 96744

Sample Analysis

Date: 10/24/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.021 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 10/23/2025
SOP: 406.AZ
Batch Number: 4394
Test ID: 96745

Sample Analysis

Date: 10/24/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.024 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 10/23/2025
SOP: 406.AZ
Batch Number: 4394
Test ID: 96746

Sample Analysis

Date: 10/24/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.024 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2510SMAZ1843.5467
 Batch #: OGZD-VE081



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 17511

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 10/23/2025
SOP: 405.AZ
Batch Number: 4384
Test ID: 96736

Sample Analysis

Date: 10/24/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.051 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 196	1	1000	ND		Heptane	327 / 980	1	5000	ND	
Acetonitrile	27 / 80	1	410	ND		Hexanes	47 / 142	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	327 / 980	1	5000	ND	
Butanes	163 / 490	1	5000	ND		Methanol	196 / 588	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	327 / 980	1	5000	ND	
Dichloromethane	39 / 118	1	600	ND		2-Propanol (IPA)	327 / 980	1	5000	ND	
Ethanol	327 / 980	1	5000	ND		Toluene	59 / 175	1	890	ND	
Ethyl acetate	327 / 980	1	5000	ND		Xylenes	284 / 851	1	2170	ND	
Ethyl ether	327 / 980	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2510SMAZ1843.5467
 Batch #: OGZD-VE081



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 17511

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 10/23/2025
SOP: 428.AZ
Batch Number: 4386
Test ID: 96737

Sample Analysis

Date: 10/24/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.214 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.054	0.179	10	0.4	ND	
Cadmium	0.054	0.179	10	0.4	ND	
Lead	0.054	0.449	10	1	ND	
Mercury	0.054	0.090	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 10/23/2025
SOP: 432.AZ
Batch Number: 4391
Test ID: 96739

Sample Analysis

Date: 10/27/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.501 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.99	9.98	1	20	ND	R1
Aflatoxin B1	3.99	9.98	1		ND	R1
Aflatoxin B2	3.99	9.98	1		ND	I1
Aflatoxin G1	3.99	9.98	1		ND	
Aflatoxin G2	3.99	4.99	1		ND	I1
Ochratoxin A	9.98	9.98	1	20	ND	I1, R1V1

Ahmed Munshi

Technical Laboratory Director

AHMunshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
 2015 N Forbes
 Suite 110
 Tucson, AZ 85745
 License #: 00000039DCVR00320237
 Sample ID: 2510SMAZ1843.5467
 Batch #: OGZD-VE081



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 17511

**Pesticides, Fungicides, and
Growth Regulators**

LC-MS/MS

Pass

Sample Prep

Batch Date: 10/23/2025
SOP: 432.AZ
Batch Number: 4391
Test ID: 96738

Sample Analysis

Date: 10/27/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.501 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.083 / 0.250	1	0.5	ND		Hexythiazox	0.167 / 0.499	1	1	ND	
Acephate	0.067 / 0.200	1	0.4	ND		Imazalil	0.033 / 0.100	1	0.2	ND	
Acetamiprid	0.033 / 0.100	1	0.2	ND		Imidacloprid	0.067 / 0.200	1	0.4	ND	
Aldicarb	0.067 / 0.200	1	0.4	ND		Kresoxim-methyl	0.067 / 0.200	1	0.4	ND	
Azoxystrobin	0.033 / 0.100	1	0.2	ND		Malathion	0.033 / 0.100	1	0.2	ND	
Bifenazate	0.033 / 0.100	1	0.2	ND		Metalaxyl	0.033 / 0.100	1	0.2	ND	
Bifenthrin	0.033 / 0.100	1	0.2	ND		Methiocarb	0.033 / 0.100	1	0.2	ND	
Boscalid	0.067 / 0.200	1	0.4	ND		Methomyl	0.067 / 0.200	1	0.4	ND	
Carbaryl	0.033 / 0.100	1	0.2	ND		Myclobutanil	0.033 / 0.100	1	0.2	ND	
Carbofuran	0.033 / 0.100	1	0.2	ND		Naled	0.083 / 0.250	1	0.5	ND	
Chlorantraniliprole	0.033 / 0.100	1	0.2	ND		Oxamyl	0.167 / 0.499	1	1	ND	
Chlorfenapyr	0.167 / 0.499	1	1	ND		Pacllobutrazol	0.067 / 0.200	1	0.4	ND	
Chlorpyrifos	0.033 / 0.100	1	0.2	ND		Permethrins	0.033 / 0.100	1	0.2	ND	
Clofentezine	0.033 / 0.100	1	0.2	ND		Phosmet	0.033 / 0.100	1	0.2	ND	
Cyfluthrin	0.167 / 0.499	1	1	ND		Piperonyl Butoxide	0.332 / 0.998	1	2	ND	
Cypermethrin	0.167 / 0.499	1	1	ND		Prallethrin	0.033 / 0.100	1	0.2	ND	
Daminozide	0.167 / 0.499	1	1	ND		Propiconazole	0.067 / 0.200	1	0.4	ND	
Diazinon	0.033 / 0.100	1	0.2	ND		Propoxur	0.033 / 0.100	1	0.2	ND	
Dichlorvos	0.017 / 0.050	1	0.1	ND		Pyrethrins	0.139 / 0.418	1	1	ND	
Dimethoate	0.033 / 0.100	1	0.2	ND		Pyridaben	0.033 / 0.100	1	0.2	ND	
Ethoprophos	0.033 / 0.100	1	0.2	ND		Spinosad	0.033 / 0.100	1	0.2	ND	
Etofenprox	0.067 / 0.200	1	0.4	ND		Spiromesifen	0.033 / 0.100	1	0.2	ND	
Etoxazole	0.033 / 0.100	1	0.2	ND		Spirotetramat	0.033 / 0.100	1	0.2	ND	
Fenoxy carb	0.033 / 0.100	1	0.2	ND		Spiroxamine	0.067 / 0.200	1	0.4	ND	
Fenpyroximate	0.067 / 0.200	1	0.4	ND	I1	Tebuconazole	0.067 / 0.200	1	0.4	ND	
Fipronil	0.067 / 0.200	1	0.4	ND	I1	Thiacloprid	0.033 / 0.100	1	0.2	ND	
Flonicamid	0.167 / 0.499	1	1	ND		Thiamethoxam	0.033 / 0.100	1	0.2	ND	
Fludioxonil	0.067 / 0.200	1	0.4	ND		Trifloxystrobin	0.033 / 0.100	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

AH Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2510SMAZ1843.5467
Batch #: OGZD-VE081



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17511

Qualifier Legend

B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.

I1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

Q1 Sample integrity was not maintained.

Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

R2 The relative percent difference for a sample and duplicate exceeded the limit.

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



MDM Prime LLC
2015 N Forbes
Suite 110
Tucson, AZ 85745
License #: 00000039DCVR00320237
Sample ID: 2510SMAZ1843.5467
Batch #: OGZD-VE081



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17511

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>