

# Thugs Breath 4

Sample ID: 2401FSL0020.0129  
Strain: Thugs Breath 4  
Matrix: Plant  
Type: Flower - Cured  
Sample Size: 16 g; Batch: 16 g

Harvest Date: 01/15/2024  
Manufacture Date:  
Received: 01/16/2024  
Completed: 01/24/2024  
Batch#: TB4240115H

Client: High Desert Healing/Potent Planet  
Lic. # 00000007ESWD35270682  
770 E Evans Blvd  
Tucson, AZ 85713

Lab Sample Collection Date/Time: 01/15/2024 9am



## Summary

| Test         | Date Tested | Result   |
|--------------|-------------|----------|
| Batch        |             | Pass     |
| Cannabinoids | 01/17/2024  | Complete |
| Microbials   | 01/23/2024  | Pass     |
| Pesticides   | 01/24/2024  | Pass     |
| Heavy Metals | 01/22/2024  | Pass     |

## Cannabinoids

Complete

|                            |                             |  |
|----------------------------|-----------------------------|--|
| <b>23.53%</b><br>Total THC | <b>&lt;LOQ</b><br>Total CBD | <b>27.39%</b><br>Total Cannabinoids (Q3) |
|----------------------------|-----------------------------|--|

| Analyte      | LOQ  | Result       | Result       | Qualifier |
|--------------|------|--------------|--------------|-----------|
|              | %    | %            | mg/g         |           |
| THCa         | 0.10 | 26.57        | 265.7        |           |
| Δ9-THC       | 0.10 | 0.22         | 2.2          |           |
| Δ8-THC       | 0.10 | ND           | ND           |           |
| THCV         | 0.10 | ND           | ND           |           |
| CBDa         | 0.10 | <LOQ         | <LOQ         |           |
| CBD          | 0.10 | ND           | ND           |           |
| CBDV         | 0.10 | ND           | ND           |           |
| CBN          | 0.10 | ND           | ND           |           |
| CBGa         | 0.10 | 0.48         | 4.8          |           |
| CBG          | 0.10 | 0.11         | 1.1          |           |
| CBC          | 0.10 | ND           | ND           |           |
| <b>Total</b> |      | <b>27.39</b> | <b>273.9</b> |           |

Date Tested: 01/17/2024

Total THC = THCa \* 0.877 + Δ9-THC Total CBD = CBDa \* 0.877 + CBD Instrument: HPLC-DAD ; Method: FSL-SOP-401



*Symon Levenberg*  
Symon Levenberg, PhD  
Technical Lab Director  
01/24/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD

# Thugs Breath 4

**Sample ID:** 2401FSL0020.0129  
**Strain:** Thugs Breath 4  
**Matrix:** Plant  
**Type:** Flower - Cured  
**Sample Size:** 16 g; Batch: 16 g

**Harvest Date:** 01/15/2024  
**Manufacture Date:**  
**Received:** 01/16/2024  
**Completed:** 01/24/2024  
**Batch#:** TB4240115H

**Client:**  
**High Desert Healing/Potent Planet**  
**Lic. #** 00000007ESWD35270682  
 770 E Evans Blvd  
 Tucson, AZ 85713

**Lab Sample Collection Date/Time:** 01/15/2024 9am


## Pesticides

Pass

| Analyte             | LOQ  | Limit | Mass | Status | Qualifier | Analyte         | LOQ  | Limit | Mass | Status | Qualifier |
|---------------------|------|-------|------|--------|-----------|-----------------|------|-------|------|--------|-----------|
|                     | µg/g | µg/g  | µg/g |        |           |                 | µg/g | µg/g  | µg/g |        |           |
| Abamectin           | 0.25 | 0.5   | ND   | Pass   |           | Hexythiazox     | 0.5  | 1     | ND   | Pass   | L1        |
| Acephate            | 0.25 | 0.5   | ND   | Pass   |           | Imazalil        | 0.1  | 0.2   | ND   | Pass   |           |
| Acetamiprid         | 0.1  | 0.2   | ND   | Pass   |           | Imidacloprid    | 0.2  | 0.4   | ND   | Pass   |           |
| Aldicarb            | 0.2  | 0.4   | ND   | Pass   |           | Kresoxim Methyl | 0.2  | 0.4   | ND   | Pass   |           |
| Azoxystrobin        | 0.1  | 0.2   | ND   | Pass   |           | Malathion       | 0.1  | 0.2   | ND   | Pass   |           |
| Bifenazate          | 0.1  | 0.2   | ND   | Pass   |           | Metaxyl         | 0.1  | 0.2   | ND   | Pass   |           |
| Bifenthrin          | 0.1  | 0.2   | ND   | Pass   |           | Methiocarb      | 0.1  | 0.2   | ND   | Pass   |           |
| Boscalid            | 0.2  | 0.4   | ND   | Pass   |           | Methomyl        | 0.2  | 0.4   | ND   | Pass   |           |
| Carbaryl            | 0.1  | 0.2   | ND   | Pass   |           | Myclobutanil    | 0.1  | 0.2   | ND   | Pass   |           |
| Carbofuran          | 0.1  | 0.2   | ND   | Pass   |           | Naled           | 0.25 | 0.5   | ND   | Pass   |           |
| Chlorantraniliprole | 0.1  | 0.2   | ND   | Pass   |           | Oxamyl          | 0.5  | 1     | ND   | Pass   |           |
| Chlorfenapyr        | 0.5  | 1     | ND   | Pass   | L1        | Paclobutrazol   | 0.2  | 0.4   | ND   | Pass   |           |
| Chlorpyrifos        | 0.1  | 0.2   | ND   | Pass   | L1        | Permethrins     | 0.1  | 0.2   | ND   | Pass   |           |
| Clofentezine        | 0.1  | 0.2   | ND   | Pass   | L1        | Phosmet         | 0.1  | 0.2   | ND   | Pass   |           |
| Cyfluthrin          | 0.5  | 1     | ND   | Pass   |           | Piperonyl       |      |       | ND   | Pass   | L1        |
| Cypermethrin        | 0.5  | 1     | ND   | Pass   |           | Butoxide        | 1    | 2     | ND   | Pass   | L1        |
| Daminozide          | 0.5  | 1     | ND   | Pass   | L1        | Prallethrin     | 0.1  | 0.2   | ND   | Pass   |           |
| Diazinon            | 0.1  | 0.2   | ND   | Pass   | L1        | Propiconazole   | 0.2  | 0.4   | ND   | Pass   |           |
| Dichlorvos          | 0.05 | 0.1   | ND   | Pass   |           | Propoxur        | 0.1  | 0.2   | ND   | Pass   |           |
| Dimethoate          | 0.1  | 0.2   | ND   | Pass   |           | Pyrethrins      | 0.5  | 1     | ND   | Pass   |           |
| Ethoprophos         | 0.1  | 0.2   | ND   | Pass   |           | Pyridaben       | 0.1  | 0.2   | ND   | Pass   |           |
| Etofenprox          | 0.2  | 0.4   | ND   | Pass   |           | Spinosad        | 0.1  | 0.2   | ND   | Pass   | L1,V1     |
| Etoxazole           | 0.1  | 0.2   | ND   | Pass   |           | Spiromesifen    | 0.1  | 0.2   | ND   | Pass   |           |
| Fenoxycarb          | 0.1  | 0.2   | ND   | Pass   |           | Spirotetramat   | 0.1  | 0.2   | ND   | Pass   | L1        |
| Fenpyroximate       | 0.2  | 0.4   | ND   | Pass   |           | Spiroxamine     | 0.2  | 0.4   | ND   | Pass   | L1        |
| Fipronil            | 0.2  | 0.4   | ND   | Pass   |           | Tebuconazole    | 0.2  | 0.4   | ND   | Pass   |           |
| Fonicamid           | 0.5  | 1     | ND   | Pass   |           | Thiacloprid     | 0.1  | 0.2   | ND   | Pass   |           |
| Fludioxonil         | 0.2  | 0.4   | ND   | Pass   | L1        | Thiamethoxam    | 0.1  | 0.2   | ND   | Pass   |           |
|                     |      |       |      |        |           | Trifloxystrobin | 0.1  | 0.2   | ND   | Pass   | L1        |

Date Tested: 01/24/2024  
 Instrument: LC-MS/MS ; Method: FSL-SOP-411



  
 Symon Levenberg, PhD  
 Technical Lab Director  
 01/24/2024

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD

## Thugs Breath 4

**Sample ID:** 2401FSL0020.0129  
**Strain:** Thugs Breath 4  
**Matrix:** Plant  
**Type:** Flower - Cured  
**Sample Size:** 16 g; Batch: 16 g

**Harvest Date:** 01/15/2024  
**Manufacture Date:**  
**Received:** 01/16/2024  
**Completed:** 01/24/2024  
**Batch#:** TB4240115H

**Client:**  
**High Desert Healing/Potent Planet**  
**Lic. #** 00000007ESWD35270682  
 770 E Evans Blvd  
 Tucson, AZ 85713

**Lab Sample Collection Date/Time:** 01/15/2024 9am

### Microbials

Pass

| Analyte               | Result             | Status | Qualifier |
|-----------------------|--------------------|--------|-----------|
| Aspergillus flavus    | Not Detected in 1g | Pass   |           |
| Aspergillus fumigatus | Not Detected in 1g | Pass   |           |
| Aspergillus niger     | Not Detected in 1g | Pass   |           |
| Aspergillus terreus   | Not Detected in 1g | Pass   |           |
| Salmonella SPP        | Not Detected in 1g | Pass   |           |
| E. Coli               | ND                 | Pass   |           |

Date Tested: 01/23/2024  
 Instrument: qPCR & 3M PetriFilm; Method: FSL-SOP-301

### Mycotoxins

Not Tested

| Analyte | LOQ | Limit | Units | Status | Qualifier |
|---------|-----|-------|-------|--------|-----------|
|---------|-----|-------|-------|--------|-----------|

Date Tested:

### Heavy Metals

Pass

| Analyte | LOQ | Limit | Units | Status | Qualifier |
|---------|-----|-------|-------|--------|-----------|
| Arsenic | 0.2 | 0.4   | <LOQ  | Pass   |           |
| Cadmium | 0.2 | 0.4   | <LOQ  | Pass   |           |
| Lead    | 0.5 | 1     | <LOQ  | Pass   |           |
| Mercury | 0.6 | 1.2   | <LOQ  | Pass   | L1        |

Date Tested: 01/22/2024  
 Instrument: ICP-MS; Method: FSL-SOP-404



Symon Levenberg, PhD  
 Technical Lab Director  
 01/24/2024

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Symon Levenberg, PhD