



RR Brothers
 5210 S Priest Dr,
 Guadalupe
 AZ
 85283
 License #: 0000161ESTOJ23023764
 Sample ID: 2604SMAZ0810.3024
 Batch #: PO100-021926D-0402




CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23688

Pineapple Orange Sativa 1000mg

Batch #: PO100-021926D-0402 Sample ID: 2604SMAZ0810.3024
 Strain: Pineapple Orange Sativa 1000mg Amount Received: 51.8 g
 Parent Batch #: 021926D Sample Type: Soft Chew
 Production Method: Alcohol Sample Collected: 04/14/2026 13:02:00
 Harvest Date: 11/05/2025 Manufacture Date: 04/10/2026
 Received: 04/14/2026 Published: 04/17/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

109.3394 mg/serving
 1093.3944 mg/container
 Total THC

3.6933 mg/serving
 36.9334 mg/container
 Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

0.2124 mg/serving
 2.1238 mg/container
 CBN

<LOQ
 CBG

113.2452 mg/serving
 1132.4516 mg/container
 Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



RR Brothers
5210 S Priest Dr,
Guadalupe
AZ
85283
License #: 0000161ESTOJ23023764
Sample ID: 2604SMAZ0810.3024
Batch #: PO100-021926D-0402



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 23688

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 04/14/2026
SOP: 418.AZ
Batch Number: 5804
Test ID: 131620

Sample Analysis

Date: 04/15/2026
SOP: 417.AZ - HPLC
Sample Weight: 1.028 g
Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.0130	0.0380	4	ND	ND	ND	ND	M2
CBD	0.0130	0.0380	4	0.0713	0.7130	3.6933	36.9334	M2
CBDA	0.0130	0.0380	4	ND	ND	ND	ND	M2
CBDV	0.0130	0.0380	4	<LOQ	<LOQ	<LOQ	<LOQ	M2
CBG	0.0130	0.0380	4	<LOQ	<LOQ	<LOQ	<LOQ	M2
CBGA	0.0130	0.0380	4	ND	ND	ND	ND	M2
CBN	0.0130	0.0380	4	0.0041	0.0410	0.2124	2.1238	M2
d8-THC	0.0130	0.0380	4	ND	ND	ND	ND	M2
d9-THC	0.0130	0.0380	4	2.1108	21.1080	109.3394	1093.3944	M2
THCA	0.0130	0.0380	4	ND	ND	ND	ND	M2
THCV	0.0130	0.0380	4	ND	ND	ND	ND	M2

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	2.1108	21.1080	109.3394	1093.3944	
Total CBD	0.0713	0.7130	3.6933	36.9334	
Total Cannabinoids	2.1862	21.8620	113.2452	1132.4516	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
Serving Weight: 5.18 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



RR Brothers
 5210 S Priest Dr,
 Guadalupe
 AZ
 85283
 License #: 0000161ESTOJ23023764
 Sample ID: 2604SMAZ0810.3024
 Batch #: PO100-021926D-0402



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23688

Microbial Analysis
 Pass

Sample Prep

Batch Date: 04/15/2026
 SOP: 412.AZ
 Batch Number: 5817
 Test ID: 131686

Sample Analysis

Date: 04/16/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.047 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 04/15/2026
 SOP: 406.AZ
 Batch Number: 5814
 Test ID: 131696

Sample Analysis

Date: 04/17/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.008 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



RR Brothers
 5210 S Priest Dr,
 Guadalupe
 AZ
 85283
 License #: 0000161ESTOJ23023764
 Sample ID: 2604SMAZ0810.3024
 Batch #: PO100-021926D-0402



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23688

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 04/15/2026
 SOP: 405.AZ
 Batch Number: 5806
 Test ID: 131621

Sample Analysis

Date: 04/16/2026
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.0524 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	127 / 382	1	1000	ND		Heptane	635 / 1908	1	5000	ND	
Acetonitrile	52 / 156	1	410	ND		Hexanes	37 / 111	1	290	ND	
Benzene	0.25 / 0.76	1	2	ND		Isopropyl acetate	635 / 1908	1	5000	ND	
Butanes	159 / 477	1	5000	ND		Methanol	382 / 1145	1	3000	ND	
Chloroform	8 / 23	1	60	ND		Pentanes	159 / 477	1	5000	ND	
Dichloromethane	76 / 229	1	600	ND		2-Propanol (IPA)	635 / 1908	1	5000	ND	
Ethanol	635 / 1908	1	5000	ND		Toluene	113 / 340	1	890	ND	
Ethyl acetate	635 / 1908	1	5000	ND		Xylenes	277 / 828	1	2170	ND	
Ethyl ether	635 / 1908	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



RR Brothers
5210 S Priest Dr,
Guadalupe
AZ
85283
License #: 0000161ESTOJ23023764
Sample ID: 2604SMAZ0810.3024
Batch #: PO100-021926D-0402



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 23688

Heavy Metals

ICP-MS **Pass**

Sample Prep

Batch Date: 04/15/2026
SOP: 428.AZ
Batch Number: 5808
Test ID: 131622

Sample Analysis

Date: 04/17/2026
SOP: 428.AZ - ICP-MS
Sample Weight: 0.217 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.055	0.184	10	0.4	ND	
Cadmium	0.055	0.184	10	0.4	ND	
Lead	0.055	0.461	10	1	ND	
Mercury	0.055	0.092	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep

Batch Date: 04/15/2026
SOP: 432.AZ
Batch Number: 5813
Test ID: 131624

Sample Analysis

Date: 04/17/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.539 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.71	9.28	1	20	ND	R1
Aflatoxin B1	3.71	9.28	1		ND	R1
Aflatoxin B2	3.71	9.28	1		ND	I1
Aflatoxin G1	3.71	9.28	1		ND	I1, R1
Aflatoxin G2	3.71	4.64	1		ND	R1
Ochratoxin A	9.28	9.28	1	20	ND	I1, R1

Ahmed Munshi
Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



RR Brothers
5210 S Priest Dr,
Guadalupe
AZ
85283
License #: 0000161ESTOJ23023764
Sample ID: 2604SMAZ0810.3024
Batch #: PO100-021926D-0402



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 23688

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 04/15/2026
SOP: 432.AZ
Batch Number: 5813
Test ID: 131623

Sample Analysis

Date: 04/17/2026
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.539 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.077 / 0.232	1	0.5	ND		Hexythiazox	0.155 / 0.464	1	1	ND	
Acephate	0.062 / 0.186	1	0.4	ND		Imazalil	0.031 / 0.093	1	0.2	ND	
Acetamiprid	0.031 / 0.093	1	0.2	ND		Imidacloprid	0.062 / 0.186	1	0.4	ND	
Aldicarb	0.062 / 0.186	1	0.4	ND		Kresoxim-methyl	0.062 / 0.186	1	0.4	ND	
Azoxystrobin	0.031 / 0.093	1	0.2	ND		Malathion	0.031 / 0.093	1	0.2	ND	
Bifenazate	0.031 / 0.093	1	0.2	ND	V1	Metaxyl	0.031 / 0.093	1	0.2	ND	
Bifenthrin	0.031 / 0.093	1	0.2	ND		Methiocarb	0.031 / 0.093	1	0.2	ND	
Boscalid	0.062 / 0.186	1	0.4	ND		Methomyl	0.062 / 0.186	1	0.4	ND	
Carbaryl	0.031 / 0.093	1	0.2	ND		Myclobutanil	0.031 / 0.093	1	0.2	ND	
Carbofuran	0.031 / 0.093	1	0.2	ND		Naled	0.077 / 0.232	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.093	1	0.2	ND		Oxamyl	0.155 / 0.464	1	1	ND	
Chlorfenapyr	0.155 / 0.464	1	1	ND		Pacllobutrazol	0.062 / 0.186	1	0.4	ND	
Chlorpyrifos	0.031 / 0.093	1	0.2	ND		Permethrins	0.031 / 0.093	1	0.2	ND	
Clofentezine	0.031 / 0.093	1	0.2	ND		Phosmet	0.031 / 0.093	1	0.2	ND	
Cyfluthrin	0.155 / 0.464	1	1	ND		Piperonyl Butoxide	0.309 / 0.928	1	2	ND	
Cypermethrin	0.155 / 0.464	1	1	ND		Prallethrin	0.031 / 0.093	1	0.2	ND	
Daminozide	0.155 / 0.464	1	1	ND	L1 V1	Propiconazole	0.062 / 0.186	1	0.4	ND	
Diazinon	0.031 / 0.093	1	0.2	ND		Propoxur	0.031 / 0.093	1	0.2	ND	
Dichlorvos	0.016 / 0.046	1	0.1	ND		Pyrethrins	0.130 / 0.389	1	1	ND	
Dimethoate	0.031 / 0.093	1	0.2	ND		Pyridaben	0.031 / 0.093	1	0.2	ND	
Ethoprophos	0.031 / 0.093	1	0.2	ND		Spinosad	0.031 / 0.093	1	0.2	ND	
Etofenprox	0.062 / 0.186	1	0.4	ND		Spiromesifen	0.031 / 0.093	1	0.2	ND	
Etoxazole	0.031 / 0.093	1	0.2	ND		Spirotetramat	0.031 / 0.093	1	0.2	ND	
Fenoxycarb	0.031 / 0.093	1	0.2	ND		Spiroxamine	0.062 / 0.186	1	0.4	ND	
Fenpyroximate	0.062 / 0.186	1	0.4	ND		Tebuconazole	0.062 / 0.186	1	0.4	ND	
Fipronil	0.062 / 0.186	1	0.4	ND	I1, R1	Thiacloprid	0.031 / 0.093	1	0.2	ND	
Fonicamid	0.155 / 0.464	1	1	ND		Thiamethoxam	0.031 / 0.093	1	0.2	ND	
Fludioxonil	0.062 / 0.186	1	0.4	ND		Trifloxystrobin	0.031 / 0.093	1	0.2	ND	

Ahmed Munshi
Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



RR Brothers
 5210 S Priest Dr,
 Guadalupe
 AZ
 85283
 License #: 0000161ESTOJ23023764
 Sample ID: 2604SMAZ0810.3024
 Batch #: PO100-021926D-0402



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23688

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



RR Brothers
 5210 S Priest Dr,
 Guadalupe
 AZ
 85283
 License #: 0000161ESTOJ23023764
 Sample ID: 2604SMAZ0810.3024
 Batch #: PO100-021926D-0402



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 23688

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>