



RR Brothers  
5210 S Priest Dr,  
Guadalupe  
AZ  
85283  
License #: 0000161ESTOJ23023764  
Sample ID: 2512SMAZ2138.6473  
Batch #: PO100-LCD-090225D-1102



SMITHERS


**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 18818

## Pineapple Orange Sativa 1000mg

Batch #: PO100-LCD-090225D-1102  
Strain: Pineapple Orange Sativa 1000mg  
Parent Batch #: LCD-090225D  
Production Method: Alcohol  
Harvest Date: 05/12/2025  
Received: 12/04/2025

Sample ID: 2512SMAZ2138.6473  
Amount Received: 50.6 g  
Sample Type: Soft Chew  
Sample Collected: 12/04/2025 14:31:00  
Manufacture Date: 11/13/2025  
Published: 12/09/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Not Tested</b>
Pesticides, Fungicides, and Growth Regulators <b>Not Tested</b>	Mycotoxins <b>Not Tested</b>	Heavy Metals <b>Not Tested</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

110.4497 mg/serving  
1104.4968 mg/container  
Total THC

3.9569 mg/serving  
39.5692 mg/container  
Total CBD

0.3340 mg/serving  
3.3396 mg/container  
CBN

<LOQ  
CBG

114.7406 mg/serving  
1147.4056 mg/container  
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



RR Brothers  
5210 S Priest Dr,  
Guadalupe  
AZ  
85283  
License #: 0000161ESTOJ23023764  
Sample ID: 2512SMAZ2138.6473  
Batch #: PO100-LCD-090225D-1102



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 18818

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 12/05/2025  
SOP: 418.AZ  
Batch Number: 4676  
Test ID: 103943

**Sample Analysis**

Date: 12/08/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 1.041 g  
Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.0120	0.0380	4	ND	ND	ND	ND	
CBD	0.0120	0.0380	4	0.0782	0.7820	3.9569	39.5692	
CBDA	0.0120	0.0380	4	ND	ND	ND	ND	
CBDV	0.0120	0.0380	4	<LOQ	<LOQ	<LOQ	<LOQ	
CBG	0.0120	0.0380	4	<LOQ	<LOQ	<LOQ	<LOQ	
CBGA	0.0120	0.0380	4	ND	ND	ND	ND	
CBN	0.0120	0.0380	4	0.0066	0.0660	0.3340	3.3396	
d8-THC	0.0120	0.0380	4	ND	ND	ND	ND	
d9-THC	0.0120	0.0380	4	2.1828	21.8280	110.4497	1104.4968	
THCA	0.0120	0.0380	4	ND	ND	ND	ND	
THCV	0.0120	0.0380	4	ND	ND	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	2.1828	21.8280	110.4497	1104.4968	
Total CBD	0.0782	0.7820	3.9569	39.5692	
Total Cannabinoids	2.2676	22.6760	114.7406	1147.4056	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation  
Serving Weight: 5.06 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**RR Brothers**  
5210 S Priest Dr,  
Guadalupe  
AZ  
85283  
License #: 0000161ESTOJ23023764  
Sample ID: 2512SMAZ2138.6473  
Batch #: PO100-LCD-090225D-1102



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 18818

**Microbial Analysis**

**Pass**

**Sample Prep**

Batch Date: 12/08/2025  
SOP: 412.AZ  
Batch Number: 4696  
Test ID: 104006

**Sample Analysis**

Date: 12/09/2025  
SOP: 412.AZ - 3M Petrifilm  
Sample Weight: 1.098 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

Batch Date: 12/08/2025  
SOP: 406.AZ  
Batch Number: 4693  
Test ID: 104015

**Sample Analysis**

Date: 12/09/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.002 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



RR Brothers  
5210 S Priest Dr,  
Guadalupe  
AZ  
85283  
License #: 0000161ESTOJ23023764  
Sample ID: 2512SMAZ2138.6473  
Batch #: PO100-LCD-090225D-1102



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 18818

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**


**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**RR Brothers**  
5210 S Priest Dr,  
Guadalupe  
AZ  
85283  
License #: 0000161ESTOJ23023764  
Sample ID: 2512SMAZ2138.6473  
Batch #: PO100-LCD-090225D-1102

Certificate: 18818



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592


**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution  
21644 N 9th Ave Suite 202  
Phoenix, AZ 85027  
License #: 000156ESTDP70697204  
Sample ID: 2509SMAZ1482.4340  
Batch #: LCD-090225D



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 16070

### Distill-090225D

Batch #: LCD-090225D  
Strain: Hybrid  
Parent Batch #:  
Production Method: Alcohol  
Harvest Date: 05/12/2025  
Received: 09/03/2025

Sample ID: 2509SMAZ1482.4340  
Amount Received:  
Sample Type: Distillate  
Sample Collected: 09/03/2025 12:41:00  
Manufacture Date: 09/01/2025  
Published: 09/08/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

**92.6416%**  
Total THC

**2.6931%**  
Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

**<LOQ**  
CBN

**<LOQ**  
CBG

**96.2004%**  
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution  
21644 N 9th Ave Suite 202  
Phoenix, AZ 85027  
License #: 000156ESTDP70697204  
Sample ID: 2509SMAZ1482.4340  
Batch #: LCD-090225D



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 16070

### Cannabinoid Profile

HPLC

Tested

### Sample Prep

Batch Date: 09/04/2025  
SOP: 418.AZ  
Batch Number: 4020  
Test ID: 88434

### Sample Analysis

Date: 09/08/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 0.044 g  
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.5850	1.7760	2	ND	ND	
CBD	0.5850	1.7760	2	2.6931	26.9310	
CBDA	0.5850	1.7760	2	ND	ND	
CBDV	0.5850	1.7760	2	ND	ND	
CBG	0.5850	1.7760	2	<LOQ	<LOQ	
CBGA	0.5850	1.7760	2	ND	ND	
CBN	0.5850	1.7760	2	<LOQ	<LOQ	
d8-THC	0.5850	1.7760	2	ND	ND	
d9-THC	0.5850	1.7760	2	92.6416	926.4160	
THCA	0.5850	1.7760	2	ND	ND	
THCV	0.5850	1.7760	2	0.8656	8.6560	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	92.6416	926.4160	
Total CBD	2.6931	26.9310	
Total Cannabinoids	96.2004	962.0040	Q3


Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution  
21644 N 9th Ave Suite 202  
Phoenix, AZ 85027  
License #: 000156ESTDP70697204  
Sample ID: 2509SMAZ1482.4340  
Batch #: LCD-090225D



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 16070

**Microbial Analysis**

**Pass**

**Sample Prep**

Batch Date: 09/04/2025  
SOP: 412.AZ  
Batch Number: 4024  
Test ID: 88448

**Sample Analysis**

Date: 09/05/2025  
SOP: 412.AZ - 3M Petrifilm  
Sample Weight: 1.092 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

**Sample Prep**

Batch Date: 09/04/2025  
SOP: 406.AZ  
Batch Number: 4023  
Test ID: 88450

**Sample Analysis**

Date: 09/05/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.026 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 09/04/2025  
SOP: 406.AZ  
Batch Number: 4023  
Test ID: 88452

**Sample Analysis**

Date: 09/05/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.026 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





Lucid Distribution  
21644 N 9th Ave Suite 202  
Phoenix, AZ 85027  
License #: 000156ESTDP70697204  
Sample ID: 2509SMAZ1482.4340  
Batch #: LCD-090225D



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 16070

**Residual Solvents**

HS-GC-MS

Pass

**Sample Prep**

Batch Date: 09/04/2025  
SOP: 405.AZ  
Batch Number: 4017  
Test ID: 88435

**Sample Analysis**

Date: 09/05/2025  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.050 g


Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	ND		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution  
21644 N 9th Ave Suite 202  
Phoenix, AZ 85027  
License #: 000156ESTDP70697204  
Sample ID: 2509SMAZ1482.4340  
Batch #: LCD-090225D



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 16070

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 09/04/2025  
SOP: 428.AZ  
Batch Number: 4025  
Test ID: 88436

**Sample Analysis**

Date: 09/05/2025  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.215 g  
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.056	0.186	10	0.4	ND	
Cadmium	0.056	0.186	10	0.4	ND	
Lead	0.056	0.465	10	1	ND	
Mercury	0.056	0.093	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 09/03/2025  
SOP: 432.AZ  
Batch Number: 4016  
Test ID: 88438

**Sample Analysis**


Date: 09/08/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.526 g  
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.80	9.51	1	20	ND	
Aflatoxin B1	3.80	9.51	1		ND	
Aflatoxin B2	3.80	9.51	1		ND	I1
Aflatoxin G1	3.80	9.51	1		ND	
Aflatoxin G2	3.80	4.75	1		ND	
Ochratoxin A	9.51	9.51	1	20	ND	I1 V1, L1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution  
21644 N 9th Ave Suite 202  
Phoenix, AZ 85027  
License #: 000156ESTDP70697204  
Sample ID: 2509SMAZ1482.4340  
Batch #: LCD-090225D



## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 16070

### Pesticides, Fungicides, and Growth Regulators

LC-MS/MS Pass

#### Sample Prep

Batch Date: 09/03/2025  
SOP: 432.AZ  
Batch Number: 4016  
Test ID: 88437

#### Sample Analysis

Date: 09/08/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.526 g  
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.079 / 0.238	1	0.5	ND	V1	Hexythiazox	0.159 / 0.475	1	1	ND	
Acephate	0.064 / 0.190	1	0.4	ND		Imazalil	0.031 / 0.095	1	0.2	ND	
Acetamiprid	0.031 / 0.095	1	0.2	ND		Imidacloprid	0.064 / 0.190	1	0.4	ND	
Aldicarb	0.064 / 0.190	1	0.4	ND		Kresoxim-methyl	0.064 / 0.190	1	0.4	ND	
Azoxystrobin	0.031 / 0.095	1	0.2	ND		Malathion	0.031 / 0.095	1	0.2	ND	
Bifenazate	0.031 / 0.095	1	0.2	ND		Metaxyl	0.031 / 0.095	1	0.2	ND	
Bifenthrin	0.031 / 0.095	1	0.2	ND		Methiocarb	0.031 / 0.095	1	0.2	ND	
Boscalid	0.064 / 0.190	1	0.4	ND		Methomyl	0.064 / 0.190	1	0.4	ND	
Carbaryl	0.031 / 0.095	1	0.2	ND		Myclobutanil	0.031 / 0.095	1	0.2	ND	V1
Carbofuran	0.031 / 0.095	1	0.2	ND		Naled	0.079 / 0.238	1	0.5	ND	V1
Chlorantraniliprole	0.031 / 0.095	1	0.2	ND		Oxamyl	0.159 / 0.475	1	1	ND	
Chlorfenapyr	0.159 / 0.475	1	1	ND		Paclobutrazol	0.064 / 0.190	1	0.4	ND	V1
Chlorpyrifos	0.031 / 0.095	1	0.2	ND		Permethrins	0.031 / 0.095	1	0.2	ND	
Clofentezine	0.031 / 0.095	1	0.2	ND		Phosmet	0.031 / 0.095	1	0.2	ND	
Cyfluthrin	0.159 / 0.475	1	1	ND		Piperonyl Butoxide	0.317 / 0.951	1	2	ND	
Cypermethrin	0.159 / 0.475	1	1	ND		Prallethrin	0.031 / 0.095	1	0.2	ND	
Daminozide	0.159 / 0.475	1	1	ND		Propiconazole	0.064 / 0.190	1	0.4	ND	
Diazinon	0.031 / 0.095	1	0.2	ND		Propoxur	0.031 / 0.095	1	0.2	ND	V1
Dichlorvos	0.016 / 0.048	1	0.1	ND		Pyrethrins	0.133 / 0.398	1	1	ND	
Dimethoate	0.031 / 0.095	1	0.2	ND		Pyridaben	0.031 / 0.095	1	0.2	ND	
Ethoprophos	0.031 / 0.095	1	0.2	ND		Spinosad	0.031 / 0.095	1	0.2	ND	
Etofenprox	0.064 / 0.190	1	0.4	ND		Spiromesifen	0.031 / 0.095	1	0.2	ND	
Etoxazole	0.031 / 0.095	1	0.2	ND		Spirotetramat	0.031 / 0.095	1	0.2	ND	
Fenoxycarb	0.031 / 0.095	1	0.2	ND		Spiroxamine	0.064 / 0.190	1	0.4	ND	
Fenpyroximate	0.064 / 0.190	1	0.4	ND		Tebuconazole	0.064 / 0.190	1	0.4	ND	
Fipronil	0.064 / 0.190	1	0.4	ND		Thiacloprid	0.031 / 0.095	1	0.2	ND	V1, V1
Fonicamid	0.159 / 0.475	1	1	ND	I1, R1	Thiamethoxam	0.031 / 0.095	1	0.2	ND	
Fludioxonil	0.064 / 0.190	1	0.4	ND	L1 V1	Trifloxystrobin	0.031 / 0.095	1	0.2	ND	V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Lucid Distribution  
21644 N 9th Ave Suite 202  
Phoenix, AZ 85027  
License #: 000156ESTDP70697204  
Sample ID: 2509SMAZ1482.4340  
Batch #: LCD-090225D



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 16070

### Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**


**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Lucid Distribution**  
21644 N 9th Ave Suite 202  
Phoenix, AZ 85027  
License #: 000156ESTDP70697204  
Sample ID: 2509SMAZ1482.4340  
Batch #: LCD-090225D



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 16070


**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.  
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>