

Strawnana 40's Multipack -

Sample ID: 2607EAZ0466.2061
Strain: Strawnana
Matrix: Plant
Type: Enhanced/Infused Preroll
Batch#: AZ-40MSTN-G1526

Collected: 07/31/2026 11:45 AM
Received: 07/31/2026
Completed: 08/24/2026
Sample Size: 19.19 g;

Harvest Date: 05/06/2026
Manufacture Date: 07/15/2026
External Lot ID#:
Production Method:

Client
SSE Holdco LLC DBA Stiizy
Lic. # 0000088DCXB00897085
2929 W Grand Ave,
Phoenix, AZ, 85017



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	08/03/2026	LC-UV VIS	Complete
Pesticides	07/31/2026	LC-MS	Pass
Mycotoxins	08/03/2026	ELISA	Pass
Residual Solvents	08/03/2026	HS-GC-MS	Pass
Microbial Impurities	08/04/2026	3M Plating & qPCR	Pass
Heavy Metals	08/04/2026	ICP-MS	Pass

Cannabinoids

Method: SOPAZ_M-CANNABINOIDS

39.222 %

Total THC

0.086 %

Total CBD

40.262 %

Total Cannabinoids ^{Q3}

Analytes	LOQ	Result	Result	Q
	mg/g	%	mg/g	
THCA	0.784	11.014	110.14	
Δ9 THC	0.784	29.563	295.63	
Δ8 THC	0.784	ND	ND	
THCVA	0.784	<LOQ	<LOQ	
THCV	0.784	0.144	1.44	
CBDA	0.784	ND	ND	
CBD	0.784	0.086	0.86	
CBN	0.784	0.109	1.09	
CBGA	0.784	<LOQ	<LOQ	
CBG	0.784	0.420	4.20	
CBCA	0.784	ND	ND	
CBC	0.784	0.280	2.80	
Δ10 THC	0.784	ND	ND	
Total THC		39.222	392.22	
Total CBD		0.086	0.86	
Total Cannabinoids		40.262	402.62	Q3
Sum of Cannabinoids		41.617	416.17	Q3

Date Tested: 08/03/2026

Total THC = THCa * 0.877 + Δ9-THC + Δ10 THC; Total CBD = CBDA * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; Δ10 THC = (6aR, 9R)-Δ10-THC + (6aR, 9S)-Δ10-THC; LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected Moisture Method: SOPAZ_M-MOISTURE



Evelyn Alvarez
Evelyn Alvarez
QA Director | 08/24/2026

Firas Haddad
Firas Haddad
Laboratory Manager | 08/24/2026



Strawnana 40's Multipack -

Sample ID: 2607EAO466.2061

Strain: Strawnana

Matrix: Plant

Type: Enhanced/Infused Preroll

Batch#: AZ-40MSTN-G1526

Collected: 07/31/2026 11:45 AM

Received: 07/31/2026

Completed: 08/24/2026

Sample Size: 19.19 g;

Harvest Date: 05/06/2026

Manufacture Date: 07/15/2026

External Lot ID#:

Production Method:

Client

SSE Holdco LLC DBA Stiizy

Lic. # 00000088DCXB00897085

2929 W Grand Ave,

Phoenix, AZ, 85017

Pesticides

Method: SOPAZ_M-PESTICIDES

Analytes	LOQ	Limit	Result	Status	Q	Analytes	LOQ	Limit	Result	Status	Q
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin B1a	0.115	0.500	ND	Pass	L1	Imidacloprid	0.190	0.400	ND	Pass	
Acephate	0.190	0.400	ND	Pass		Kresoxim-methyl	0.190	0.400	ND	Pass	
Acetamiprid	0.095	0.200	ND	Pass		Malathion	0.095	0.200	ND	Pass	
Aldicarb	0.190	0.400	ND	Pass		Metalaxyl	0.095	0.200	ND	Pass	
Azoxystrobin	0.095	0.200	ND	Pass		Methiocarb	0.095	0.200	ND	Pass	
Bifenazate	0.095	0.200	ND	Pass		Methomyl	0.190	0.400	ND	Pass	
Bifenthrin	0.048	0.200	ND	Pass		Myclobutanil	0.095	0.200	ND	Pass	
Boscalid	0.190	0.400	ND	Pass		Naled	0.238	0.500	ND	Pass	L1
Carbaryl	0.095	0.200	ND	Pass		Oxamyl	0.475	1.000	ND	Pass	
Carbofuran	0.095	0.200	ND	Pass		Paclobutrazol	0.190	0.400	ND	Pass	
Chlorantraniliprole	0.095	0.200	ND	Pass		Permethrins	0.048	0.200	ND	Pass	
Chlorpyrifos	0.048	0.200	ND	Pass		Phosmet	0.095	0.200	ND	Pass	
Clofentezine	0.095	0.200	ND	Pass	V1	Piperonyl Butoxide	0.475	2.000	ND	Pass	
Cypermethrin	0.475	1.000	ND	Pass		Prallethrin	0.095	0.200	ND	Pass	
Daminozide	0.475	1.000	ND	Pass		Propiconazole	0.190	0.400	ND	Pass	
Diazinon	0.095	0.200	ND	Pass		Propoxur	0.095	0.200	ND	Pass	
Dichlorvos	0.048	0.100	ND	Pass		Pyrethrins	0.433	1.000	ND	Pass	
Dimethoate	0.095	0.200	ND	Pass		Pyridaben	0.048	0.200	ND	Pass	
Ethoprophos	0.095	0.200	ND	Pass		Spinosad	0.095	0.200	ND	Pass	
Etofenprox	0.095	0.400	ND	Pass		Spiromesifen	0.095	0.200	ND	Pass	
Etioazole	0.095	0.200	ND	Pass		Spirotetramat	0.095	0.200	ND	Pass	
Fenoxycarb	0.095	0.200	ND	Pass		Spiroxamine	0.190	0.200	ND	Pass	
Fenpyroximate	0.190	0.400	ND	Pass		Tebuconazole	0.190	0.400	ND	Pass	
Fipronil	0.190	0.400	ND	Pass		Thiacloprid	0.095	0.200	ND	Pass	
Flonicamid	0.475	1.000	ND	Pass		Thiamethoxam	0.095	0.200	ND	Pass	
Fludioxonil	0.190	0.400	ND	Pass		Trifloxystrobin	0.095	0.200	ND	Pass	
Hexythiazox	0.238	1.000	ND	Pass		Chlorfenapyr	0.475	1.000	ND	Pass	
Imazalil	0.095	0.200	ND	Pass		Cyfluthrin	0.475	1.000	ND	Pass	

Date Tested: 07/31/2026

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.

Mycotoxins

Method: SOPAZ_M-MYCOTOXINS

Analytes	LOQ	Limit	Result	Status	Q
	µg/kg	µg/kg	µg/kg		
Total Aflatoxins	9.26	20.00	ND	Pass	
Ochratoxin A	9.26	20.00	ND	Pass	

Date Tested: 08/03/2026

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.



Evelyn Alvarez
Evelyn Alvarez
QA Director | 08/24/2026

Firas Haddad
Firas Haddad
Laboratory Manager | 08/24/2026



Strawnana 40's Multipack -

Sample ID: 2607EAO466.2061
Strain: Strawnana
Matrix: Plant
Type: Enhanced/Infused Preroll
Batch#: AZ-40MSTN-G1526

Collected: 07/31/2026 11:45 AM
Received: 07/31/2026
Completed: 08/24/2026
Sample Size: 19.19 g;

Harvest Date: 05/06/2026
Manufacture Date: 07/15/2026
External Lot ID#:
Production Method:

Client
SSE Holdco LLC DBA Stiizy
Lic. # 00000088DCXB00897085
2929 W Grand Ave,
Phoenix, AZ, 85017

Residual Solvents

Method: SOPAZ_M-RES_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status	Q
	ppm	ppm	ppm	ppm		
Methanol	52.43	616.90	3000.00	ND	Pass	
Ethanol	105.14	1047.43	5000.00	ND	Pass	
Ethyl ether	98.67	1032.90	5000.00	ND	Pass	
Acetone	18.48	203.68	1000.00	ND	Pass	
2-Propanol (IPA)	102.19	997.90	5000.00	ND	Pass	
Acetonitrile	23.76	93.79	410.00	ND	Pass	
Dichloromethane	10.38	125.05	600.00	ND	Pass	
Ethyl acetate	91.33	1025.81	5000.00	ND	Pass	
Chloroform	1.52	12.65	60.00	ND	Pass	
Benzene	0.14	0.38	2.00	ND	Pass	
Isopropyl acetate	91.00	1022.00	5000.00	ND	Pass	
Heptane	89.00	1012.43	5000.00	ND	Pass	
Toluene	17.38	176.19	890.00	ND	Pass	
Butanes	595.24	979.14	5000.00	ND	Pass	V1
Hexanes	34.81	59.24	290.00	ND	Pass	
Pentanes	595.24	988.57	5000.00	ND	Pass	V1
Xylenes	518.43	852.71	2170.00	ND	Pass	

Date Tested: 08/03/2026

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.

Microbial Impurities

Method: SOPAZ_M-ECOLI

Analytes	Result	Limit	Status	Q
Escherichia coli	<10 CFU/g	100 CFU/g	Pass	

Date Tested: 08/04/2026

Method: SOPAZ_M-MICROBIALS

Analytes	Result	Limit	Status	Q
Salmonella spp	Not Detected	Not Detected in One Gram	Pass	
Aspergillus flavus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected	Not Detected in One Gram	Pass	

Date Tested: 08/04/2026



Evelyn Alvarez
Evelyn Alvarez
QA Director | 08/24/2026

Firas Haddad
Firas Haddad
Laboratory Manager | 08/24/2026



This product has been tested by Encore Labs Arizona using valid testing methodologies and a quality system as required by Arizona state law. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Strawnana 40's Multipack -

Sample ID: 2607EAZ0466.2061
Strain: Strawnana
Matrix: Plant
Type: Enhanced/Infused Preroll
Batch#: AZ-40MSTN-G1526

Collected: 07/31/2026 11:45 AM
Received: 07/31/2026
Completed: 08/24/2026
Sample Size: 19.19 g;

Harvest Date: 05/06/2026
Manufacture Date: 07/15/2026
External Lot ID#:
Production Method:

Client
SSE Holdco LLC DBA Stiiizy
Lic. # 00000088DCXB00897085
2929 W Grand Ave,
Phoenix, AZ, 85017

Heavy Metals

Method: SOPAZ_M-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status	Q
	ppm	ppm	ppm	ppm		
Arsenic	0.033	0.098	0.400	ND	Pass	
Cadmium	0.035	0.098	0.400	ND	Pass	V1
Mercury	0.026	0.074	0.200	ND	Pass	V1
Lead	0.138	0.417	1.000	ND	Pass	

Date Tested: 08/04/2026

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.




Evelyn Alvarez
QA Director | 08/24/2026


Firas Haddad
Laboratory Manager | 08/24/2026



This product has been tested by Encore Labs Arizona using valid testing methodologies and a quality system as required by Arizona state law. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Strawnana 40's Multipack -

Sample ID: 2607EAZ0466.2061
Strain: Strawnana
Matrix: Plant
Type: Enhanced/Infused Preroll
Batch#: AZ-40MSTN-G1526

Collected: 07/31/2026 11:45 AM
Received: 07/31/2026
Completed: 08/24/2026
Sample Size: 19.19 g;

Harvest Date: 05/06/2026
Manufacture Date: 07/15/2026
External Lot ID#:
Production Method:

Client
SSE Holdco LLC DBA Stiizy
Lic. # 0000088DCXB00897085
2929 W Grand Ave,
Phoenix, AZ, 85017

Qualifier Legend

- B1** The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, growth regulators, mycotoxins, heavy metals, or residual solvents, is below the maximum allowable concentration.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- N1** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii)
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference between values obtained according to subsection N is more than 40%.
- V1** The recovery from initial or continuing calibration verification standards is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

Report Notes




Evelyn Alvarez
QA Director | 08/24/2026


Firas Haddad
Laboratory Manager | 08/24/2026



COA CHANGE REQUEST FORM

Encore Labs Arizona

16624 N 90th St, Suite 101, Scottsdale, AZ 85260 | 602.491.2594 | encorelabs.com | 0000034LRCRF78097578



Company Requesting:	Stiilzy
Requesting DA/LA/FA Name:	Karen Arce
DA/LA/FA Number:	1761174FAEY887520928
Date of Request:	8/24/2026

Sample ID:	Type of Change	Original Input	New Input
2607EAZ0466.2061	Batch # (External Batch ID)	ST-40MSTN-G1526	AZ-40MSTN-G1526

Note: If full order needs a change, input order number in Sample ID column

For Lab Use Only

Lab Agent Name:	Evelyn Alvarez
Lab Agent FA Number:	1768345LAVZ707920062
Reason for denial if applicable:	

