

## The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave  
Phoenix, AZ 85009  
alex@flowdistribution.com  
(480) 228-2512  
Lic. #00000049DCRR00713151


Sample: 2309LVL1049.5525

Strain: Blue Dream  
Batch#: SO67-BD; Batch Size: 8 g  
Sample Received: 09/21/2023; Report Created: 09/27/2023; Expires: 09/27/2024  
Sampling Date: , Sampling Time:  
Harvest Date: ; Manufacturing Date:

## Blue Dream Pod

Concentrates & Extracts, Vape, CO2



	<b>81.31%</b>	<b>&lt;LOQ</b>	<b>85.87%</b>
	Total THC	Total CBD	
<b>NT</b>	<b>Not Tested</b>	Total Cannabinoids	
Total Terpenes	Moisture		

## Cannabinoids

Complete

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.589	ND	ND	
Δ9-THC	0.589	81.311	813.11	
Δ8-THC	0.589	ND	ND	
THCVa	0.589	ND	ND	
THCV	0.589	0.885	8.85	
CBDa	0.589	ND	ND	
CBD	0.589	<LOQ	<LOQ	
CBDVa	0.589	ND	ND	
CBDV	0.589	ND	ND	
CBN	0.589	0.737	7.37	
CBGa	0.589	ND	ND	
CBG	0.589	2.943	29.43	
CBC	0.589	ND	ND	
<b>Total</b>		<b>85.875</b>	<b>858.75</b>	

Qualifiers:  
Date Tested: 09/27/2023 02:00 pm

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.

Retest 1



# Certificate of Analysis

Powered by Confident Cannabis  
2 of 2

The Kind Relief Inc DBA: Flow Distribution

Sample: 2309LVL1049.5525

1102 N. 21st Ave  
Phoenix, AZ 85009  
alex@flowdistribution.com  
(480) 228-2512  
Lic. #00000049DCRR00713151

Strain: Blue Dream  
Batch#: SO67-BD; Batch Size: 8 g  
Sample Received: 09/21/2023; Report Created: 09/27/2023; Expires: 09/27/2024  
Sampling Date: , Sampling Time:  
Harvest Date: ; Manufacturing Date:

Blue Dream Pod


Concentrates & Extracts, Vape, CO2



## Microbials

Pass

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not Detected	in one gram	Pass	
Aspergillus terreus	Not Detected	in one gram	Pass	
Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger	Not Detected	in one gram	Pass	



# LEVEL ONE

Qualifiers:  
Date Tested: 09/26/2023 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd  
Scottsdale, AZ  
(480) 867-1520  
<http://www.levelonelabs.com>  
Lic# 00000004LCIG00024823

Matthew Schuberth  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs.



# Certificate of Analysis

Sample: TE30815003-001

Batch#: SO67

Batch Date: 08/15/23

Sample Size Received: 7.56 gram

Total Amount: 10 gram

Retail Product Size: 10 gram

Ordered: 08/15/23

Sampled: 08/15/23

Completed: 08/19/23











**PASSED**

Aug 19, 2023 | The Kind Relief Inc DBA:  
 Mr. Honey

License # 00000049DCRR00713151

1102 N. 21st Ave  
 Phoenix, AZ, 85009, US

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtration <b>NOT TESTED</b>	 Water Activity <b>NOT TESTED</b>	 Moisture <b>NOT TESTED</b>	 Terpenes <b>NOT TESTED</b>

**Cannabinoid** **PASSED**



	D9-THC	THCA	CBD	CBDA	CBG	CBGA	CBN	D8-THC	CBDV	THCV	CBC
%	94.2690	ND	ND	ND	3.1312	ND	0.7014	ND	ND	0.8703	ND
mg/g	942.690	ND	ND	ND	31.312	ND	7.014	ND	ND	8.703	ND
LOD	0.0020	0.0020	0.0020	0.0020	0.0020	0.0010	0.0010	0.0020	0.0020	0.0020	0.0010
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 60, 121, 30, 104      Weight: 0.1478g      Extraction date: 08/16/23 11:31:23      Extracted by: 60

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031  
 Analytical Batch : TE002292POT      Reviewed On : 08/18/23 09:15:00  
 Instrument Used : TE-005 "Lady Jessica" (Concentrates)      Batch Date : 08/16/23 10:20:04  
 Analyzed Date : 08/16/23 14:57:56

Dilution : 800  
 Reagent : 070623.05; 032723.16; 080923.R09; 080323.R10; 060623.R24; 072522.R32  
 Consumables : 974.084; H109203-1; 00322250-6; 260148; 121621CH01; 220318-306-D; ASC000K02119V; 210725-598-D; GD220006  
 Pipette : TE-059 SN:20A04528 (20-200uL); TE-064 SN:20B27672 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Sean Calgare**

Lab Director

State License #  
 00000024LCMD66604568  
 ISO 17025 Accreditation # 97164



Signature  
 08/19/23



# Certificate of Analysis

**PASSED**


The Kind Relief Inc DBA: Mr. Honey

Sample : TE30815003-001

1102 N. 21st Ave  
Phoenix, AZ, 85009, US  
Telephone: (480) 228-2512  
Email: jonm@flowdistribution.com  
License # : 00000049DCRR00713151

Batch# : S067  
Sampled : 08/15/23  
Ordered : 08/15/23  
Sample Size Received : 7.56 gram  
Total Amount : 10 gram  
Completed : 08/19/23 Expires: 08/19/24  
Sample Method : SOP Client Method

Page 2 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
AVERMECTINS (ABAMECTIN B1A)	0.0170	ppm	0.5	PASS	ND	PYRIDABEN	0.0040	ppm	0.2	PASS	ND
ACEPHATE	0.0100	ppm	0.4	PASS	ND	TOTAL SPINOSAD	0.0060	ppm	0.2	PASS	ND
ACEQUINOCLYL	0.0110	ppm	2	PASS	ND	SPIROMESIFEN	0.0080	ppm	0.2	PASS	ND
ACETAMIPRID	0.0050	ppm	0.2	PASS	ND	SPIROTETRAMAT	0.0060	ppm	0.2	PASS	ND
ALDICARB	0.0140	ppm	0.4	PASS	ND	SPIROXAMINE	0.0040	ppm	0.4	PASS	ND
AZOXYSTROBIN	0.0050	ppm	0.2	PASS	ND	TEBUCONAZOLE	0.0040	ppm	0.4	PASS	ND
BIFENAZATE	0.0060	ppm	0.2	PASS	ND	THIACLOPRID	0.0060	ppm	0.2	PASS	ND
BIFENTHRIN	0.0050	ppm	0.2	PASS	ND	THIAMETHOXAM	0.0060	ppm	0.2	PASS	ND
BOSCALID	0.0050	ppm	0.4	PASS	ND	TRIFLOXYSTROBIN	0.0060	ppm	0.2	PASS	ND
CARBARYL	0.0080	ppm	0.2	PASS	ND	CHLORFENAPYR *	0.0270	ppm	1	PASS	ND
CARBOFURAN	0.0050	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.0150	ppm	1	PASS	ND
CHLORANTRANILPROLE	0.0110	ppm	0.2	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
CHLORPYRIFOS	0.0050	ppm	0.2	PASS	ND	152, 39, 104	0.5076g	08/16/23 13:32:38	152		
CLOFENTEZINE	0.0100	ppm	0.2	PASS	ND	Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ			Reviewed On : 08/17/23 13:46:09		
CYPERMETHRIN	0.1000	ppm	1	PASS	ND	Analytical Batch : TE002284PES			Batch Date : 08/15/23 15:48:15		
DIAZINON	0.0060	ppm	0.2	PASS	ND	Instrument Used : TE-117 "UHPLC - Pest/Myco 1", TE-262 "MS/MS - Pest/Myco 2"					
DAMINOZIDE	0.0100	ppm	1	PASS	ND	Analyzed Date : N/A					
DICHLORVOS (DDVP)	0.0010	ppm	0.1	PASS	ND	Dilution : N/A					
DIMETHOATE	0.0060	ppm	0.2	PASS	ND	Reagent : 080223.R01; 080723.R03; 081623.R04; 080223.R05; 041823.08					
ETHOPROPHOS	0.0040	ppm	0.2	PASS	ND	Consumables : 974.084; 00334958-5; 00332484-2; 1008439554; 18421047; 210823-1124; ASC000K02119V; 210725-598-D; 326250IW					
ETOFENPROX	0.0060	ppm	0.4	PASS	ND	Pipette : TE-056 SN:21D58687; TE-060 SN:20C35457 (20-200uL); TE-108 SN:20B18337 (100-1000uL)					
ETOXAZOLE	0.0040	ppm	0.2	PASS	ND	Pesticide screening is carried out using LC-MS/MS supplemented by GC-MS/MS for volatile pesticides. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).					
FENOXICARB	0.0050	ppm	0.2	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
FENPROXIMATE	0.0040	ppm	0.4	PASS	ND	152, 39, 104	0.5076g	08/16/23 13:32:38	152		
FIPRONIL	0.0060	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ			Reviewed On : 08/17/23 16:36:19		
FLONICAMID	0.0090	ppm	1	PASS	ND	Analytical Batch : TE002298VOL			Batch Date : 08/16/23 15:22:21		
FLUDIOXONIL	0.0060	ppm	0.4	PASS	ND	Instrument Used : TE-091 "GC - Volatile Pesticides 1", TE-094 "MS/MS - Volatile Pesticides 1"					
HEXYTHIAZOX	0.0050	ppm	1	PASS	ND	Analyzed Date : N/A					
IMAZALIL	0.0110	ppm	0.2	PASS	ND	Dilution : N/A					
IMIDACLOPRID	0.0080	ppm	0.4	PASS	ND	Reagent : 111921.03; 030623.03					
KRESOXIM-METHYL	0.0070	ppm	0.4	PASS	ND	Consumables : 974.084; 00334958-5; 00332484-2; 1008439554; 18421047; 210823-1124; ASC000K02119V; 210725-598-D; 326250IW					
MALATHION	0.0070	ppm	0.2	PASS	ND	Pipette : TE-056 SN:21D58687; TE-060 SN:20C35457 (20-200uL); TE-108 SN:20B18337 (100-1000uL)					
METALAXYL	0.0040	ppm	0.2	PASS	ND	Supplemental pesticide screening using GC-MS/MS to quantitatively screen for Chlorfenapyr, Cyfluthrin, Cypermethrin, and Diazinon; as well as the qualitative confirmation of Dichlorvos, Permethrins, Piperonyl Butoxide, Prallethrin, Propiconazole, Pyrethrins, and Tebuconazole which are all quantitatively screened using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.154.AZ for analysis using a ThermoScientific 1310-series GC equipped with a TriPlus RSH autosampler and detected on a TSQ 9000-series mass spectrometer).					
METHIOCARB	0.0040	ppm	0.2	PASS	ND						
METHOMYL	0.0050	ppm	0.4	PASS	ND						
MYCLOBUTANIL	0.0100	ppm	0.2	PASS	ND						
NALED	0.0070	ppm	0.5	PASS	ND						
OXAMYL	0.0080	ppm	1	PASS	ND						
PACLOBUTRAZOL	0.0050	ppm	0.4	PASS	ND						
TOTAL PERMETHRINS	0.0030	ppm	0.2	PASS	ND						
PHOSMET	0.0100	ppm	0.2	PASS	ND						
PIPERONYL BUTOXIDE	0.0050	ppm	2	PASS	ND						
PRALLETHRIN	0.0130	ppm	0.2	PASS	ND						
PROPICONAZOLE	0.0050	ppm	0.4	PASS	ND						
PROPOXUR	0.0050	ppm	0.2	PASS	ND						
TOTAL PYRETHRINS	0.0010	ppm	1	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Sean Calgare**  
Lab Director

State License #  
00000024LCMD66604568  
ISO 17025 Accreditation # 97164



Signature  
08/19/23



1231 W. Warner Road, Suite 105  
 Tempe, AZ, 85284, US  
 (480) 220-4470

Kaycha Labs

.....  
 FP Bulk Distillate  
 Flow Raw  
 Matrix : Concentrate  
 Type: Distillate



# Certificate of Analysis

**PASSED**

The Kind Relief Inc DBA: Mr. Honey

Sample : TE30815003-001

1102 N. 21st Ave  
 Phoenix, AZ, 85009, US  
 Telephone: (480) 228-2512  
 Email: jonm@flowdistribution.com  
 License # : 00000049DCRR00713151

Batch# : S067  
 Sampled : 08/15/23  
 Ordered : 08/15/23  
 Sample Size Received : 7.56 gram  
 Total Amount : 10 gram  
 Completed : 08/19/23 Expires: 08/19/24  
 Sample Method : SOP Client Method

Page 3 of 5

## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
PROPANE	269.0000	ppm	5000	PASS	ND
BUTANES	168.2000	ppm	5000	PASS	ND
METHANOL	87.7000	ppm	3000	PASS	ND
PENTANES	163.9000	ppm	5000	PASS	ND
ETHANOL	142.2000	ppm	5000	PASS	ND
ETHYL ETHER	193.1000	ppm	5000	PASS	ND
ACETONE	37.6000	ppm	1000	PASS	ND
2-PROPANOL	156.2000	ppm	5000	PASS	ND
ACETONITRILE	12.2000	ppm	410	PASS	ND
DICHLOROMETHANE	22.7000	ppm	600	PASS	ND
HEXANES	8.4000	ppm	290	PASS	ND
ETHYL ACETATE	179.0000	ppm	5000	PASS	ND
CHLOROFORM	2.4100	ppm	60	PASS	ND
BENZENE	0.1150	ppm	2	PASS	ND
ISOPROPYL ACETATE	168.6000	ppm	5000	PASS	ND
HEPTANE	152.8000	ppm	5000	PASS	ND
TOLUENE	26.2000	ppm	890	PASS	ND
XYLENES	53.2000	ppm	2170	PASS	ND

Analyzed by: 93, 30, 104	Weight: 0.0221g	Extraction date: 08/15/23 19:08:24	Extracted by: 93
-----------------------------	--------------------	---------------------------------------	---------------------

Analysis Method : SOP.T.40.044.AZ  
 Analytical Batch : TE002283SOL  
 Instrument Used : TE-092 "GC - Solvents 1",TE-095 "MS - Solvents 1",TE-098 "Injector - Solvents 1",TE-100 "HS - Solvents 1",TE-113 "Vacuum Pump - Solvents 1"  
 Analyzed Date : 08/15/23 19:07:37  
 Reviewed On : 08/16/23 14:26:04  
 Batch Date : 08/15/23 14:58:15

Dilution : N/A  
 Reagent : 013123.03; 051223.03; 051223.02  
 Consumables : H109203-1; 428251; 35574-1-1; GD220006  
 Pipette : N/A

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Sean Calgario**  
 Lab Director

State License #  
 00000024LCMD66604568  
 ISO 17025 Accreditation # 97164

Signature  
 08/19/23



# Certificate of Analysis

**PASSED**



The Kind Relief Inc DBA: Mr. Honey

1102 N. 21st Ave  
Phoenix, AZ, 85009, US  
Telephone: (480) 228-2512  
Email: jonm@flowdistribution.com  
License #: 00000049DCRR00713151


Sample : TE30815003-001

Batch#: S067  
Sampled : 08/15/23  
Ordered : 08/15/23  
Sample Size Received : 7.56 gram  
Total Amount : 10 gram  
Completed : 08/19/23 Expires: 08/19/24  
Sample Method : SOP Client Method

Page 4 of 5

 <b>Microbial</b> <span style="float: right;"><b>PASSED</b></span>						 <b>Mycotoxins</b> <span style="float: right;"><b>PASSED</b></span>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPP			Not Present in 1g	PASS		TOTAL AFLATOXINS	1.4870	ppb	ND	PASS	20
ASPERGILLUS FLAVUS			Not Present in 1g	PASS		AFLATOXIN B1	1.4700	ppb	ND	PASS	20
ASPERGILLUS FUMIGATUS			Not Present in 1g	PASS		AFLATOXIN B2	1.8000	ppb	ND	PASS	20
ASPERGILLUS NIGER			Not Present in 1g	PASS		AFLATOXIN G1	1.9000	ppb	ND	PASS	20
ASPERGILLUS TERREUS			Not Present in 1g	PASS		AFLATOXIN G2	3.2500	ppb	ND	PASS	20
ESCHERICHIA COLI REC	10.0000	CFU/g	ND	PASS	100	OCHRATOXIN A	4.6100	ppb	ND	PASS	20
<b>Analyzed by:</b> 96, 87, 104	<b>Weight:</b> 0.9647g	<b>Extraction date:</b> 08/15/23 16:02:43	<b>Extracted by:</b> 60,87,96								
<b>Analysis Method :</b> SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ <b>Analytical Batch :</b> TE002282MIC <b>Reviewed On :</b> 08/18/23 16:56:54 <b>Instrument Used :</b> TE-234 "bioMerieux GENE-UP" <b>Batch Date :</b> 08/15/23 14:09:15 <b>Analyzed Date :</b> 08/18/23 09:15:09						<b>Analysis Method :</b> SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ <b>Analytical Batch :</b> TE002297MYC <b>Reviewed On :</b> 08/17/23 13:49:58 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 08/16/23 15:21:55 <b>Analyzed Date :</b> N/A					
<b>Dilution :</b> 15 <b>Reagent :</b> 052223.182; 051623.86; 051623.89; 051623.91; 020123.47; 051623.25; 020123.39; 051823.03; 051623.68; 051623.73; 051623.109; 051923.27; 081623.R10 <b>Consumables :</b> HWK015; 33N94C; 1008439554; 210715-071; 28521042; 121621CH01; 728914- G23536; 269336; X0028AKTV1; 1LCJ0311R; X002E5BZFT <b>Pipette :</b> TE-053 SN:20E78952; TE-058 SN:20C35427; TE-066 SN:20D56970; TE-068 SN:21C43933; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073						<b>Dilution :</b> N/A <b>Reagent :</b> 080223.R01; 080723.R03; 081623.R04; 080223.R05; 041823.08 <b>Consumables :</b> 974.084; 00334958-5; 00332484-2; 1008439554; 18421047; 210823-1124; ASC000K02119V; 210725-598-D; 3262501W <b>Pipette :</b> TE-056 SN:21D58687; TE-060 SN:20C35457 (20-200uL); TE-108 SN:20B18337 (100-1000uL)					

Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSO with Vanquish UHPLC). Total Aflatoxins (sum of Aflatoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg.

 <b>Heavy Metals</b> <span style="float: right;"><b>PASSED</b></span>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC	0.0030	ppm	ND	PASS	0.4
CADMIUM	0.0020	ppm	ND	PASS	0.4
MERCURY	0.0125	ppm	ND	PASS	1.2
LEAD	0.0010	ppm	ND	PASS	1
<b>Analyzed by:</b> 56, 93, 30, 104	<b>Weight:</b> 0.2095g	<b>Extraction date:</b> 08/16/23 09:57:37	<b>Extracted by:</b> 93,56		
<b>Analysis Method :</b> SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ <b>Analytical Batch :</b> TE002287HEA <b>Reviewed On :</b> 08/17/23 09:48:02 <b>Instrument Used :</b> TE-051 "Metals Hood",TE-141 "Wolfgang",TE-153 "Bill",TE-154 "Bill's PC",TE-157 "Bill Pump",TE-156 "Bill Chiller",TE-155 "Bill AS",TE-260 "Ludwig" <b>Analyzed Date :</b> 08/16/23 14:58:30 <b>Batch Date :</b> 08/15/23 18:11:42					
<b>Dilution :</b> 50 <b>Reagent :</b> 050823.02; 081623.R01; 081123.R01; 081423.01; 051723.05; 080423.01; 100121.01 <b>Consumables :</b> 220618058AA; 18421047; 210725-598-D; GD220011 <b>Pipette :</b> TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)					

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS).



1231 W. Warner Road, Suite 105  
 Tempe, AZ, 85284, US  
 (480) 220-4470

Kaycha Labs

.....  
 FP Bulk Distillate  
 Flow Raw  
 Matrix : Concentrate  
 Type: Distillate



# Certificate of Analysis

**PASSED**

The Kind Relief Inc DBA: Mr. Honey

1102 N. 21st Ave  
 Phoenix, AZ, 85009, US  
 Telephone: (480) 228-2512  
 Email: jonm@flowdistribution.com  
 License # : 00000049DCRR00713151

Sample : TE30815003-001

Batch# : S067  
 Sampled : 08/15/23  
 Ordered : 08/15/23

Sample Size Received : 7.56 gram  
 Total Amount : 10 gram  
 Completed : 08/19/23 Expires: 08/19/24  
 Sample Method : SOP Client Method

Page 5 of 5

## COMMENTS

\* Mycotoxin TE30815003-001MYC

1 - M1: Ochratoxin A.

\* Pesticide TE30815003-001PES

1 - M1: Cypermethrin, Prallethrin. M2: Chlorpyrifos, Clofentezine, Fenpyroximate, Hexythiazox.

\* Cannabinoid TE30815003-001POT

1 - M1: CBDV, CBDa, CBG, D8-THC, THCA

\* Residual TE30815003-001SOL

1 - V1 - n-butane, 3-methylpentane, n-hexane, chloroform, and toluene R1 - propane

\* Volatile Pesticides TE30815003-001VOL

1 - V1: Chlorfenapyr. M1: Chlorfenapyr.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Sean Calgare**

Lab Director

State License #  
 00000024LCMD66604568  
 ISO 17025 Accreditation # 97164

Signature  
 08/19/23