



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2601SMAZ0049.0156  
Batch #: 260107SGPP1to1THCCBD



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 20123

**Savvy Guap RSO Gummy Peachy Punch 1:1 THC:CBD**

Batch #: 260107SGPP1to1THCCBD  
Strain: Hybrid Blend  
Parent Batch #: 250429RSOS  
Production Method: Alcohol  
Harvest Date: 04/15/2025  
Received: 01/08/2026

Sample ID: 2601SMAZ0049.0156  
Amount Received: 24.4 g  
Sample Type: Soft Chew  
Sample Collected: 01/08/2026 10:24:00  
Manufacture Date: 01/07/2026  
Published: 01/13/2026



**COMPLIANCE FOR RETAIL**

**Regulated Analytes**

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Not Tested</b>	111.1420 mg/serving 111.1420 mg/container Total THC
Pesticides, Fungicides, and Growth Regulators <b>Not Tested</b>	Mycotoxins <b>Not Tested</b>	Heavy Metals <b>Not Tested</b>	99.4788 mg/serving 99.4788 mg/container Total CBD

**Additional Analytes (Not Regulated)**

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>	0.5368 mg/serving 0.5368 mg/container CBN
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>	4.1236 mg/serving 4.1236 mg/container CBG
219.0266 mg/serving 219.0266 mg/container Total Cannabinoids (Q3)			

Ahmed Munshi

Technical Laboratory Director

*AH Munshi*

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2601SMAZ0049.0156  
Batch #: 260107SGPP1to1THCCBD



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 20123

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 01/07/2026  
SOP: 418.AZ  
Batch Number: 4910  
Test ID: 110113

**Sample Analysis**

Date: 01/09/2026  
SOP: 417.AZ - HPLC  
Sample Weight: 1.082 g  
Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.0030	0.0090	1	0.0108	0.1080	1.3176	1.3176	M1
CBD	0.0030	0.0090	1	0.8154	8.1540	99.4788	99.4788	M1
CBDA	0.0030	0.0090	1	ND	ND	ND	ND	M1
CBDV	0.0030	0.0090	1	0.0047	0.0470	0.5734	0.5734	M1
CBG	0.0030	0.0090	1	0.0338	0.3380	4.1236	4.1236	M1
CBGA	0.0030	0.0090	1	<LOQ	<LOQ	<LOQ	<LOQ	M1
CBN	0.0030	0.0090	1	0.0044	0.0440	0.5368	0.5368	M1
d8-THC	0.0030	0.0090	1	ND	ND	ND	ND	M1
d9-THC	0.0030	0.0090	1	0.9110	9.1100	111.1420	111.1420	M1
THCA	0.0030	0.0090	1	ND	ND	ND	ND	M1
THCV	0.0030	0.0090	1	0.0152	0.1520	1.8544	1.8544	M1

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.9110	9.1100	111.1420	111.1420	
Total CBD	0.8154	8.1540	99.4788	99.4788	
Total Cannabinoids	1.7953	17.9530	219.0266	219.0266	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation  
Serving Weight: 12.2 None; Servings/Package: 1

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2601SMAZ0049.0156  
Batch #: 260107SGPP1to1THCCBD



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 20123

**Microbial Analysis**

**Pass**

**Sample Prep**

**Batch Date:** 01/12/2026  
**SOP:** 412.AZ  
**Batch Number:** 4937  
**Test ID:** 110118

**Sample Analysis**

**Date:** 01/13/2026  
**SOP:** 412.AZ - 3M Petrifilm  
**Sample Weight:** 1.092 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

**Batch Date:** 01/12/2026  
**SOP:** 406.AZ  
**Batch Number:** 4935  
**Test ID:** 110120

**Sample Analysis**

**Date:** 01/13/2026  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.006 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2601SMAZ0049.0156  
Batch #: 260107SGPP1to1THCCBD



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 20123

**Qualifier Legend**

**B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

**B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

**D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.

**I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

**L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

**M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

**M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

**M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

**M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

**M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

**M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

**Q1** Sample integrity was not maintained.

**Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

**Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

**R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

**R2** The relative percent difference for a sample and duplicate exceeded the limit.

**V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2601SMAZ0049.0156  
Batch #: 260107SGPP1to1THCCBD



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 20123

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12672

### RSO Sativa

Batch #: 250429RSOS  
Strain: Sativa Blend  
Parent Batch #:  
Production Method: Alcohol  
Harvest Date: 04/15/2025  
Received: 04/29/2025

Sample ID: 2504SMAZ0644.1863  
Amount Received: 8.3 g  
Sample Type: RSO  
Sample Collected: 04/29/2025 12:01:00  
Manufacture Date: 04/29/2025  
Published: 05/02/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	84.187% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	0.225% Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	0.321% CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	2.913% CBG

90.011%  
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 04/30/2025  
SOP: 418.AZ  
Batch Number: 3175  
Test ID: 63523

**Sample Analysis**

Date: 05/01/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 0.040 g  
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.322	0.977	1	1.040	10.396	
CBD	0.322	0.977	1	0.225	2.255	
CBDA	0.322	0.977	1	ND	ND	
CBDV	0.322	0.977	1	ND	ND	
CBG	0.322	0.977	1	2.913	29.128	
CBGA	0.322	0.977	1	ND	ND	
CBN	0.322	0.977	1	0.321	3.211	
d8-THC	0.322	0.977	1	ND	ND	
d9-THC	0.322	0.977	1	84.187	841.873	
THCA	0.322	0.977	1	ND	ND	
THCV	0.322	0.977	1	1.324	13.242	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	84.187	841.873	
Total CBD	0.225	2.255	
Total Cannabinoids	90.011	900.105	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Terpene Total**

GC-FID

**Tested (0.1353%)**


**Sample Prep**

Batch Date: 05/01/2025  
SOP: 419  
Batch Number: 3181

**Sample Analysis**

Date: 05/02/2025  
SOP: 419 - GC-FID  
Sample Weight: 0.401 g  
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0030	1	0.0319	Q3	gamma-Terpinene	0.0010 / 0.0030	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0030	1	ND	Q3	Geraniol	0.0010 / 0.0030	1	ND	Q3
alpha-Humulene	0.0010 / 0.0030	1	0.0070	Q3	Geranyl acetate	0.0010 / 0.0030	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0030	1	ND	Q3	Guaiol	0.0010 / 0.0030	1	0.0226	Q3
alpha-Pinene	0.0010 / 0.0030	1	ND	Q3	Hexahydrothymol	0.0010 / 0.0030	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0030	1	ND	Q3	Isoborneol	0.0010 / 0.0030	1	ND	Q3
beta-Myrcene	0.0010 / 0.0030	1	ND	Q3	Isopulegol	0.0010 / 0.0030	1	ND	Q3
beta-Pinene	0.0010 / 0.0030	1	ND	Q3	Limonene	0.0010 / 0.0030	1	ND	Q3
Borneol	0.0010 / 0.0030	1	ND	Q3	Linalool	0.0010 / 0.0030	1	0.0035	Q3
Camphephene	0.0010 / 0.0030	1	ND	Q3	Nerol	0.0010 / 0.0030	1	ND	Q3
Camphor	0.0010 / 0.0030	1	ND	Q3	Pulegone (+)	0.0010 / 0.0030	1	ND	Q3
3-Carene	0.0010 / 0.0030	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0030	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0030	1	ND	Q3	Terpineol	0.0010 / 0.0030	1	0.0064	Q3
Cedrol	0.0010 / 0.0030	1	0.0353	Q3	Terpinolene	0.0010 / 0.0030	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0030	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0030	1	0.0286	Q3
cis-Ocimene	0.0010 / 0.0030	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0030	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0030	1	ND	Q3	trans-Ocimene	0.0010 / 0.0030	1	ND	Q3
Eucalyptol	0.0010 / 0.0030	1	ND	Q3	Valencene	0.0010 / 0.0030	1	ND	Q3
Fenchone	0.0010 / 0.0030	1	ND	Q3					



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Microbial Analysis**

**Pass**

**Sample Prep**

**Batch Date:** 04/30/2025  
**SOP:** 412.AZ  
**Batch Number:** 3170  
**Test ID:** 63531

**Sample Analysis**

**Date:** 05/01/2025  
**SOP:** 412.AZ - 3M Petrifilm  
**Sample Weight:** 1.016 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

**Batch Date:** 04/30/2025  
**SOP:** 406.AZ  
**Batch Number:** 3169  
**Test ID:** 63532

**Sample Analysis**

**Date:** 05/01/2025  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.005 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Residual Solvents**

HS-GC-MS

**Pass**

**Sample Prep**

Batch Date: 05/01/2025  
SOP: 405.AZ  
Batch Number: 3176  
Test ID: 63524

**Sample Analysis**

Date: 05/02/2025  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.050 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	<LOQ		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

**Ahmed Munshi**

Technical Laboratory Director

*AHMunshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 05/01/2025  
SOP: 428.AZ  
Batch Number: 3180  
Test ID: 63525

**Sample Analysis**

Date: 05/02/2025  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.222 g  
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.054	0.180	10	0.4	ND	
Cadmium	0.054	0.180	10	0.4	ND	
Lead	0.054	0.451	10	1	ND	
Mercury	0.054	0.090	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 04/30/2025  
SOP: 432.AZ  
Batch Number: 3168  
Test ID: 63528

**Sample Analysis**

Date: 05/01/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.562 g  
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.56	8.90	1	20	ND	R1
Aflatoxin B1	3.56	8.90	1		ND	
Aflatoxin B2	3.56	8.90	1		ND	I1
Aflatoxin G1	3.56	8.90	1		ND	
Aflatoxin G2	3.56	4.45	1		ND	R1
Ochratoxin A	8.90	8.90	1	20	ND	I1

**Ahmed Munshi**

Technical Laboratory Director

*AHMunshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Pesticides, Fungicides, and  
Growth Regulators**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 04/30/2025  
SOP: 432.AZ  
Batch Number: 3168  
Test ID: 63527

**Sample Analysis**

Date: 05/01/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.562 g  
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.074 / 0.222	1	0.5	ND	I1	Hexythiazox	0.149 / 0.445	1	1	ND	
Acephate	0.060 / 0.178	1	0.4	ND		Imazalil	0.029 / 0.089	1	0.2	ND	
Acetamiprid	0.029 / 0.089	1	0.2	ND		Imidacloprid	0.060 / 0.178	1	0.4	ND	
Aldicarb	0.060 / 0.178	1	0.4	ND		Kresoxim-methyl	0.060 / 0.178	1	0.4	ND	
Azoxystrobin	0.029 / 0.089	1	0.2	ND		Malathion	0.029 / 0.089	1	0.2	ND	
Bifenazate	0.029 / 0.089	1	0.2	ND		Metalaxyl	0.029 / 0.089	1	0.2	ND	
Bifenthrin	0.029 / 0.089	1	0.2	ND		Methiocarb	0.029 / 0.089	1	0.2	ND	
Boscalid	0.060 / 0.178	1	0.4	ND		Methomyl	0.060 / 0.178	1	0.4	ND	
Carbaryl	0.029 / 0.089	1	0.2	ND		Myclobutanil	0.029 / 0.089	1	0.2	ND	
Carbofuran	0.029 / 0.089	1	0.2	ND		Naled	0.074 / 0.222	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.089	1	0.2	ND		Oxamyl	0.149 / 0.445	1	1	ND	
Chlorfenapyr	0.149 / 0.445	1	1	ND	I1	Paclobutrazol	0.060 / 0.178	1	0.4	ND	
Chlorpyrifos	0.029 / 0.089	1	0.2	ND		Permethrins	0.029 / 0.089	1	0.2	ND	
Clofentezine	0.029 / 0.089	1	0.2	ND		Phosmet	0.029 / 0.089	1	0.2	ND	
Cyfluthrin	0.149 / 0.445	1	1	ND		Piperonyl Butoxide	0.296 / 0.890	1	2	ND	
Cypermethrin	0.149 / 0.445	1	1	ND		Prallethrin	0.029 / 0.089	1	0.2	ND	
Daminozide	0.149 / 0.445	1	1	ND		Propiconazole	0.060 / 0.178	1	0.4	ND	
Diazinon	0.029 / 0.089	1	0.2	ND		Propoxur	0.029 / 0.089	1	0.2	ND	
Dichlorvos	0.015 / 0.044	1	0.1	ND		Pyrethrins	0.124 / 0.373	1	1	ND	
Dimethoate	0.029 / 0.089	1	0.2	ND		Pyridaben	0.029 / 0.089	1	0.2	ND	
Ethoprophos	0.029 / 0.089	1	0.2	ND		Spinosad	0.029 / 0.089	1	0.2	ND	
Etofenprox	0.060 / 0.178	1	0.4	ND		Spiromesifen	0.029 / 0.089	1	0.2	ND	
Etoxazole	0.029 / 0.089	1	0.2	ND		Spirotetramat	0.029 / 0.089	1	0.2	ND	
Fenoxy carb	0.029 / 0.089	1	0.2	ND		Spiroxamine	0.060 / 0.178	1	0.4	ND	
Fenpyroximate	0.060 / 0.178	1	0.4	ND		Tebuconazole	0.060 / 0.178	1	0.4	ND	
Fipronil	0.060 / 0.178	1	0.4	ND		Thiacloprid	0.029 / 0.089	1	0.2	ND	
Flonicamid	0.149 / 0.445	1	1	ND		Thiamethoxam	0.029 / 0.089	1	0.2	ND	
Fludioxonil	0.060 / 0.178	1	0.4	ND		Trifloxystrobin	0.029 / 0.089	1	0.2	ND	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Qualifier Legend**

**B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

**B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

**D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.

**I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

**L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

**M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

**M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

**M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

**M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

**M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

**M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

**Q1** Sample integrity was not maintained.

**Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

**Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

**R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

**R2** The relative percent difference for a sample and duplicate exceeded the limit.

**V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

**Certificate:** 12672

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12672

### RSO Sativa

Batch #: 250429RSOS  
Strain: Sativa Blend  
Parent Batch #:  
Production Method: Alcohol  
Harvest Date: 04/15/2025  
Received: 04/29/2025

Sample ID: 2504SMAZ0644.1863  
Amount Received: 8.3 g  
Sample Type: RSO  
Sample Collected: 04/29/2025 12:01:00  
Manufacture Date: 04/29/2025  
Published: 05/02/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass	84.187% Total THC
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass	0.225% Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested	0.321% CBN
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested	2.913% CBG

90.011%  
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 04/30/2025  
SOP: 418.AZ  
Batch Number: 3175  
Test ID: 63523

**Sample Analysis**

Date: 05/01/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 0.040 g  
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.322	0.977	1	1.040	10.396	
CBD	0.322	0.977	1	0.225	2.255	
CBDA	0.322	0.977	1	ND	ND	
CBDV	0.322	0.977	1	ND	ND	
CBG	0.322	0.977	1	2.913	29.128	
CBGA	0.322	0.977	1	ND	ND	
CBN	0.322	0.977	1	0.321	3.211	
d8-THC	0.322	0.977	1	ND	ND	
d9-THC	0.322	0.977	1	84.187	841.873	
THCA	0.322	0.977	1	ND	ND	
THCV	0.322	0.977	1	1.324	13.242	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	84.187	841.873	
Total CBD	0.225	2.255	
Total Cannabinoids	90.011	900.105	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.  
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Terpene Total**

GC-FID

**Tested (0.1353%)**


**Sample Prep**

Batch Date: 05/01/2025  
SOP: 419  
Batch Number: 3181

**Sample Analysis**

Date: 05/02/2025  
SOP: 419 - GC-FID  
Sample Weight: 0.401 g  
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0030	1	0.0319	Q3	gamma-Terpinene	0.0010 / 0.0030	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0030	1	ND	Q3	Geraniol	0.0010 / 0.0030	1	ND	Q3
alpha-Humulene	0.0010 / 0.0030	1	0.0070	Q3	Geranyl acetate	0.0010 / 0.0030	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0030	1	ND	Q3	Guaiol	0.0010 / 0.0030	1	0.0226	Q3
alpha-Pinene	0.0010 / 0.0030	1	ND	Q3	Hexahydrothymol	0.0010 / 0.0030	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0030	1	ND	Q3	Isoborneol	0.0010 / 0.0030	1	ND	Q3
beta-Myrcene	0.0010 / 0.0030	1	ND	Q3	Isopulegol	0.0010 / 0.0030	1	ND	Q3
beta-Pinene	0.0010 / 0.0030	1	ND	Q3	Limonene	0.0010 / 0.0030	1	ND	Q3
Borneol	0.0010 / 0.0030	1	ND	Q3	Linalool	0.0010 / 0.0030	1	0.0035	Q3
Camphephene	0.0010 / 0.0030	1	ND	Q3	Nerol	0.0010 / 0.0030	1	ND	Q3
Camphor	0.0010 / 0.0030	1	ND	Q3	Pulegone (+)	0.0010 / 0.0030	1	ND	Q3
3-Carene	0.0010 / 0.0030	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0030	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0030	1	ND	Q3	Terpineol	0.0010 / 0.0030	1	0.0064	Q3
Cedrol	0.0010 / 0.0030	1	0.0353	Q3	Terpinolene	0.0010 / 0.0030	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0030	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0030	1	0.0286	Q3
cis-Ocimene	0.0010 / 0.0030	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0030	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0030	1	ND	Q3	trans-Ocimene	0.0010 / 0.0030	1	ND	Q3
Eucalyptol	0.0010 / 0.0030	1	ND	Q3	Valencene	0.0010 / 0.0030	1	ND	Q3
Fenchone	0.0010 / 0.0030	1	ND	Q3					



**Ahmed Munshi**

Technical Laboratory Director

*AHMunshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Microbial Analysis**

**Pass**

**Sample Prep**

**Batch Date:** 04/30/2025  
**SOP:** 412.AZ  
**Batch Number:** 3170  
**Test ID:** 63531

**Sample Analysis**

**Date:** 05/01/2025  
**SOP:** 412.AZ - 3M Petrifilm  
**Sample Weight:** 1.016 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

**Batch Date:** 04/30/2025  
**SOP:** 406.AZ  
**Batch Number:** 3169  
**Test ID:** 63532

**Sample Analysis**

**Date:** 05/01/2025  
**SOP:** 406.AZ - qPCR (MG)  
**Sample Weight:** 1.005 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Residual Solvents**

HS-GC-MS

**Pass**

**Sample Prep**

Batch Date: 05/01/2025  
SOP: 405.AZ  
Batch Number: 3176  
Test ID: 63524

**Sample Analysis**

Date: 05/02/2025  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.050 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	<LOQ		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

**Ahmed Munshi**

Technical Laboratory Director

*AHMunshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 05/01/2025  
SOP: 428.AZ  
Batch Number: 3180  
Test ID: 63525

**Sample Analysis**

Date: 05/02/2025  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.222 g  
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.054	0.180	10	0.4	ND	
Cadmium	0.054	0.180	10	0.4	ND	
Lead	0.054	0.451	10	1	ND	
Mercury	0.054	0.090	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 04/30/2025  
SOP: 432.AZ  
Batch Number: 3168  
Test ID: 63528

**Sample Analysis**

Date: 05/01/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.562 g  
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.56	8.90	1	20	ND	R1
Aflatoxin B1	3.56	8.90	1		ND	
Aflatoxin B2	3.56	8.90	1		ND	I1
Aflatoxin G1	3.56	8.90	1		ND	
Aflatoxin G2	3.56	4.45	1		ND	R1
Ochratoxin A	8.90	8.90	1	20	ND	I1

**Ahmed Munshi**

Technical Laboratory Director

*AHMunshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Pesticides, Fungicides, and  
Growth Regulators**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 04/30/2025  
SOP: 432.AZ  
Batch Number: 3168  
Test ID: 63527

**Sample Analysis**

Date: 05/01/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.562 g  
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.074 / 0.222	1	0.5	ND	I1	Hexythiazox	0.149 / 0.445	1	1	ND	
Acephate	0.060 / 0.178	1	0.4	ND		Imazalil	0.029 / 0.089	1	0.2	ND	
Acetamiprid	0.029 / 0.089	1	0.2	ND		Imidacloprid	0.060 / 0.178	1	0.4	ND	
Aldicarb	0.060 / 0.178	1	0.4	ND		Kresoxim-methyl	0.060 / 0.178	1	0.4	ND	
Azoxystrobin	0.029 / 0.089	1	0.2	ND		Malathion	0.029 / 0.089	1	0.2	ND	
Bifenazate	0.029 / 0.089	1	0.2	ND		Metalaxyl	0.029 / 0.089	1	0.2	ND	
Bifenthrin	0.029 / 0.089	1	0.2	ND		Methiocarb	0.029 / 0.089	1	0.2	ND	
Boscalid	0.060 / 0.178	1	0.4	ND		Methomyl	0.060 / 0.178	1	0.4	ND	
Carbaryl	0.029 / 0.089	1	0.2	ND		Myclobutanil	0.029 / 0.089	1	0.2	ND	
Carbofuran	0.029 / 0.089	1	0.2	ND		Naled	0.074 / 0.222	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.089	1	0.2	ND		Oxamyl	0.149 / 0.445	1	1	ND	
Chlorfenapyr	0.149 / 0.445	1	1	ND	I1	Paclobutrazol	0.060 / 0.178	1	0.4	ND	
Chlorpyrifos	0.029 / 0.089	1	0.2	ND		Permethrins	0.029 / 0.089	1	0.2	ND	
Clofentezine	0.029 / 0.089	1	0.2	ND		Phosmet	0.029 / 0.089	1	0.2	ND	
Cyfluthrin	0.149 / 0.445	1	1	ND		Piperonyl Butoxide	0.296 / 0.890	1	2	ND	
Cypermethrin	0.149 / 0.445	1	1	ND		Prallethrin	0.029 / 0.089	1	0.2	ND	
Daminozide	0.149 / 0.445	1	1	ND		Propiconazole	0.060 / 0.178	1	0.4	ND	
Diazinon	0.029 / 0.089	1	0.2	ND		Propoxur	0.029 / 0.089	1	0.2	ND	
Dichlorvos	0.015 / 0.044	1	0.1	ND		Pyrethrins	0.124 / 0.373	1	1	ND	
Dimethoate	0.029 / 0.089	1	0.2	ND		Pyridaben	0.029 / 0.089	1	0.2	ND	
Ethoprophos	0.029 / 0.089	1	0.2	ND		Spinosad	0.029 / 0.089	1	0.2	ND	
Etofenprox	0.060 / 0.178	1	0.4	ND		Spiromesifen	0.029 / 0.089	1	0.2	ND	
Etoxazole	0.029 / 0.089	1	0.2	ND		Spirotetramat	0.029 / 0.089	1	0.2	ND	
Fenoxy carb	0.029 / 0.089	1	0.2	ND		Spiroxamine	0.060 / 0.178	1	0.4	ND	
Fenpyroximate	0.060 / 0.178	1	0.4	ND		Tebuconazole	0.060 / 0.178	1	0.4	ND	
Fipronil	0.060 / 0.178	1	0.4	ND		Thiacloprid	0.029 / 0.089	1	0.2	ND	
Flonicamid	0.149 / 0.445	1	1	ND		Thiamethoxam	0.029 / 0.089	1	0.2	ND	
Fludioxonil	0.060 / 0.178	1	0.4	ND		Trifloxystrobin	0.029 / 0.089	1	0.2	ND	

**Ahmed Munshi**

Technical Laboratory Director

*AHMunshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12672

**Qualifier Legend**

**B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.

**B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.

**D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.

**I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.

**L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

**M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.

**M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.

**M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.

**M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.

**M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.

**M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).

**Q1** Sample integrity was not maintained.

**Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.

**Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.

**R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.

**R2** The relative percent difference for a sample and duplicate exceeded the limit.

**V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2504SMAZ0644.1863  
Batch #: 250429RSOS



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 12672

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>