



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2602SMAZ0225.0793
 Batch #: 260129SGPP1to1THCCBD



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20980

Savvy Guap RSO Gummy Peachy Punch 1:1 THC:CBD

Batch #: 260129SGPP1to1THCCBD Sample ID: 2602SMAZ0225.0793
 Strain: Hybrid Blend Amount Received: 24.1 g
 Parent Batch #: 250602RSOI Sample Type: Soft Chew
 Production Method: Alcohol Sample Collected: 02/02/2026 10:29:00
 Harvest Date: 05/19/2025 Manufacture Date: 01/29/2026
 Received: 02/02/2026 Published: 02/04/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Not Tested
Pesticides, Fungicides, and Growth Regulators Not Tested	Mycotoxins Not Tested	Heavy Metals Not Tested

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

10.8028 mg/serving
 108.0282 mg/container
Total THC

9.7726 mg/serving
 97.7255 mg/container
Total CBD

0.0590 mg/serving
 0.5905 mg/container
CBN

0.4302 mg/serving
 4.3018 mg/container
CBG

21.3044 mg/serving
 213.0440 mg/container
Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2602SMAZ0225.0793
 Batch #: 260129SGPP1to1THCCBD



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20980

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 02/03/2026
 SOP: 418.AZ
 Batch Number: 5121
 Test ID: 114692

Sample Analysis

Date: 02/03/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 1.026 g
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.0030	0.0100	1	0.0094	0.0940	0.1133	1.1327	
CBD	0.0030	0.0100	1	0.8110	8.1100	9.7726	97.7255	
CBDA	0.0030	0.0100	1	ND	ND	ND	ND	
CBDV	0.0030	0.0100	1	0.0036	0.0360	0.0434	0.4338	
CBG	0.0030	0.0100	1	0.0357	0.3570	0.4302	4.3018	
CBGA	0.0030	0.0100	1	ND	ND	ND	ND	
CBN	0.0030	0.0100	1	0.0049	0.0490	0.0590	0.5905	
d8-THC	0.0030	0.0100	1	ND	ND	ND	ND	
d9-THC	0.0030	0.0100	1	0.8965	8.9650	10.8028	108.0282	
THCA	0.0030	0.0100	1	ND	ND	ND	ND	
THCV	0.0030	0.0100	1	0.0069	0.0690	0.0831	0.8315	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.8965	8.9650	10.8028	108.0282	
Total CBD	0.8110	8.1100	9.7726	97.7255	
Total Cannabinoids	1.7680	17.6800	21.3044	213.0440	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 1.205 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2602SMAZ0225.0793
 Batch #: 260129SGPP1to1THCCBD



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20980

Microbial Analysis
Pass

Sample Prep

Batch Date: 02/03/2026
 SOP: 412.AZ
 Batch Number: 5130
 Test ID: 114697

Sample Analysis

Date: 02/04/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.005 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10CFU/g	< 10CFU/g	Pass	

Sample Prep

Batch Date: 02/03/2026
 SOP: 406.AZ
 Batch Number: 5127
 Test ID: 114700

Sample Analysis

Date: 02/04/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2602SMAZ0225.0793
 Batch #: 260129SGPP1to1THCCBD



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20980

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2602SMAZ0225.0793
 Batch #: 260129SGPP1to1THCCBD



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 20980

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

RSO Indica

Batch #: 250602RSOI
 Strain: Indica Blend
 Parent Batch #:
 Production Method: Alcohol
 Harvest Date: 05/19/2025
 Received: 06/04/2025

Sample ID: 2506SMAZ0885.2547
 Amount Received: 8.3 g
 Sample Type: RSO
 Sample Collected: 06/04/2025 09:59:00
 Manufacture Date: 06/02/2025
 Published: 06/09/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

86.366% Total THC
0.238% Total CBD
0.385% CBN
3.195% CBG
91.605% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 06/05/2025
 SOP: 418.AZ
 Batch Number: 3433
 Test ID: 75524

Sample Analysis

Date: 06/06/2025
 SOP: 417.AZ - HPLC
 Sample Weight: 0.043 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.300	0.909	1	0.840	8.401	
CBD	0.300	0.909	1	0.238	2.384	
CBDA	0.300	0.909	1	ND	ND	
CBDV	0.300	0.909	1	ND	ND	
CBG	0.300	0.909	1	3.195	31.948	
CBGA	0.300	0.909	1	ND	ND	
CBN	0.300	0.909	1	0.385	3.850	
d8-THC	0.300	0.909	1	ND	ND	
d9-THC	0.300	0.909	1	86.366	863.663	
THCA	0.300	0.909	1	ND	ND	
THCV	0.300	0.909	1	0.581	5.805	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	86.366	863.663	
Total CBD	0.238	2.384	
Total Cannabinoids	91.605	916.051	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Terpene Total

GC-FID **Tested (0.1531%)**


Sample Prep

Batch Date: 06/04/2025
 SOP: 419
 Batch Number: 3414

Sample Analysis

Date: 06/05/2025
 SOP: 419 - GC-FID
 Sample Weight: 0.410 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0448	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	ND	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.0121	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0038	Q3
alpha-Pinene	0.0010 / 0.0029	1	ND	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	ND	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	ND	Q3	Limonene	0.0010 / 0.0029	1	ND	Q3
Borneol	0.0010 / 0.0029	1	ND	Q3	Linalool	0.0010 / 0.0029	1	0.0052	Q3
Camphene	0.0010 / 0.0029	1	ND	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0097	Q3	Terpineol	0.0010 / 0.0029	1	0.0065	Q3
Cedrol	0.0010 / 0.0029	1	0.0089	Q3	Terpinolene	0.0010 / 0.0029	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.0620	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	ND	Q3	trans-Ocimene	0.0010 / 0.0029	1	ND	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Microbial Analysis
Pass

Sample Prep

Batch Date: 06/05/2025
 SOP: 412.AZ
 Batch Number: 3426
 Test ID: 75599

Sample Analysis

Date: 06/06/2025
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 06/05/2025
 SOP: 406.AZ
 Batch Number: 3425
 Test ID: 75603

Sample Analysis

Date: 06/06/2025
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.002 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 06/05/2025
 SOP: 406.AZ
 Batch Number: 3425
 Test ID: 75607

Sample Analysis

Date: 06/06/2025
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.002 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Residual Solvents
 HS-GC-MS **Pass**

Sample Prep
 Batch Date: 06/04/2025
 SOP: 405.AZ
 Batch Number: 3422
 Test ID: 75525

Sample Analysis
 Date: 06/05/2025
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	ND		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 06/05/2025
 SOP: 428.AZ
 Batch Number: 3430
 Test ID: 75526

Sample Analysis
 Date: 06/06/2025
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.202 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.059	0.198	10	0.4	ND	
Cadmium	0.059	0.198	10	0.4	ND	
Lead	0.059	0.495	10	1	ND	
Mercury	0.059	0.099	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 06/06/2025
 SOP: 432.AZ
 Batch Number: 3439
 Test ID: 75529

Sample Analysis
 Date: 06/09/2025
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.502 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.98	9.96	1	20	ND	R1
Aflatoxin B1	3.98	9.96	1		ND	
Aflatoxin B2	3.98	9.96	1		ND	R1
Aflatoxin G1	3.98	9.96	1		ND	
Aflatoxin G2	3.98	4.98	1		ND	
Ochratoxin A	9.96	9.96	1	20	ND	I1, L1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 06/06/2025
 SOP: 432.AZ
 Batch Number: 3439
 Test ID: 75528

Sample Analysis

Date: 06/09/2025
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.502 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.083 / 0.249	1	0.5	ND		Hexythiazox	0.166 / 0.498	1	1	ND	
Acephate	0.067 / 0.199	1	0.4	ND		Imazalil	0.033 / 0.100	1	0.2	ND	
Acetamiprid	0.033 / 0.100	1	0.2	ND		Imidacloprid	0.067 / 0.199	1	0.4	ND	
Aldicarb	0.067 / 0.199	1	0.4	ND		Kresoxim-methyl	0.067 / 0.199	1	0.4	ND	
Azoxystrobin	0.033 / 0.100	1	0.2	ND		Malathion	0.033 / 0.100	1	0.2	ND	
Bifenazate	0.033 / 0.100	1	0.2	ND		Metaxyl	0.033 / 0.100	1	0.2	ND	
Bifenthrin	0.033 / 0.100	1	0.2	ND		Methiocarb	0.033 / 0.100	1	0.2	ND	
Boscalid	0.067 / 0.199	1	0.4	ND		Methomyl	0.067 / 0.199	1	0.4	ND	
Carbaryl	0.033 / 0.100	1	0.2	ND		Myclobutanil	0.033 / 0.100	1	0.2	ND	
Carbofuran	0.033 / 0.100	1	0.2	ND		Naled	0.083 / 0.249	1	0.5	ND	
Chlorantraniliprole	0.033 / 0.100	1	0.2	ND		Oxamyl	0.166 / 0.498	1	1	ND	
Chlorfenapyr	0.166 / 0.498	1	1	ND		Pacllobutrazol	0.067 / 0.199	1	0.4	ND	
Chlorpyrifos	0.033 / 0.100	1	0.2	ND		Permethrins	0.033 / 0.100	1	0.2	ND	
Clofentezine	0.033 / 0.100	1	0.2	ND		Phosmet	0.033 / 0.100	1	0.2	ND	
Cyfluthrin	0.166 / 0.498	1	1	ND		Piperonyl Butoxide	0.332 / 0.996	1	2	ND	
Cypermethrin	0.166 / 0.498	1	1	ND		Prallethrin	0.033 / 0.100	1	0.2	ND	
Daminozide	0.166 / 0.498	1	1	ND		Propiconazole	0.067 / 0.199	1	0.4	ND	
Diazinon	0.033 / 0.100	1	0.2	ND		Propoxur	0.033 / 0.100	1	0.2	ND	
Dichlorvos	0.017 / 0.050	1	0.1	ND		Pyrethrins	0.139 / 0.417	1	1	ND	
Dimethoate	0.033 / 0.100	1	0.2	ND		Pyridaben	0.033 / 0.100	1	0.2	ND	
Ethoprophos	0.033 / 0.100	1	0.2	ND		Spinosad	0.033 / 0.100	1	0.2	ND	
Etofenprox	0.067 / 0.199	1	0.4	ND		Spiromesifen	0.033 / 0.100	1	0.2	ND	
Etoxazole	0.033 / 0.100	1	0.2	ND		Spirotetramat	0.033 / 0.100	1	0.2	ND	
Fenoxycarb	0.033 / 0.100	1	0.2	ND		Spiroxamine	0.067 / 0.199	1	0.4	ND	
Fenpyroximate	0.067 / 0.199	1	0.4	ND		Tebuconazole	0.067 / 0.199	1	0.4	ND	
Fipronil	0.067 / 0.199	1	0.4	ND	I1	Thiacloprid	0.033 / 0.100	1	0.2	ND	
Fonicamid	0.166 / 0.498	1	1	ND		Thiamethoxam	0.033 / 0.100	1	0.2	ND	
Fludioxonil	0.067 / 0.199	1	0.4	ND		Trifloxystrobin	0.033 / 0.100	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

RSO Indica

Batch #: 250602RSOI
 Strain: Indica Blend
 Parent Batch #:
 Production Method: Alcohol
 Harvest Date: 05/19/2025
 Received: 06/04/2025

Sample ID: 2506SMAZ0885.2547
 Amount Received: 8.3 g
 Sample Type: RSO
 Sample Collected: 06/04/2025 09:59:00
 Manufacture Date: 06/02/2025
 Published: 06/09/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

86.366% Total THC
0.238% Total CBD
0.385% CBN
3.195% CBG
91.605% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 06/05/2025
 SOP: 418.AZ
 Batch Number: 3433
 Test ID: 75524

Sample Analysis

Date: 06/06/2025
 SOP: 417.AZ - HPLC
 Sample Weight: 0.043 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.300	0.909	1	0.840	8.401	
CBD	0.300	0.909	1	0.238	2.384	
CBDA	0.300	0.909	1	ND	ND	
CBDV	0.300	0.909	1	ND	ND	
CBG	0.300	0.909	1	3.195	31.948	
CBGA	0.300	0.909	1	ND	ND	
CBN	0.300	0.909	1	0.385	3.850	
d8-THC	0.300	0.909	1	ND	ND	
d9-THC	0.300	0.909	1	86.366	863.663	
THCA	0.300	0.909	1	ND	ND	
THCV	0.300	0.909	1	0.581	5.805	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	86.366	863.663	
Total CBD	0.238	2.384	
Total Cannabinoids	91.605	916.051	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592


Certificate: 13728

Terpene Total
 GC-FID **Tested (0.1531%)**

Sample Prep
 Batch Date: 06/04/2025
 SOP: 419
 Batch Number: 3414

Sample Analysis
 Date: 06/05/2025
 SOP: 419 - GC-FID
 Sample Weight: 0.410 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0448	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	ND	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.0121	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0038	Q3
alpha-Pinene	0.0010 / 0.0029	1	ND	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	ND	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	ND	Q3	Limonene	0.0010 / 0.0029	1	ND	Q3
Borneol	0.0010 / 0.0029	1	ND	Q3	Linalool	0.0010 / 0.0029	1	0.0052	Q3
Camphene	0.0010 / 0.0029	1	ND	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0097	Q3	Terpineol	0.0010 / 0.0029	1	0.0065	Q3
Cedrol	0.0010 / 0.0029	1	0.0089	Q3	Terpinolene	0.0010 / 0.0029	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.0620	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	ND	Q3	trans-Ocimene	0.0010 / 0.0029	1	ND	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					



Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Microbial Analysis
Pass

Sample Prep

Batch Date: 06/05/2025
 SOP: 412.AZ
 Batch Number: 3426
 Test ID: 75599

Sample Analysis

Date: 06/06/2025
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 06/05/2025
 SOP: 406.AZ
 Batch Number: 3425
 Test ID: 75603

Sample Analysis

Date: 06/06/2025
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.002 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 06/05/2025
 SOP: 406.AZ
 Batch Number: 3425
 Test ID: 75607

Sample Analysis

Date: 06/06/2025
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.002 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Residual Solvents

HS-GC-MS **Pass**

Sample Prep

Batch Date: 06/04/2025
 SOP: 405.AZ
 Batch Number: 3422
 Test ID: 75525

Sample Analysis

Date: 06/05/2025
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	ND		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 06/05/2025
 SOP: 428.AZ
 Batch Number: 3430
 Test ID: 75526

Sample Analysis
 Date: 06/06/2025
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.202 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.059	0.198	10	0.4	ND	
Cadmium	0.059	0.198	10	0.4	ND	
Lead	0.059	0.495	10	1	ND	
Mercury	0.059	0.099	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 06/06/2025
 SOP: 432.AZ
 Batch Number: 3439
 Test ID: 75529

Sample Analysis
 Date: 06/09/2025
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.502 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.98	9.96	1	20	ND	R1
Aflatoxin B1	3.98	9.96	1		ND	
Aflatoxin B2	3.98	9.96	1		ND	R1
Aflatoxin G1	3.98	9.96	1		ND	
Aflatoxin G2	3.98	4.98	1		ND	
Ochratoxin A	9.96	9.96	1	20	ND	I1, L1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 06/06/2025
 SOP: 432.AZ
 Batch Number: 3439
 Test ID: 75528

Sample Analysis

Date: 06/09/2025
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.502 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.083 / 0.249	1	0.5	ND		Hexythiazox	0.166 / 0.498	1	1	ND	
Acephate	0.067 / 0.199	1	0.4	ND		Imazalil	0.033 / 0.100	1	0.2	ND	
Acetamiprid	0.033 / 0.100	1	0.2	ND		Imidacloprid	0.067 / 0.199	1	0.4	ND	
Aldicarb	0.067 / 0.199	1	0.4	ND		Kresoxim-methyl	0.067 / 0.199	1	0.4	ND	
Azoxystrobin	0.033 / 0.100	1	0.2	ND		Malathion	0.033 / 0.100	1	0.2	ND	
Bifenazate	0.033 / 0.100	1	0.2	ND		Metaxyl	0.033 / 0.100	1	0.2	ND	
Bifenthrin	0.033 / 0.100	1	0.2	ND		Methiocarb	0.033 / 0.100	1	0.2	ND	
Boscalid	0.067 / 0.199	1	0.4	ND		Methomyl	0.067 / 0.199	1	0.4	ND	
Carbaryl	0.033 / 0.100	1	0.2	ND		Myclobutanil	0.033 / 0.100	1	0.2	ND	
Carbofuran	0.033 / 0.100	1	0.2	ND		Naled	0.083 / 0.249	1	0.5	ND	
Chlorantraniliprole	0.033 / 0.100	1	0.2	ND		Oxamyl	0.166 / 0.498	1	1	ND	
Chlorfenapyr	0.166 / 0.498	1	1	ND		Pacllobutrazol	0.067 / 0.199	1	0.4	ND	
Chlorpyrifos	0.033 / 0.100	1	0.2	ND		Permethrins	0.033 / 0.100	1	0.2	ND	
Clofentezine	0.033 / 0.100	1	0.2	ND		Phosmet	0.033 / 0.100	1	0.2	ND	
Cyfluthrin	0.166 / 0.498	1	1	ND		Piperonyl Butoxide	0.332 / 0.996	1	2	ND	
Cypermethrin	0.166 / 0.498	1	1	ND		Prallethrin	0.033 / 0.100	1	0.2	ND	
Daminozide	0.166 / 0.498	1	1	ND		Propiconazole	0.067 / 0.199	1	0.4	ND	
Diazinon	0.033 / 0.100	1	0.2	ND		Propoxur	0.033 / 0.100	1	0.2	ND	
Dichlorvos	0.017 / 0.050	1	0.1	ND		Pyrethrins	0.139 / 0.417	1	1	ND	
Dimethoate	0.033 / 0.100	1	0.2	ND		Pyridaben	0.033 / 0.100	1	0.2	ND	
Ethoprophos	0.033 / 0.100	1	0.2	ND		Spinosad	0.033 / 0.100	1	0.2	ND	
Etofenprox	0.067 / 0.199	1	0.4	ND		Spiromesifen	0.033 / 0.100	1	0.2	ND	
Etoxazole	0.033 / 0.100	1	0.2	ND		Spirotetramat	0.033 / 0.100	1	0.2	ND	
Fenoxycarb	0.033 / 0.100	1	0.2	ND		Spiroxamine	0.067 / 0.199	1	0.4	ND	
Fenpyroximate	0.067 / 0.199	1	0.4	ND		Tebuconazole	0.067 / 0.199	1	0.4	ND	
Fipronil	0.067 / 0.199	1	0.4	ND	I1	Thiacloprid	0.033 / 0.100	1	0.2	ND	
Fonicamid	0.166 / 0.498	1	1	ND		Thiamethoxam	0.033 / 0.100	1	0.2	ND	
Fludioxonil	0.067 / 0.199	1	0.4	ND		Trifloxystrobin	0.033 / 0.100	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0885.2547
 Batch #: 250602RSOI



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 13728

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>