



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2510SMAZ1821.5419
Batch #: 251016SGTCRSO



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17444

Savvy Guap RSO Gummy Tangie Crush

Batch #: 251016SGTCRSO
Strain: Sativa Blend
Parent Batch #: 250429RSOS
Production Method: Alcohol
Harvest Date: 04/15/2025
Received: 10/20/2025

Sample ID: 2510SMAZ1821.5419
Amount Received: 24.6 g
Sample Type: Soft Chew
Sample Collected: 10/20/2025 12:54:00
Manufacture Date: 10/16/2025
Published: 10/23/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Not Tested
Pesticides, Fungicides, and Growth Regulators Not Tested	Mycotoxins Not Tested	Heavy Metals Not Tested

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

119.5560 mg/serving
119.5560 mg/container
Total THC

ND mg/serving
ND mg/container
Total CBD

0.5160 mg/serving
0.5160 mg/container
CBN


4.5720 mg/serving
4.5720 mg/container
CBG

128.2080 mg/serving
128.2080 mg/container
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2510SMAZ1821.5419
Batch #: 251016SGTCRSO



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17444

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 10/20/2025
SOP: 418.AZ
Batch Number: 4359
Test ID: 96276

Sample Analysis

Date: 10/21/2025
SOP: 417.AZ - HPLC
Sample Weight: 1.003 g
Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.0060	0.0190	2	0.0127	0.1270	1.5240	1.5240	M1
CBD	0.0060	0.0190	2	ND	ND	ND	ND	M1
CBDA	0.0060	0.0190	2	ND	ND	ND	ND	M1
CBDV	0.0060	0.0190	2	ND	ND	ND	ND	M1
CBG	0.0060	0.0190	2	0.0381	0.3810	4.5720	4.5720	M1
CBGA	0.0060	0.0190	2	ND	ND	ND	ND	M1
CBN	0.0060	0.0190	2	0.0043	0.0430	0.5160	0.5160	M1
d8-THC	0.0060	0.0190	2	ND	ND	ND	ND	M1
d9-THC	0.0060	0.0190	2	0.9963	9.9630	119.5560	119.5560	M1
THCA	0.0060	0.0190	2	<LOQ	<LOQ	<LOQ	<LOQ	M1
THCV	0.0060	0.0190	2	0.0170	0.1700	2.0400	2.0400	M1

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.9963	9.9630	119.5560	119.5560	
Total CBD	ND	ND	ND	ND	
Total Cannabinoids	1.0684	10.6840	128.2080	128.2080	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
Serving Weight: 12 None; Servings/Package: 1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2510SMAZ1821.5419
Batch #: 251016SGTCRSO



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17444

Microbial Analysis

Pass

Sample Prep

Batch Date: 10/21/2025
SOP: 412.AZ
Batch Number: 4370
Test ID: 96283

Sample Analysis

Date: 10/22/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.032 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 10/21/2025
SOP: 406.AZ
Batch Number: 4369
Test ID: 96291

Sample Analysis

Date: 10/22/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.002 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2510SMAZ1821.5419
Batch #: 251016SGTCRSO



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 17444

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2510SMAZ1821.5419
Batch #: 251016SGTCRSO



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 17444

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2504SMAZ0644.1863
Batch #: 250429RSOS



SMITHERS

CERTIFICATE OF ANALYSIS


License #: 00000020LCVT89602592

Certificate: 12672

RSO Sativa

Batch #: 250429RSOS
Strain: Sativa Blend
Parent Batch #:
Production Method: Alcohol
Harvest Date: 04/15/2025
Received: 04/29/2025

Sample ID: 2504SMAZ0644.1863
Amount Received: 8.3 g
Sample Type: RSO
Sample Collected: 04/29/2025 12:01:00
Manufacture Date: 04/29/2025
Published: 05/02/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)
Tested

Microbial Contaminants
Pass

Residual Solvents
Pass

84.187%
Total THC

Pesticides, Fungicides,
and Growth Regulators
Pass

Mycotoxins
Pass

Heavy Metals
Pass

0.225%
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)
Tested

Moisture Analysis (Q3)
Not Tested

Water Activity (Q3)
Not Tested

0.321%
CBN

Filth & Foreign (Q3)
Not Tested

Homogeneity (Q3)
Not Tested

Additional Microbial
Contaminants (Q3)
Not Tested

2.913%
CBG

90.011%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2504SMAZ0644.1863
Batch #: 250429RSOS



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12672

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 04/30/2025
SOP: 418.AZ
Batch Number: 3175
Test ID: 63523

Sample Analysis

Date: 05/01/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.040 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.322	0.977	1	1.040	10.396	
CBD	0.322	0.977	1	0.225	2.255	
CBDA	0.322	0.977	1	ND	ND	
CBDV	0.322	0.977	1	ND	ND	
CBG	0.322	0.977	1	2.913	29.128	
CBGA	0.322	0.977	1	ND	ND	
CBN	0.322	0.977	1	0.321	3.211	
d8-THC	0.322	0.977	1	ND	ND	
d9-THC	0.322	0.977	1	84.187	841.873	
THCA	0.322	0.977	1	ND	ND	
THCV	0.322	0.977	1	1.324	13.242	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	84.187	841.873	
Total CBD	0.225	2.255	
Total Cannabinoids	90.011	900.105	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2504SMAZ0644.1863
Batch #: 250429RSOS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12672

Terpene Total

GC-FID

Tested (0.1353%)


Sample Prep

Batch Date: 05/01/2025
SOP: 419
Batch Number: 3181

Sample Analysis

Date: 05/02/2025
SOP: 419 - GC-FID
Sample Weight: 0.401 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0030	1	0.0319	Q3	gamma-Terpinene	0.0010 / 0.0030	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0030	1	ND	Q3	Geraniol	0.0010 / 0.0030	1	ND	Q3
alpha-Humulene	0.0010 / 0.0030	1	0.0070	Q3	Geranyl acetate	0.0010 / 0.0030	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0030	1	ND	Q3	Guaiol	0.0010 / 0.0030	1	0.0226	Q3
alpha-Pinene	0.0010 / 0.0030	1	ND	Q3	Hexahydrothymol	0.0010 / 0.0030	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0030	1	ND	Q3	Isoborneol	0.0010 / 0.0030	1	ND	Q3
beta-Myrcene	0.0010 / 0.0030	1	ND	Q3	Isopulegol	0.0010 / 0.0030	1	ND	Q3
beta-Pinene	0.0010 / 0.0030	1	ND	Q3	Limonene	0.0010 / 0.0030	1	ND	Q3
Borneol	0.0010 / 0.0030	1	ND	Q3	Linalool	0.0010 / 0.0030	1	0.0035	Q3
Camphene	0.0010 / 0.0030	1	ND	Q3	Nerol	0.0010 / 0.0030	1	ND	Q3
Camphor	0.0010 / 0.0030	1	ND	Q3	Pulegone (+)	0.0010 / 0.0030	1	ND	Q3
3-Carene	0.0010 / 0.0030	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0030	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0030	1	ND	Q3	Terpineol	0.0010 / 0.0030	1	0.0064	Q3
Cedrol	0.0010 / 0.0030	1	0.0353	Q3	Terpinolene	0.0010 / 0.0030	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0030	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0030	1	0.0286	Q3
cis-Ocimene	0.0010 / 0.0030	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0030	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0030	1	ND	Q3	trans-Ocimene	0.0010 / 0.0030	1	ND	Q3
Eucalyptol	0.0010 / 0.0030	1	ND	Q3	Valencene	0.0010 / 0.0030	1	ND	Q3
Fenchone	0.0010 / 0.0030	1	ND	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2504SMAZ0644.1863
Batch #: 250429RSOS



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12672

Microbial Analysis

Pass

Sample Prep

Batch Date: 04/30/2025
SOP: 412.AZ
Batch Number: 3170
Test ID: 63531

Sample Analysis

Date: 05/01/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.016 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 04/30/2025
SOP: 406.AZ
Batch Number: 3169
Test ID: 63532

Sample Analysis

Date: 05/01/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.005 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2504SMAZ0644.1863
Batch #: 250429RSOS



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12672

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 05/01/2025
SOP: 405.AZ
Batch Number: 3176
Test ID: 63524

Sample Analysis

Date: 05/02/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.050 g


Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	<LOQ		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2504SMAZ0644.1863
Batch #: 250429RSOS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12672

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 05/01/2025
SOP: 428.AZ
Batch Number: 3180
Test ID: 63525

Sample Analysis

Date: 05/02/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.222 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.054	0.180	10	0.4	ND	
Cadmium	0.054	0.180	10	0.4	ND	
Lead	0.054	0.451	10	1	ND	
Mercury	0.054	0.090	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 04/30/2025
SOP: 432.AZ
Batch Number: 3168
Test ID: 63528

Sample Analysis

Date: 05/01/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.562 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.56	8.90	1	20	ND	R1
Aflatoxin B1	3.56	8.90	1		ND	
Aflatoxin B2	3.56	8.90	1		ND	I1
Aflatoxin G1	3.56	8.90	1		ND	
Aflatoxin G2	3.56	4.45	1		ND	R1
Ochratoxin A	8.90	8.90	1	20	ND	I1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2504SMAZ0644.1863
Batch #: 250429RSOS



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12672

Pesticides, Fungicides, and Growth Regulators

LC-MS/MS Pass

Sample Prep

Batch Date: 04/30/2025
SOP: 432.AZ
Batch Number: 3168
Test ID: 63527

Sample Analysis

Date: 05/01/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.562 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.074 / 0.222	1	0.5	ND	I1	Hexythiazox	0.149 / 0.445	1	1	ND	
Acephate	0.060 / 0.178	1	0.4	ND		Imazalil	0.029 / 0.089	1	0.2	ND	
Acetamiprid	0.029 / 0.089	1	0.2	ND		Imidacloprid	0.060 / 0.178	1	0.4	ND	
Aldicarb	0.060 / 0.178	1	0.4	ND		Kresoxim-methyl	0.060 / 0.178	1	0.4	ND	
Azoxystrobin	0.029 / 0.089	1	0.2	ND		Malathion	0.029 / 0.089	1	0.2	ND	
Bifenazate	0.029 / 0.089	1	0.2	ND		Metaxyl	0.029 / 0.089	1	0.2	ND	
Bifenthrin	0.029 / 0.089	1	0.2	ND		Methiocarb	0.029 / 0.089	1	0.2	ND	
Boscalid	0.060 / 0.178	1	0.4	ND		Methomyl	0.060 / 0.178	1	0.4	ND	
Carbaryl	0.029 / 0.089	1	0.2	ND		Myclobutanil	0.029 / 0.089	1	0.2	ND	
Carbofuran	0.029 / 0.089	1	0.2	ND		Naled	0.074 / 0.222	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.089	1	0.2	ND		Oxamyl	0.149 / 0.445	1	1	ND	
Chlorfenapyr	0.149 / 0.445	1	1	ND	I1	Paclobutrazol	0.060 / 0.178	1	0.4	ND	
Chlorpyrifos	0.029 / 0.089	1	0.2	ND		Permethrins	0.029 / 0.089	1	0.2	ND	
Clofentezine	0.029 / 0.089	1	0.2	ND		Phosmet	0.029 / 0.089	1	0.2	ND	
Cyfluthrin	0.149 / 0.445	1	1	ND		Piperonyl Butoxide	0.296 / 0.890	1	2	ND	
Cypermethrin	0.149 / 0.445	1	1	ND		Prallethrin	0.029 / 0.089	1	0.2	ND	
Daminozide	0.149 / 0.445	1	1	ND		Propiconazole	0.060 / 0.178	1	0.4	ND	
Diazinon	0.029 / 0.089	1	0.2	ND		Propoxur	0.029 / 0.089	1	0.2	ND	
Dichlorvos	0.015 / 0.044	1	0.1	ND		Pyrethrins	0.124 / 0.373	1	1	ND	
Dimethoate	0.029 / 0.089	1	0.2	ND		Pyridaben	0.029 / 0.089	1	0.2	ND	
Ethoprophos	0.029 / 0.089	1	0.2	ND		Spinosad	0.029 / 0.089	1	0.2	ND	
Etofenprox	0.060 / 0.178	1	0.4	ND		Spiromesifen	0.029 / 0.089	1	0.2	ND	
Etoxazole	0.029 / 0.089	1	0.2	ND		Spirotetramat	0.029 / 0.089	1	0.2	ND	
Fenoxycarb	0.029 / 0.089	1	0.2	ND		Spiroxamine	0.060 / 0.178	1	0.4	ND	
Fenpyroximate	0.060 / 0.178	1	0.4	ND		Tebuconazole	0.060 / 0.178	1	0.4	ND	
Fipronil	0.060 / 0.178	1	0.4	ND		Thiacloprid	0.029 / 0.089	1	0.2	ND	
Fonicamid	0.149 / 0.445	1	1	ND		Thiamethoxam	0.029 / 0.089	1	0.2	ND	
Fludioxonil	0.060 / 0.178	1	0.4	ND		Trifloxystrobin	0.029 / 0.089	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2504SMAZ0644.1863
Batch #: 250429RSOS



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12672

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
1341 W. Industrial Dr.
Coolidge, AZ 85128
License #: 00000105DCOU00194638
Sample ID: 2504SMAZ0644.1863
Batch #: 250429RSOS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12672

Notes:




Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>