

# **Kaycha Labs**

Super Sour Diesel Select B Distillate Super Sour Diesel

Matrix: Concentrate Type: Distillate



Sample:TE40430007-007

Batch#: CAZ2425D-SSD-B

Batch Date: 04/30/24 Sample Size Received: 39.64 gram

Total Amount: 7 gram

Retail Product Size: 12 gram Retail Serving Size: 12 gram

Servings: 1

Ordered: 04/30/24 Sampled: 04/30/24

Sample Collection Time: 10:15 AM

Completed: 05/07/24 Revision Date: 06/10/24

**PASSED** 

# **Certificate of Analysis**



Jun 10, 2024 | Curaleaf AZ

License # 00000058ESFA63267513

3333 S Central Ave Phoenix, AZ, 85040, US



Pages 1 of 6

### **SAFETY RESULTS**







**Heavy Metals PASSED** 



Microbials **PASSED** 



**PASSED** 



Residuals Solvents **PASSED** 



**NOT TESTED** 



Water Activity **NOT TESTED** 



**NOT TESTED** 



Terpenes NOT **TESTED** 

**PASSED** 



# Cannabinoid

**Total THC** 



CBDA

ND

ND


%

0.0020





**Total Cannabinoids** 88.5476%



ilig/g	030.430
LOD	0.0020
	%
nalyzed by:	

0.0020 % %

CBD

ND

ND

05/02/24 16:31:59

3.0965

30.965

0.0020

%

ND ND 0.0010 %

0.4853 4.853 0.0020

Reviewed On: 05/03/24 12:57:25 Batch Date: 05/01/24 16:07:44

D8-TH ND ND 0.0020 %

THCV 0.3089 3.089 0.0020

ND ND 0.0020

CBDV

0.8133 8.133 0.0010 %

333.312

Analysis Method: SOP.T.30.500, SOP.T.30.031, SOP.T.40.031 Analytical Batch: TE004613POT Instrument Used: TE-005 "Lady Jessica" (Concentrates) Analyzed Date: 05/02/24 16:39:30

Dilution: 800 Reagent: N/A Consumables: N/A Pipette: N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding

## **Ariel Gonzales**

Lab Director

00000024LCMD66604568 ISO 17025 Accreditation # 97164



# **Kaycha Labs**

Super Sour Diesel Select B Distillate

Super Sour Diesel Matrix: Concentrate Type: Distillate



**Certificate of Analysis** 

PASSED

3333 S Central Ave Phoenix, AZ, 85040, US Telephone: (602) 842-0020

Fmail: christopher paternoster@curaleaf.com **License #:** 00000058ESFA63267513

Sample : TE40430007-007 Batch#: CAZ2425D-SSD-B Sampled: 04/30/24

Ordered: 04/30/24

Sample Size Received: 39.64 gram

Total Amount: 7 gram
Completed: 05/07/24 Expires: 06/10/25 Sample Method: SOP Client Method

Page 2 of 6



# **Pesticides**

# **PASSED**

Pesticide	LOD	Units		el Pass/Fail	Res
AVERMECTINS (ABAMECTIN B1A)	0.0170	ppm	0.5	PASS	ND
ACEPHATE	0.0100	ppm	0.4	PASS	ND
ACETAMIPRID	0.0050	ppm	0.2	PASS	ND
ALDICARB	0.0140	ppm	0.4	PASS	ND
AZOXYSTROBIN	0.0050	ppm	0.2	PASS	ND
BIFENAZATE	0.0060	ppm	0.2	PASS	ND
BIFENTHRIN	0.0050	ppm	0.2	PASS	ND
BOSCALID	0.0050	ppm	0.4	PASS	ND
CARBARYL	0.0080	ppm	0.2	PASS	ND
CARBOFURAN	0.0050	ppm	0.2	PASS	ND
CHLORANTRANILIPROLE	0.0110	ppm	0.2	PASS	ND
CHLORPYRIFOS	0.0050	ppm	0.2	PASS	ND
CLOFENTEZINE	0.0100	ppm	0.2	PASS	ND
CYPERMETHRIN	0.1000	ppm	1	PASS	ND
DIAZINON	0.0060	ppm	0.2	PASS	ND
DAMINOZIDE	0.0100	ppm	1	PASS	ND
DICHLORVOS (DDVP)	0.0010	ppm	0.1	PASS	ND
DIMETHOATE	0.0060	ppm	0.2	PASS	ND
ETHOPROPHOS	0.0040	ppm	0.2	PASS	ND
ETOFENPROX	0.0060	ppm	0.4	PASS	ND
ETOXAZOLE	0.0040	ppm	0.2	PASS	ND
FENOXYCARB	0.0050	ppm	0.2	PASS	ND
FENPYROXIMATE	0.0040	ppm	0.4	PASS	ND
FIPRONIL	0.0060	ppm	0.4	PASS	ND
FLONICAMID	0.0090	ppm	1	PASS	ND
FLUDIOXONIL	0.0060	ppm	0.4	PASS	ND
HEXYTHIAZOX	0.0050	ppm	1	PASS	ND
IMAZALIL	0.0110	ppm	0.2	PASS	ND
IMIDACLOPRID	0.0080	ppm	0.4	PASS	ND
KRESOXIM-METHYL	0.0070	ppm	0.4	PASS	ND
MALATHION	0.0070	ppm	0.2	PASS	ND
METALAXYL	0.0040	ppm	0.2	PASS	ND
METHIOCARB	0.0040	ppm	0.2	PASS	ND
METHOMYL	0.0050	ppm	0.4	PASS	ND
MYCLOBUTANIL	0.0100	ppm	0.2	PASS	ND
NALED	0.0070	ppm	0.5	PASS	ND
OXAMYL	0.0080	ppm	1	PASS	ND
PACLOBUTRAZOL	0.0050	ppm	0.4	PASS	ND
TOTAL PERMETHRINS	0.0030	ppm	0.2	PASS	ND
PHOSMET	0.0100	ppm	0.2	PASS	ND
PIPERONYL BUTOXIDE	0.0050	ppm	2	PASS	ND
PRALLETHRIN	0.0130	ppm	0.2	PASS	ND
PROPICONAZOLE	0.0050	ppm	0.4	PASS	ND
PROPOXUR	0.0050	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.0010	ppm	1	PASS	ND
PYRIDABEN	0.0040	ppm	0.2	PASS	ND

Pesticide		LOD	Units	Action Level	Pass/Fail	Resul
TOTAL SPINOSAD		0.0060	ppm	0.2	PASS	ND
SPIROMESIFEN		0.0080	ppm	0.2	PASS	ND
SPIROTETRAMAT		0.0060	ppm	0.2	PASS	ND
SPIROXAMINE		0.0040	ppm	0.4	PASS	ND
TEBUCONAZOLE		0.0040	ppm	0.4	PASS	ND
THIACLOPRID		0.0060	ppm	0.2	PASS	ND
THIAMETHOXAM		0.0060	ppm	0.2	PASS	ND
TRIFLOXYSTROBIN		0.0060	ppm	0.2	PASS	ND
CHLORFENAPYR *		0.0270	ppm	1	PASS	ND
CYFLUTHRIN *		0.0150	ppm	1	PASS	ND
Analyzed by: 152, 272, 87	Weight: 0.5018g	05/02/24 12			Extracted 152	l by:
Analysis Method: SOP.T.30.3 Analytical Batch: TE004608 Instrument Used: TE-118 "M Analyzed Date: 05/02/24 14:	PES S/MS Pest/Myco 1",TE-261		2"		n:05/03/24 15:05/01/24 13:1	

Analyzed Date: 0:5/02/24 14:51:39

Dilution: 125

Reagent: 0:41924.R42, 0:42524.R07; 0:42424.R38; 0:42324.R05; 0:42524.R06; 0:41524.R10; 0:42924.R08; 0:1823.06

Consumables: 9:479291.100; 8000031463; 111423CH01; 2:20318-3:06-D; 10:08645998; GD23001; 4:26220; CP lipette: 1TE-060 SN:20035457 (20-20041); TE-108 SN:20818337 (100-100041)

Pesticide screening is carried out using LCHSMMS supplemented by Co-KSMMS for ovability epsticides. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLD: 132, 272, 87

Analyzed by: 152, 272, 87

Analysis Method: SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ

Analytical Batch: TEF0046221V01

Instrument Used: TE-118 "MS/MS Pest/Myco 1",TE-261 "UHPLC - Pest/Myco 2"

Reviewed On: 05/03/24 16:03:50

Batch Date: 05/02/24 14:52:00

Dilution: 2: 52

Dilution: 25

Raggen: 0.41924.R.42; 042524.R07; 042424.R38; 042324.R05; 042524.R06; 041524.R10; 042924.R08; 041823.06

Consumables: 9479291.100; 8000031.463; 111423CH01; 220318-306-D; 1008645998; GD23001; 426220-JC

Pipette: TE-660 SN2:0C35457 (20-200L); TE-108 SN:20818337 (100-1000L)

Supplemental pestidide screening using GC-MSMS to quantitatively screen for Chlordenapyr, Cyfluthrin, Cypermethrin, and Diazinon; as well as the qualitative confirmation of Dichloros, Permethrins, Piperonyl Butoxide, Prailethrin, Propiconazole, Pyrethrins, and Tebuconazole which are all quantitative screened using IC-MSMS. Methods: SOPT.3.0.50 for sample homogenization, SOPT.3.0.14-AZ for sample prost SOPT.4.0.154.AZ for analysis using a ThermoScietific 1310-series GC equipped with a TriPlus RSH autosampler and detected on a TSO 9000-series mass spectrometer).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding

## **Ariel Gonzales**

Lab Director

00000024LCMD66604568 ISO 17025 Accreditation # 97164



# **Kaycha Labs**

Super Sour Diesel Select B Distillate

Super Sour Diesel Matrix: Concentrate Type: Distillate



# **Certificate of Analysis**

PASSED

3333 S Central Ave Phoenix, AZ, 85040, US Telephone: (602) 842-0020

Fmail: christopher paternoster@curaleaf.com **License #:** 00000058ESFA63267513

Sample : TE40430007-007

Batch#: CAZ2425D-SSD-B Sampled: 04/30/24 Ordered: 04/30/24

Sample Size Received: 39.64 gram

Total Amount: 7 gram
Completed: 05/07/24 Expires: 06/10/25

Sample Method: SOP Client Method

Page 3 of 6



# **Residual Solvents**

**PASSED** 

LOD 159.0000 111.0000 266.5000 156.6000	<b>Units</b> ppm ppm ppm	Action Level 5000 3000	Pass/Fail PASS PASS	<b>Result</b> ND ND	
111.0000 266.5000	ppm	3000			
266.5000			PASS	ND	
	ppm			ND	
156.6000		5000	PASS	ND	
	ppm	5000	PASS	ND	
216.1000	ppm	5000	PASS	ND	
33.7000	ppm	1000	PASS	ND	
215.2000	ppm	5000	PASS	ND	
11.4000	ppm	410	PASS	ND	
21.8000	ppm	600	PASS	ND	
7.6400	ppm	290	PASS	ND	
187.2000	ppm	5000	PASS	ND	
1.7700	ppm	60	PASS	ND	
0.1610	ppm	2	PASS	ND	
159.5000	ppm	5000	PASS	ND	
247.6000	ppm	5000	PASS	ND	
27.0000	ppm	890	PASS	ND	
94.5000	ppm	2170	PASS	ND	
Weight:	Extraction date:		<b>Ext</b> : 334		
	215.2000 11.4000 21.8000 7.6400 187.2000 1.7700 0.1610 159.5000 247.6000 27.0000 94.5000	215.2000 ppm 11.4000 ppm 21.8000 ppm 7.6400 ppm 187.2000 ppm 1.7700 ppm 0.1610 ppm 159.5000 ppm 247.6000 ppm 27.0000 ppm	215.2000 ppm 5000 11.4000 ppm 410 21.8000 ppm 600 7.6400 ppm 290 187.2000 ppm 5000 1.7700 ppm 60 0.1610 ppm 2 159.5000 ppm 5000 247.6000 ppm 5000 27.0000 ppm 890 94.5000 ppm 2170  Weight: Extraction date:	215.2000       ppm       5000       PASS         11.4000       ppm       410       PASS         21.8000       ppm       600       PASS         7.6400       ppm       290       PASS         187.2000       ppm       5000       PASS         1.7700       ppm       60       PASS         0.1610       ppm       2       PASS         159.5000       ppm       5000       PASS         247.6000       ppm       5000       PASS         27.0000       ppm       890       PASS         94.5000       ppm       2170       PASS	215.2000       ppm       5000       PASS       ND         11.4000       ppm       410       PASS       ND         21.8000       ppm       600       PASS       ND         7.6400       ppm       290       PASS       ND         187.2000       ppm       5000       PASS       ND         1.7700       ppm       60       PASS       ND         0.1610       ppm       2       PASS       ND         159.5000       ppm       5000       PASS       ND         247.6000       ppm       5000       PASS       ND         27.0000       ppm       890       PASS       ND         94.5000       ppm       2170       PASS       ND

Analysis Method : SOP.T.40.044.AZ

Analytical Batch : TE004605SOL

Reviewed On: 05/03/24 13:03:07

Instrument Used: TE-285 "MS - Solvents 2", TE-283 "Injector - Solvents 2", TE-282 "HS - Solvents 2", TE-284 "GC - Solvents 2", TE-286 "Vacuum Pump - Solvents Batch Date: 05/01/24 12:46:59

Analyzed Date: 05/01/24 16:30:22

Dilution: N/A

Reagent: 111023.02; 050124.01; 100623.01 Consumables: H109203-1; 428752; 31723; GD23001

Pipette: N/A

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding

## **Ariel Gonzales**

Lab Director

00000024LCMD66604568 ISO 17025 Accreditation # 97164



# **Kaycha Labs**

Super Sour Diesel Select B Distillate

Super Sour Diesel Matrix: Concentrate

Type: Distillate



# **Certificate of Analysis**

PASSED

3333 S Central Ave Phoenix, AZ, 85040, US Telephone: (602) 842-0020

Fmail: christopher paternoster@curaleaf.com **License # :** 00000058ESFA63267513

Sample : TE40430007-007

Batch#: CAZ2425D-SSD-B Sampled: 04/30/24 Ordered: 04/30/24

Sample Size Received: 39.64 gram

Total Amount: 7 gram
Completed: 05/07/24 Expires: 06/10/25 Sample Method: SOP Client Method

Page 4 of 6



# Microbial

# **PASSED**



Analyte		LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA S	PP			Not Present in 1g	PASS	
ASPERGILLUS F	LAVUS			Not Present in 1g	PASS	
<b>ASPERGILLUS F</b>	UMIGATUS			Not Present in 1g	PASS	
ASPERGILLUS N	IGER			Not Present in 1g	PASS	
<b>ASPERGILLUS T</b>	ERREUS			Not Present in 1g	PASS	
ESCHERICHIA C	OLI REC	10.0000	CFU/g	<10	PASS	100
Analyzed by:	Weight:	Extractio	n date:	E	xtracted	by:
87, 272	1.1008a	05/02/24	17:40:5	30 0	37	

Analysis Method: SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ  $\textbf{Reviewed On:}\ 05/03/24\ 16:20:49$ 

Analytical Batch: TE004599MIC
Instrument Used: TE-234 "bioMerieux GENE-UP" Batch Date: 04/30/24 16:43:35

Analyzed Date : N/A

Dilution: 10

Reagent: 080423.48; 042424.17; 010424.69; 013024.06; 022924.11; 040124.22; 040124.25; 040124.26; 040124.27; 040124.28; 041124.27; 041124.11; 041124.14; 022924.23; 041124.02; 041124.06; 051923.26; 050124.R09

Consumables: N/A Pipette: N/A

مګه
o( )<
<b>∞</b> ∕~∞

# **Mycotoxins**

December December 4 Action

Analyte		LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL AFLATOXINS</b>		1.4870	) ppb	ND	PASS	20
AFLATOXIN B1		1.4700	) ppb	ND	PASS	20
AFLATOXIN B2		1.8000	) ppb	ND	PASS	20
AFLATOXIN G1		1.9000	) ppb	ND	PASS	20
AFLATOXIN G2		3.2500	) ppb	ND	PASS	20
OCHRATOXIN A		4.6100	) ppb	ND	PASS	20
Analyzed by: 152, 272, 87	Weight: 0.5018g	Extraction dat 05/02/24 12:2			Extracted 152	by:

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ

Analytical Batch : TE004620MYC Instrument Used : N/A

**Analyzed Date :** 05/02/24 14:52:15

Reviewed On: 05/03/24 15:59:24 **Batch Date :** 05/02/24 12:31:20

Dilution: 25

Reagent: 041924.R24; 042524.R07; 042424.R38; 042324.R05; 042524.R06; 041524.R10; 042924.R08: 041823.06

Consumables: 9479291.100; 8000031463; 111423CH01; 220318-306-D; 1008645998; GD23001; 426220-JC

Pipette: TE-060 SN:20C35457 (20-200uL); TE-108 SN:20B18337 (100-1000uL)

Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflotoxins B1, B2, G1, G2) must be <20 $\mu$ g/kg. Ochratoxin must be <20µg/kg.



# **Heavy Metals**

# **PASSED**

Metal		LOD	Units	Result	Pass / Fail	Action Level
ARSENIC		0.0030	ppm	ND	PASS	0.4
CADMIUM		0.0020	ppm	ND	PASS	0.4
LEAD		0.0010	ppm	ND	PASS	1
MERCURY		0.0125	ppm	ND	PASS	0.2
Analyzed by:	Weight:	Extraction date:		E	xtracted b	y:
39, 272, 87	0.2014a	05/02/24 15:13:4	11	39	9.331	

Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ

Analytical Batch : TE004612HEA

Reviewed On: 05/03/24

Instrument Used: TE-051 "Metals Hood",TE-141 "Wolfgang",TE-260 "Ludwig",TE-307 "Ted",TE-308 "Ted Chiller",TE-310 "Ted AS",TE-309 "Ted Pump" **Batch Date :** 05/01/24 14:28:12

Analyzed Date : N/A

Reagent: 101723.13: 042224.R21: 042224.R01: 111023.02: 032724.01: 031023.05

Consumables: 111423CH01; 220318-306-D; 210725-598-D; GD23001 Pipette: TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific ICAP RQ ICP-MS).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding

## **Ariel Gonzales**

Lab Director

00000024LCMD66604568 ISO 17025 Accreditation # 97164





## **Kaycha Labs**

Super Sour Diesel Select B Distillate

Super Sour Diesel Matrix: Concentrate Type: Distillate



# **Certificate of Analysis**

**PASSED** 

3333 S Central Ave Phoenix, AZ, 85040, US Telephone: (602) 842-0020 Fmail: christopher paternoster@curaleaf.com **License #:** 00000058ESFA63267513

Sample : TE40430007-007 Batch#: CAZ2425D-SSD-B Sampled: 04/30/24 Ordered: 04/30/24

Sample Size Received: 39.64 gram Total Amount: 7 gram
Completed: 05/07/24 Expires: 06/10/25 Sample Method: SOP Client Method

Page 5 of 6

# **COMMENTS**

\* Confident Cannabis sample ID: 2404KLAZ0294.1263



\* Pesticide TE40430007-007PES

1 - M1: Daminozide. M2: Bifenthrin, Chlorpyrifos, Clofentezine, Fludioxonil, Hexythiazox, Total Spinosad, Trifloxystrobin.

\* Residual TE40430007-007SOL

1 - V1 - Benzene

\* Volatile Pesticides TE40430007-007VOL

1 - M2: Chlorfenapyr, Cyfluthrin.

**Ariel Gonzales** 

Lab Director 00000024LCMD66604568 ISO 17025 Accreditation # 97164



## Kaycha Labs

Super Sour Diesel Select B Distillate

Super Sour Diesel Matrix : Concentrate Type: Distillate



**Certificate of Analysis** 

**PASSED** 

Curaleaf A7

3333 S Central Ave Phoenix, AZ, 85040, US **Telephone:** (602) 842-0020

Email: christopher.paternoster@curaleaf.com License #: 00000058ESFA63267513 Sample: TE40430007-007 Batch#: CAZ2425D-SSD-B Sampled: 04/30/24 Ordered: 04/30/24

Sample Size Received: 39.64 gram Total Amount: 7 gram Completed: 05/07/24 Expires: 06/10/25 Sample Method: SOP Client Method

Page 6 of 6

# **COMMENTS**

\* Confident Cannabis sample ID: 2404KLAZ0294.1263



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## **Ariel Gonzales**

Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164 atil Jensh