



# Certificate of Analysis











Sample: TE40109001-006  
 Harvest/Lot ID: 120823  
 Batch#: CAZ2404A-MW-B  
 Batch Date: 01/09/24  
 Sample Size Received: 35.61 gram  
 Total Amount: 7 gram  
 Retail Product Size: 12 gram  
 Ordered: 01/09/24  
 Sampled: 01/09/24  
 Completed: 01/11/24


**PASSED**

Jan 11, 2024 | Curaleaf\_AZ  
 License # 00000053DCXB00858835  
 3333 S Central Ave  
 Phoenix, AZ, 85040, US



Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtth NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

SYRINGE	Cannabinoid	<b>PASSED</b>
		



	D9-THC	THCA	CBD	CBDA	CBG	CBGA	CBN	D8-THC	THCV	CBDV	CBC
%	89.8569	0.2660	ND	ND	2.1420	ND	2.2383	ND	0.4696	ND	1.0188
mg/g	898.569	2.660	ND	ND	21.420	ND	22.383	ND	4.696	ND	10.188
LOD				0.0020	0.0020	0.0010	0.0010	0.0020	0.0020	0.0020	0.0010
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 312, 272, 333      Weight: 0.1678g      Extraction date: 01/09/24 15:54:53      Extracted by: 312

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031  
 Analytical Batch : TE003594POT      Reviewed On : 01/10/24 12:37:07  
 Instrument Used : TE-005 "Lady Jessica" (Concentrates)      Batch Date : 01/09/24 11:23:08  
 Analyzed Date : 01/09/24 15:53:56

Dilution : 800  
 Reagent : 010224.01; 111423.R01; 121123.R24; 112123.R02; 110223.R03  
 Consumables : 947.100; 00335006-5; 1008439554; 052423CH02; 210823-1124; 210725-598-D; GD220011  
 Pipette : TE-059 SN:20A04528 (20-200uL); TE-065 SN:20B18327 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Ariel Gonzales**  
 Lab Director

State License #  
 0000024LCMD66604568  
 ISO 17025 Accreditation # 97164



Signature  
 01/11/24



# Certificate of Analysis

**PASSED**

Curaleaf\_AZ

3333 S Central Ave  
Phoenix, AZ, 85040, US  
Telephone: (602) 842-0020  
Email: christopher.paternoster@curaleaf.com  
License # : 0000053DCXB00858835

Sample : TE40109001-006  
Harvest/Lot ID: 120823

Batch# : CAZ2404A-MW-B  
Sampled : 01/09/24  
Ordered : 01/09/24

Sample Size Received : 35.61 gram  
Total Amount : 7 gram  
Completed : 01/11/24 Expires: 01/11/25  
Sample Method : SOP Client Method

Page 2 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
AVERMECTINS (ABAMECTIN B1A)	0.0170	ppm	0.5	PASS	ND	TOTAL SPINOSAD	0.0060	ppm	0.2	PASS	ND
ACEPHATE	0.0100	ppm	0.4	PASS	ND	SPIROMESIFEN	0.0080	ppm	0.2	PASS	ND
ACETAMIPRID	0.0050	ppm	0.2	PASS	ND	SPIROTETRAMAT	0.0060	ppm	0.2	PASS	ND
ALDICARB	0.0140	ppm	0.4	PASS	ND	SPIROXAMINE	0.0040	ppm	0.4	PASS	ND
AZOXYSTROBIN	0.0050	ppm	0.2	PASS	ND	TEBUCONAZOLE	0.0040	ppm	0.4	PASS	ND
BIFENAZATE	0.0060	ppm	0.2	PASS	ND	THIACLOPRID	0.0060	ppm	0.2	PASS	ND
BIFENTHRIN	0.0050	ppm	0.2	PASS	ND	THIAMETHOXAM	0.0060	ppm	0.2	PASS	ND
BOSCALID	0.0050	ppm	0.4	PASS	ND	TRIFLOXYSTROBIN	0.0060	ppm	0.2	PASS	ND
CARBARYL	0.0080	ppm	0.2	PASS	ND	CHLORFENAPYR *	0.0270	ppm	1	PASS	ND
CARBOFURAN	0.0050	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.0150	ppm	1	PASS	ND
CHLORANTRANILIPROLE	0.0110	ppm	0.2	PASS	ND	Analyzed by: <b>152, 272, 333</b> Weight: 0.4949g      Extraction date: 01/09/24 15:42:14      Extracted by: 152 Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ Analytical Batch : TE003595PES      Reviewed On : 01/10/24 16:44:24 Instrument Used : TE-118 "MS/MS Pest/Myco 1", TE-261 "UHPLC - Pest/Myco 2"      Batch Date : 01/09/24 12:01:35 Analyzed Date : 01/09/24 17:43:11					
CHLORPYRIFOS	0.0050	ppm	0.2	PASS	ND	Dilution : 25 Reagent : 121323.R01; 121823.R08; 110623.R13; 121523.R06; 122623.R01; 121223.R11; 110623.R01; 041823.06 Consumables : 947.100; 00334958-5; 1008443837; 28521042; 210823-1124; 090623; 1008451138; GD220011; 323080IY Pipette : TE-056 SN:21D58687; TE-060 SN:20C35457 (20-200uL); TE-108 SN:20B18337 (100-1000uL)					
CLOFENTAZINE	0.0100	ppm	0.2	PASS	ND	Pesticide screening is carried out using LC-MS/MS supplemented by GC-MS/MS for volatile pesticides. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Analyzed by: <b>152, 272, 333</b> Weight: 0.4949g      Extraction date: 01/09/24 15:42:14      Extracted by: 152 Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ Analytical Batch : TE003600VOL      Reviewed On : 01/10/24 16:45:29 Instrument Used : TE-118 "MS/MS Pest/Myco 1", TE-261 "UHPLC - Pest/Myco 2"      Batch Date : 01/09/24 17:43:19 Analyzed Date : 01/09/24 17:43:43					
CYPERMETHRIN	0.1000	ppm	1	PASS	ND	Dilution : 25 Reagent : 121323.R01; 121823.R08; 110623.R13; 121523.R06; 122623.R01; 121223.R11; 110623.R01; 041823.06 Consumables : 947.100; 00334958-5; 1008443837; 28521042; 210823-1124; 090623; 1008451138; GD220011; 323080IY Pipette : TE-056 SN:21D58687; TE-060 SN:20C35457 (20-200uL); TE-108 SN:20B18337 (100-1000uL)					
DIAZINON	0.0060	ppm	0.2	PASS	ND	Supplemental pesticide screening using GC-MS/MS to quantitatively screen for Chlorfenapyr, Cyfluthrin, Cypermethrin, and Diazinon; as well as the qualitative confirmation of Dichlorvos, Permethrins, Piperonyl Butoxide, Prallethrin, Propiconazole, Pyrethrins, and Tebuconazole which are all quantitatively screened using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.154.AZ for analysis using a ThermoScientific 1310-series GC equipped with a TriPlus RSH autosampler and detected on a TSQ 9000-series mass spectrometer).					
DAMINOZIDE	0.0100	ppm	1	PASS	ND						
DICHLORVOS (DDVP)	0.0010	ppm	0.1	PASS	ND						
DIMETHOATE	0.0060	ppm	0.2	PASS	ND						
ETHOPROPHOS	0.0040	ppm	0.2	PASS	ND						
ETOFENPROX	0.0060	ppm	0.4	PASS	ND						
ETOXAZOLE	0.0040	ppm	0.2	PASS	ND						
FENOXYPYRIFOS	0.0050	ppm	0.2	PASS	ND						
FENPROXIMATE	0.0040	ppm	0.4	PASS	ND						
FIPRONIL	0.0060	ppm	0.4	PASS	ND						
FLONICAMID	0.0090	ppm	1	PASS	ND						
FLUDIOXONIL	0.0060	ppm	0.4	PASS	ND						
HEXTHIAZOX	0.0050	ppm	1	PASS	ND						
IMAZALIL	0.0110	ppm	0.2	PASS	ND						
IMIDACLOPRID	0.0080	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.0070	ppm	0.4	PASS	ND						
MALATHION	0.0070	ppm	0.2	PASS	ND						
METALAXYL	0.0040	ppm	0.2	PASS	ND						
METHIOCARB	0.0040	ppm	0.2	PASS	ND						
METHOMYL	0.0050	ppm	0.4	PASS	ND						
MYCLOBUTANIL	0.0100	ppm	0.2	PASS	ND						
NALED	0.0070	ppm	0.5	PASS	ND						
OXAMYL	0.0080	ppm	1	PASS	ND						
PACLOBUTRAZOL	0.0050	ppm	0.4	PASS	ND						
TOTAL PERMETHRINS	0.0030	ppm	0.2	PASS	ND						
PHOSMET	0.0100	ppm	0.2	PASS	ND						
PIPERONYL BUTOXIDE	0.0050	ppm	2	PASS	ND						
PRALLETHRIN	0.0130	ppm	0.2	PASS	ND						
PROPICONAZOLE	0.0050	ppm	0.4	PASS	ND						
PROPOXUR	0.0050	ppm	0.2	PASS	ND						
TOTAL PYRETHRINS	0.0010	ppm	1	PASS	ND						
PYRIDABEN	0.0040	ppm	0.2	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Ariel Gonzales**

Lab Director

State License #  
0000024LCMD66604568  
ISO 17025 Accreditation # 97164

Signature  
01/11/24



1231 W. Warner Road, Suite 105  
 Tempe, AZ, 85284, US  
 (480) 220-4470

Kaycha Labs

Maui Wowie Select B Distillate  
 Maui Wowie  
 Matrix : Concentrate  
 Type: Distillate



# Certificate of Analysis

**PASSED**

Curaleaf\_AZ

3333 S Central Ave  
 Phoenix, AZ, 85040, US  
 Telephone: (602) 842-0020  
 Email: christopher.paternoster@curaleaf.com  
 License #: 0000053DCXB00858835

Sample : TE40109001-006  
 Harvest/Lot ID: 120823

Batch#: CAZ2404A-MW-B  
 Sampled : 01/09/24  
 Ordered : 01/09/24

Sample Size Received : 35.61 gram  
 Total Amount : 7 gram  
 Completed : 01/11/24 Expires: 01/11/25  
 Sample Method : SOP Client Method

Page 3 of 6

## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
BUTANES	168.2000	ppm	5000	PASS	ND
METHANOL	87.7000	ppm	3000	PASS	ND
PENTANES	163.9000	ppm	5000	PASS	ND
ETHANOL	142.2000	ppm	5000	PASS	ND
ETHYL ETHER	193.1000	ppm	5000	PASS	ND
ACETONE	37.6000	ppm	1000	PASS	ND
2-PROPANOL	156.2000	ppm	5000	PASS	ND
ACETONITRILE	12.2000	ppm	410	PASS	ND
DICHLOROMETHANE	22.7000	ppm	600	PASS	ND
HEXANES	8.4000	ppm	290	PASS	ND
ETHYL ACETATE	179.0000	ppm	5000	PASS	ND
CHLOROFORM	2.4100	ppm	60	PASS	ND
BENZENE	0.1150	ppm	2	PASS	ND
ISOPROPYL ACETATE	168.6000	ppm	5000	PASS	ND
HEPTANE	152.8000	ppm	5000	PASS	ND
TOLUENE	26.2000	ppm	890	PASS	ND
XYLENES	53.2000	ppm	2170	PASS	ND

Analyzed by: 334, 272, 333	Weight: 0.0207g	Extraction date: 01/09/24 13:34:26	Extracted by: 333,334
-------------------------------	--------------------	---------------------------------------	--------------------------

Analysis Method : SOP.T.40.044.AZ  
 Analytical Batch : TE003597SOL  
 Instrument Used : TE-092 "GC - Solvents 1",TE-095 "MS - Solvents 1",TE-098 "Injector - Solvents 1",TE-100 "HS - Solvents 1",TE-113 "Vacuum Pump - Solvents 1"  
 Reviewed On : 01/10/24 12:35:37  
 Batch Date : 01/09/24 13:33:02

Analyzed Date : 01/09/24 13:52:57

Dilution : N/A  
 Reagent : 111023.02; 032023.04; 032023.03  
 Consumables : H109203-1; 428251; 19000-1  
 Pipette : N/A

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Ariel Gonzales**

Lab Director

State License #  
 0000024LCMD66604568  
 ISO 17025 Accreditation # 97164

Signature  
 01/11/24



# Certificate of Analysis

**PASSED**

Curaleaf\_AZ



3333 S Central Ave  
Phoenix, AZ, 85040, US  
Telephone: (602) 842-0020  
Email: christopher.paternoster@curaleaf.com  
License # : 0000053DCXB00858835

Sample : TE40109001-006  
Harvest/Lot ID: 120823


Batch# : CAZ2404A-MW-B  
Sampled : 01/09/24  
Ordered : 01/09/24

Sample Size Received : 35.61 gram  
Total Amount : 7 gram  
Completed : 01/11/24 Expires: 01/11/25  
Sample Method : SOP Client Method

Page 4 of 6

 <b>Microbial</b> <span style="float: right;"><b>PASSED</b></span>						 <b>Mycotoxins</b> <span style="float: right;"><b>PASSED</b></span>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPP			Not Present in 1g	PASS		TOTAL AFLATOXINS	1.4870	ppb	ND	PASS	20
ASPERGILLUS FLAVUS			Not Present in 1g	PASS		AFLATOXIN B1	1.4700	ppb	ND	PASS	20
ASPERGILLUS FUMIGATUS			Not Present in 1g	PASS		AFLATOXIN B2	1.8000	ppb	ND	PASS	20
ASPERGILLUS NIGER			Not Present in 1g	PASS		AFLATOXIN G1	1.9000	ppb	ND	PASS	20
ASPERGILLUS TERREUS			Not Present in 1g	PASS		AFLATOXIN G2	3.2500	ppb	ND	PASS	20
ESCHERICHIA COLI REC	10.0000	CFU/g	<10	PASS	100	OCHRATOXIN A	4.6100	ppb	ND	PASS	20
<b>Analyzed by:</b> 87, 272, 333	<b>Weight:</b> 0.9271g	<b>Extraction date:</b> 01/09/24 12:18:14		<b>Extracted by:</b> 87		<b>Analyzed by:</b> 152, 272, 333	<b>Weight:</b> 0.4949g	<b>Extraction date:</b> 01/09/24 15:42:14		<b>Extracted by:</b> 152	
<b>Analysis Method :</b> SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ <b>Analytical Batch :</b> TE003590MIC <b>Reviewed On :</b> 01/11/24 16:57:31 <b>Instrument Used :</b> TE-234 "bioMerieux GENE-UP" <b>Batch Date :</b> 01/09/24 11:15:20 <b>Analyzed Date :</b> N/A						<b>Analysis Method :</b> SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ <b>Analytical Batch :</b> TE003601MYC <b>Reviewed On :</b> 01/10/24 16:44:57 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 01/09/24 17:43:27 <b>Analyzed Date :</b> 01/09/24 17:43:35					
<b>Dilution :</b> 10 <b>Reagent :</b> 110923.09; 112223.31; 051923.09; 122723.R01; 102523.98; 112223.28; 112223.13; 112223.22 <b>Consumables :</b> 22507; 33T797; 210616-361-B; 1008443837; 20221115-071-B; 28521042; 052423CH02; 210823-1124; 1008451138; X0028AKTV1; X002E5BZFT <b>Pipette :</b> TE-053 SN:20E78952; TE-057 SN:21D58688; TE-061 SN:20C35454; TE-062 SN:20C50491; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258						<b>Dilution :</b> 25 <b>Reagent :</b> 121323.R01; 121823.R08; 110623.R13; 121523.R06; 122623.R01; 121223.R11; 110623.R01; 041823.06 <b>Consumables :</b> 947.100; 00334958-5; 1008443837; 28521042; 210823-1124; 090623; 1008451138; GD220011; 323080IY <b>Pipette :</b> TE-056 SN:21D58687; TE-060 SN:20C35457 (20-200uL); TE-108 SN:20B18337 (100-1000uL)					

Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflatoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg.

 <b>Heavy Metals</b> <span style="float: right;"><b>PASSED</b></span>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC	0.0030	ppm	ND	PASS	0.4
CADMIUM	0.0020	ppm	ND	PASS	0.4
MERCURY	0.0125	ppm	ND	PASS	0.2
LEAD	0.0010	ppm	ND	PASS	1
<b>Analyzed by:</b> 39, 272, 333	<b>Weight:</b> 0.1997g	<b>Extraction date:</b> 01/09/24 16:58:40		<b>Extracted by:</b> 331	
<b>Analysis Method :</b> SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ <b>Analytical Batch :</b> TE003588HEA <b>Reviewed On :</b> 01/10/24 14:53:46 <b>Instrument Used :</b> TE-051 "Metals Hood", TE-141 "Wolfgang", TE-153 "Bill", TE-157 "Bill Pump", TE-156 "Bill Chiller", TE-155 "Bill AS" <b>Analyzed Date :</b> 01/10/24 13:38:28					
<b>Dilution :</b> 50 <b>Reagent :</b> 101723.13; 122723.R04; 122723.R03; 091123.02 <b>Consumables :</b> 28521042; 210823-1124; 210725-598-D; GD220011 <b>Pipette :</b> TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)					

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS).





1231 W. Warner Road, Suite 105  
 Tempe, AZ, 85284, US  
 (480) 220-4470

**Kaycha Labs**

Maui Wowie Select B Distillate  
 Maui Wowie  
 Matrix : Concentrate  
 Type: Distillate



# Certificate of Analysis

**PASSED**

Curaleaf\_AZ

3333 S Central Ave  
 Phoenix, AZ, 85040, US  
 Telephone: (602) 842-0020  
 Email: christopher.paternoster@curaleaf.com  
 License # : 00000053DCXB00858835

Sample : TE40109001-006  
 Harvest/Lot ID: 120823  
 Batch# : CAZ2404A-MW-B  
 Sampled : 01/09/24  
 Ordered : 01/09/24

Sample Size Received : 35.61 gram  
 Total Amount : 7 gram  
 Completed : 01/11/24 Expires: 01/11/25  
 Sample Method : SOP Client Method

Page 5 of 6

## COMMENTS

\* Confident Cannabis sample ID: 2401KLAZ0015.0034



- \* Pesticide TE40109001-006PES
  - 1 - M1: Bifenthrin, Total Permethrins, Total Pyrethrins.
- \* Cannabinoid TE40109001-006POT
  - 1 - M1: CBD
- \* Residual TE40109001-006SOL
  - 1 - V1- Benzene

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Ariel Gonzales**  
 Lab Director

State License #  
 0000024LCMD66604568  
 ISO 17025 Accreditation # 97164

Signature  
 01/11/24



1231 W. Warner Road, Suite 105  
Tempe, AZ, 85284, US  
(480) 220-4470

Kaycha Labs

Maui Wowie Select B Distillate  
Maui Wowie  
Matrix : Concentrate  
Type: Distillate



# Certificate of Analysis

**PASSED**

Curaleaf\_AZ

3333 S Central Ave  
Phoenix, AZ, 85040, US  
Telephone: (602) 842-0020  
Email: christopher.paternoster@curaleaf.com  
License # : 00000053DCXB00858835

Sample : TE40109001-006  
Harvest/Lot ID: 120823  
Batch# : CAZ2404A-MW-B  
Sampled : 01/09/24  
Ordered : 01/09/24

Sample Size Received : 35.61 gram  
Total Amount : 7 gram  
Completed : 01/11/24 Expires: 01/11/25  
Sample Method : SOP Client Method

Page 6 of 6

## COMMENTS

\* Confident Cannabis sample ID: 2401KLAZ0015.0034



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Ariel Gonzales**  
Lab Director

State License #  
0000024LCMD66604568  
ISO 17025 Accreditation # 97164

Signature  
01/11/24