

Kaycha Labs

Maui Wowie Select B distillate

Maui Wowie

Matrix: Concentrate Classification: Sativa Type: Formulated Vape Oil

Production Method: Multiple Solvents

Batch#: CAZ2422J-MW-B Sample Size Received: 32.65 gram

Total Amount: 10 gram

Retail Product Size: 7 gram Retail Serving Size: 7 gram

Servings: 1

Ordered: 10/22/24 Sampled: 10/22/24

Sample Collection Time: 02:45 PM

Completed: 10/24/24 Revision Date: 10/25/24

Certificate of Analysis

Laboratory Sample ID: TE41022006-009



Oct 25, 2024 | Curaleaf AZ License # 00000058ESFA63267513

3333 S Central Ave Phoenix, AZ, 85040, US



PASSED

Pages 1 of 6

SAFETY RESULTS







Heavy Metals **PASSED**



Microbials **PASSED**

CBD

ND

ND

%

0.00



PASSED



Residuals Solvents **PASSED**



NOT TESTED



Water Activity **NOT TESTED**



Moisture **NOT TESTED**





Terpenes NOT **TESTED**

PASSED

0.00

%



Cannabinoid

Total THC 87.73%

%



CBDA

ND

ND

%

0.00

Weight

2.01

20.1

0.00

%

Total CBD



Total Cannabinoids



Analyzed by: 333, 312, 135, 272, 331
Analysis Method: SOPT 30 500 SOPT 30 031 SOPT

Analytical Batch : TE006250POT Instrument Used : TE-245 "Muad'Dib" (Infused) Analyzed Date : 10/24/24 16:52:52 Dilution: 800 Reagent: N/A Consumables: N/A

Pipette: N/A

LOO

CBN

1.11


11.1

0.00

%



90.84%



0.00

%

0.00

%

	Extracted by:
i	333,135

Batch Date: 10/22/24 14:31:28

0.00

%

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis. without moisture correction.

ND

ND

%

0.00

Extraction date: 10/23/24 16:48:15

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual

Ariel Gonzales

Lab Director

00000024LCMD66604568 ISO 17025 Accreditation # 97164



Kaycha Labs

Maui Wowie Select B distillate

Maui Wowie Matrix: Concentrate

Type: Formulated Vape Oil



Certificate of Analysis

PASSED

Curaleaf_AZ

3333 S Central Ave Phoenix, AZ, 85040, US Telephone: (602) 842-0020

Fmail: christopher paternoster@curaleaf.com **License #:** 00000058ESFA63267513

Sample : TE41022006-009 Batch#: CAZ2422J-MW-B

Sampled: 10/22/24 Ordered: 10/22/24 Sample Size Received: 32.65 gram

Total Amount: 10 gram
Completed: 10/24/24 Expires: 10/25/25 Sample Method: SOP Client Method

Page 2 of 6



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level		Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
AVERMECTINS (ABAMECTIN B1A)	0.2500	ppm	0.5	PASS	ND	TOTAL SPINOSAD	0.100) ppm	0.2	PASS	ND
CEPHATE	0.2000	ppm	0.4	PASS	ND	SPIROMESIFEN	0.100) ppm	0.2	PASS	ND
CETAMIPRID	0.1000		0.2	PASS	ND	SPIROTETRAMAT	0.100) ppm	0.2	PASS	ND
ALDICARB	0.2000		0.4	PASS	ND	SPIROXAMINE	0.200		0.4	PASS	ND
ZOXYSTROBIN	0.1000	1-1-	0.2	PASS	ND		0.200		0.4	PASS	ND
IFENAZATE	0.1000		0.2	PASS	ND	TEBUCONAZOLE	0.100		0.2	PASS	ND
IFENTHRIN	0.1000		0.2	PASS	ND	THIACLOPRID					
OSCALID	0.2000	ppm	0.4	PASS	ND	THIAMETHOXAM	0.100		0.2	PASS	ND
ARBARYL			0.2	PASS	ND	TRIFLOXYSTROBIN	0.100		0.2	PASS	ND
ARBOFURAN	0.1000	ppm	0.2	PASS	ND	CHLORFENAPYR *	0.300) ppm	1	PASS	ND
HLORANTRANILIPROLE	0.1000	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.500) ppm	1	PASS	ND
HLORPYRIFOS	0.1000	ppm	0.2	PASS	ND	Analyzed by:	Weight:	Extraction date:		Extracte	ed by:
LOFENTEZINE	0.1000	ppm	0.2	PASS	ND	152, 410, 39, 272, 331		10/23/24 13:59:36		410	,-
YPERMETHRIN	0.5000	ppm	1	PASS	ND	Analysis Method: SOP.T.30.500, SOP.T.30.104.	AZ. SOP.T.40.104.AZ				
IAZINON	0.1000	ppm	0.2	PASS	ND	Analytical Batch : TE006255PES					
AMINOZIDE	0.5000	ppm	1	PASS	ND	Instrument Used :TE-262 "MS/MS - Pest/Myco 2	2",TE-117 UHPLC - Pest/M	/co 2	Batch D	ate:10/22/241	7:22:32
ICHLORVOS (DDVP)	0.0500	ppm	0.1	PASS	ND	Analyzed Date: 10/24/24 14:30:30					
IMETHOATE	0.1000	ppm	0.2	PASS	ND	Dilution: 25 Reagent: 102124.R32: 101824.R08: 100824.R3	20. 100024 027. 102224	04-101534 000-1	00024 022- 1010	24 001- 041022	0.0
THOPROPHOS	0.1000	ppm	0.2	PASS	ND	Consumables: 9479291.110: 8000038072: 202				24.RU1; U41823	.06
TOFENPROX	0.2000	ppm	0.4	PASS	ND	Pipette : TE-060 SN:20C35457 (20-200uL): TE-1			00, 423240ji		
TOXAZOLE	0.1000	ppm	0.2	PASS	ND	Pesticide screening is carried out using LC-MS/MS			des (Methods: SO	P T 30 500 for sar	mnle
ENOXYCARB	0.1000	ppm	0.2	PASS	ND	homogenization, SOP.T.30.104.AZ for sample prep					
ENPYROXIMATE	0.2000	ppm	0.4	PASS	ND	Analyzed by:	Weight:	Extraction date:		Extracte	ed by:
IPRONIL	0.2000	ppm	0.4	PASS	ND	152, 410, 39, 272, 331	0.5075g	10/23/24 13:59:36		410	
LONICAMID	0.5000	ppm	1	PASS	ND	Analysis Method: SOP.T.30.500, SOP.T.30.104.	AZ, SOP.T.40.154.AZ				
LUDIOXONIL	0.2000	ppm	0.4	PASS	ND	Analytical Batch : TE006280VOL		_			
EXYTHIAZOX	0.5000	ppm	1	PASS	ND	Instrument Used :TE-117 UHPLC - Pest/Myco 2, Analyzed Date :10/24/24 14:40:21	, I E-262 "M5/M5 - Pest/My	:0 2	Batch D	ate:10/23/24 17	7:53:14
AZALIL	0.1000	ppm	0.2	PASS	ND	Dilution : 25					
MIDACLOPRID	0.2000	ppm	0.4	PASS	ND	Reagent: 102124.R32; 101824.R08; 100824.R3	28: 100824 R27: 102224 I	804: 101524 R09: 1	00824 R22: 1018	24 801: 041823	06
RESOXIM-METHYL	0.2000	ppm	0.4	PASS	ND	Consumables: 9479291.110: 8000038072: 202				2411102, 042025	
IALATHION	0.1000	ppm	0.2	PASS	ND	Pipette: TE-060 SN:20C35457 (20-200uL); TE-1	LO8 SN:20B18337 (100-10	00uL)			
1ETALAXYL	0.1000	ppm	0.2	PASS	ND	Supplemental pesticide screening using GC-MS/MS					
IETHIOCARB	0.1000	ppm	0.2	PASS	ND	qualitative confirmation of Dichlorvos, Permethrins					
IETHOMYL	0.2000		0.4	PASS	ND	quantitaively screened using LC-MS/MS. (Methods: for analysis using a ThermoScietific 1310-series G					
IYCLOBUTANIL	0.1000		0.2	PASS	ND	for analysis using a Thermosciettic 1310-series G	c equipped with a TriPlus R	SH autosampier and	detected on a 15	Q 9000-series ma	ass spectromete
ALED	0.2500	1-1-	0.5	PASS	ND						
XAMYL	0.5000		1	PASS	ND						
ACLOBUTRAZOL	0.2000		0.4	PASS	ND						
	0.1000		0.2	PASS	ND						
OTAL PERMETHRINS			0.2	PASS	ND						
	0.1000										
HOSMET	0.1000			PASS	ND						
HOSMET IPERONYL BUTOXIDE	1.0000	ppm	2	PASS PASS	ND ND						
HOSMET IPERONYL BUTOXIDE RALLETHRIN	1.0000 0.1000	ppm	2 0.2	PASS	ND						
OTAL PERMETHRINS HOSMET PIPERONYL BUTOXIDE PRALLETHRIN PROPICONAZOLE PROPOROWLE	1.0000 0.1000 0.2000	ppm ppm ppm	2 0.2 0.4	PASS PASS	ND ND						
PHOSMET PIPERONYL BUTOXIDE PRALLETHRIN	1.0000 0.1000	ppm ppm ppm ppm	2 0.2	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual

Ariel Gonzales

Lab Director

00000024LCMD66604568 ISO 17025 Accreditation # 97164



Kaycha Labs

Maui Wowie Select B distillate

Maui Wowie Matrix : Concentrate

Type: Formulated Vape Oil



Certificate of Analysis

PASSED

Curaleaf AZ

3333 S Central Ave Phoenix, AZ, 85040, US **Telephone:** (602) 842-0020

Email: christopher.paternoster@curaleaf.com License #: 00000058ESFA63267513 Sample : TE41022006-009

Ratch# : CA724221-MW-R

Batch#: CAZ2422J-MW-B Sampled: 10/22/24 Ordered: 10/22/24 Sample Size Received: 32.65 gram

Total Amount: 10 gram Completed: 10/24/24 Expires: 10/25/25 Sample Method: SOP Client Method

Page 3 of 6



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result	
BUTANES	2400.0000	ppm	5000	PASS	ND	
METHANOL	1440.0000	ppm	3000	PASS	ND	
PENTANES	2400.0000	ppm	5000	PASS	ND	
ETHANOL	2400.0000	ppm	5000	PASS	ND	
ETHYL ETHER	2400.0000	ppm	5000	PASS	ND	
ACETONE	480.0000	ppm	1000	PASS	ND	
2-PROPANOL	2400.0000	ppm	5000	PASS	ND	
ACETONITRILE	196.8000	ppm	410	PASS	ND	
DICHLOROMETHANE	288.0000	ppm	600	PASS	ND	
HEXANES	139.2000	ppm	290	PASS	ND	
ETHYL ACETATE	2400.0000	ppm	5000	PASS	ND	
CHLOROFORM	28.8000	ppm	60	PASS	ND	
BENZENE	1.2000	ppm	2	PASS	ND	
ISOPROPYL ACETATE	2400.0000	ppm	5000	PASS	ND	
HEPTANE	2400.0000	ppm	5000	PASS	ND	
TOLUENE	427.2000	ppm	890	PASS	ND	
XYLENES	1041.6000	ppm	2170	PASS	ND	
Analyzed by: 334, 39, 272, 331	Weight: 0.0209a	Extraction date 10/23/24 12:19			xtracted by:	

Analysis Method : SOP.T.40.044.AZ

Analytical Batch : TE006267SOL

Instrument Used: TE-092 "GC - Solvents 1", TE-095 "MS - Solvents 1", TE-098 "Injector - Solvents 1", TE-100 "HS - Solvents 1", TE-113 "Vacuum Pump - Solvents Batch Date: 10/23/24 12:14:20 1"

Analyzed Date: 10/24/24 15:52:55

Dilution: N/A Reagent: 020124.21; 071024.02; 041224.19

Consumables: H109203-1; 429651; 0090628; GD23006

 $\textbf{Pipette}: \mathsf{N/A}$

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164 at Dongh



Kaycha Labs

Maui Wowie Select B distillate

Maui Wowie

Matrix: Concentrate Type: Formulated Vape Oil



Certificate of Analysis

PASSED

Curaleaf AZ

3333 S Central Ave Phoenix, AZ, 85040, US Telephone: (602) 842-0020

Fmail: christopher paternoster@curaleaf.com **License # :** 00000058ESFA63267513

Sample : TE41022006-009

Batch#: CAZ2422J-MW-B Sampled: 10/22/24 Ordered: 10/22/24

Sample Size Received: 32.65 gram

Total Amount: 10 gram
Completed: 10/24/24 Expires: 10/25/25 Sample Method : SOP Client Method

Page 4 of 6



Microbial



Mycotoxins



Extracted by:

410

Analyte		LOQ	Units	Result	Pass / Fail	Action Level
SALMONELLA S	PP	0.0000		Not Present in 1g	PASS	
ASPERGILLUS F	LAVUS	0.0000		Not Present in 1g	PASS	
ASPERGILLUS F	UMIGATUS	0.0000		Not Present in 1g	PASS	
ASPERGILLUS NIGER		0.0000	J	Not Present in 1g	g PASS	
ASPERGILLUS T	ERREUS	0.0000		Not Present in 1g	PASS	
ESCHERICHIA C	OLI REC	10.0000	CFU/g	<10	PASS	100
Analyzed by: 87, 272, 331	Weight: 0.9436g		on date: 4 13:40:4		Extracted 331	by:

Analysis Method: SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ

Analytical Batch: TE006252MIC
Instrument Used: TE-234 "bioMerieux GENE-UP" Batch Date: 10/22/24 16:16:04

Analyzed Date: 10/24/24 19:16:34 Dilution: 10

Reagent: N/A Consumables : N/A Pipette: N/A

Analyte		LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AFLATOXIN	NS	4.8510	ppb	ND	PASS	20
AFLATOXIN B1		4.8510	ppb	ND	PASS	20
AFLATOXIN B2		5.9400	ppb	ND	PASS	20
AFLATOXIN G1		6.2700	ppb	ND	PASS	20
AFLATOXIN G2		10.7250	ppb	ND	PASS	20
OCHRATOXIN A		12.0000	ppb	ND	PASS	20

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ

Weight: 0.5075g

Analytical Batch: TE006279MYC

Instrument Used: TE-262 "MS/MS - Pest/Myco 2,TE-117 UHPLC - Batch Date: 10/23/24 17:52:16

Extraction date

10/23/24 13:59:36

Analyzed Date: 10/24/24 14:35:42 Dilution: 25

Analyzed by: 152, 410, 39, 272, 331

Reagent: 102124.R32; 101824.R08; 100824.R28; 100824.R27; 102224.R04; 101524.R09;

100824.R22; 101824.R01; 041823.06

Consumables: 9479291.110; 8000038072; 20240202; 220318-306-D; 1008645998; GD23006;

Pipette: TE-060 SN:20C35457 (20-200uL); TE-108 SN:20B18337 (100-1000uL)

Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientil Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflotoxins B1, B2, G1, G2) must be $<20\mu g/kg$. Ochratoxin must be $<20\mu g/kg$.



Heavy Metals

PASSED

Metal		LOQ Units	Result	Pass / Fail	Action Level
ARSENIC		0.2000 ppm	ND	PASS	0.4
CADMIUM		0.2000 ppm	ND	PASS	0.4
LEAD		0.5000 ppm	ND	PASS	1
MERCURY		0.1000 ppm	ND	PASS	0.2
Analyzed by: 398, 272, 331	Weight: 0.2075g	Extraction date: 10/24/24 15:04:17		Extracted 398	by:

Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ

Analytical Batch: TE006283HEA Instrument Used: TE-307 "Ted"

Batch Date: 10/23/24 19:34:31 **Analyzed Date :** 10/24/24 19:15:02

Reagent: 101723.15; 102124.R18; 102124.R11; 032724.08; 101824.01; 090922.04 Consumables: 20240202; 210705-306-D; 210725-598-D

Pipette : TE-063 SN:20C50490 (20-200uL); TE-110 SN:20B18338 (100-1000uL)

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific ICAP RQ ICP-MS).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) ppulparis Per Billion, RSDE-Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual

Ariel Gonzales

Lab Director

00000024LCMD66604568 ISO 17025 Accreditation # 97164



Kaycha Labs

Maui Wowie Select B distillate

Maui Wowie Matrix: Concentrate

Type: Formulated Vape Oil



PASSED

Certificate of Analysis

3333 S Central Ave Phoenix, AZ, 85040, US Telephone: (602) 842-0020

Fmail: christopher paternoster@curaleaf.com **License #:** 00000058ESFA63267513

Sample : TE41022006-009 Batch#: CAZ2422J-MW-B

Sampled: 10/22/24 Ordered: 10/22/24

Sample Size Received: 32.65 gram

Total Amount: 10 gram
Completed: 10/24/24 Expires: 10/25/25 Sample Method: SOP Client Method

Page 5 of 6

COMMENTS

* Confident Cannabis sample ID: 2410KLAZ0736.3062



* Pesticide TE41022006-009PES

1 - M1: Spirotetramat, M2: Bifenthrin, Boscalid, Hexythiazox

* Residual TE41022006-009SOL

1 - M2- EthylBenzene; m/p Xylene; o-Xylenes

TE41022006-009VOL * Volatile Pesticides

1 - M2: Chlorfenapyr, Cyfluthrin

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual

Ariel Gonzales

Lab Director

00000024LCMD66604568 ISO 17025 Accreditation # 97164



Kaycha Labs

Maui Wowie Select B distillate

Maui Wowie Matrix : Concentrate

Type: Formulated Vape Oil



PASSED

Certificate of Analysis

Curaleaf AZ

3333 S Central Ave Phoenix, AZ, 85040, US **Telephone:** (602) 842-0020

Telephone: (602) 842-0020
Email: christopher.paternoster@curaleaf.com
License #: 00000058ESFA63267513

Sample: TE41022006-009 Batch#: CAZ2422J-MW-B

Sampled: 10/22/24 Ordered: 10/22/24 Sample Size Received: 32.65 gram
Total Amount: 10 gram

Total Amount: 10 gram Completed: 10/24/24 Expires: 10/25/25 Sample Method: SOP Client Method

Page 6 of 6

COMMENTS

* Confident Cannabis sample ID: 2410KLAZ0736.3062



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164 att Dongh