



# Certificate of Analysis

Laboratory Sample ID: TE41022006-009



**Production Method:** Multiple Solvents  
**Batch#:** CAZ2422J-MW-B  
**Sample Size Received:** 32.65 gram  
**Total Amount:** 10 gram  
**Retail Product Size:** 7 gram  
**Retail Serving Size:** 7 gram  
**Servings:** 1  
**Ordered:** 10/22/24  
**Sampled:** 10/22/24  
**Sample Collection Time:** 02:45 PM  
**Completed:** 10/24/24  
**Revision Date:** 10/25/24

Oct 25, 2024 | Curaleaf\_AZ  
License # 00000058ESFA63267513  
3333 S Central Ave  
Phoenix, AZ, 85040, US



**PASSED**

Pages 1 of 6

## SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**NOT TESTED**



Water Activity  
**NOT TESTED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

## MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**87.73%**



**Total CBD**  
**ND**



**Total Cannabinoids**  
**90.84%**

	D9-THC	THCA	CBD	CBDA	CBG	CBGA	CBN	D8-THC	THCV	CBDV	CBC
%	87.74	ND	ND	ND	2.01	ND	1.11	ND	ND	ND	ND
mg/g	877.4	ND	ND	ND	20.1	ND	11.1	ND	ND	ND	ND
LOQ	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
333, 312, 135, 272, 331

Weight:  
0.1528g

Extraction date:  
10/23/24 16:48:15

Extracted by:  
333,135

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031

Analytical Batch : TE006250POT

Instrument Used : TE-245 "Muad'Dib" (Infused)

Analyzed Date : 10/24/24 16:52:52

Batch Date : 10/22/24 14:31:28

Dilution : 800

Reagent : N/A

Consumables : N/A

Pipette : N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Gonzales**

Lab Director

State License #  
00000024LCMD66604568  
ISO 17025 Accreditation # 97164

Signature  
10/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



# Certificate of Analysis

PASSED

Curaleaf\_AZ


3333 S Central Ave  
Phoenix, AZ, 85040, US  
Telephone: (602) 842-0020  
Email: christopher.paternoster@curaleaf.com  
License #: 00000058ESFA63267513

Sample : TE41022006-009

Batch# : CAZ2422J-MW-B  
Sampled : 10/22/24  
Ordered : 10/22/24

Sample Size Received : 32.65 gram  
Total Amount : 10 gram  
Completed : 10/24/24 Expires: 10/25/25  
Sample Method : SOP Client Method

Page 2 of 6

 Pesticides						PASSED					
Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
AVERMECTINS (ABAMECTIN B1A)	0.2500	ppm	0.5	PASS	ND	TOTAL SPINOSAD	0.1000	ppm	0.2	PASS	ND
ACEPHATE	0.2000	ppm	0.4	PASS	ND	SPIROMESIFEN	0.1000	ppm	0.2	PASS	ND
ACETAMIPRID	0.1000	ppm	0.2	PASS	ND	SPIROTRAMAT	0.1000	ppm	0.2	PASS	ND
ALDICARB	0.2000	ppm	0.4	PASS	ND	SPIROXAMINE	0.2000	ppm	0.4	PASS	ND
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	ND	TEBUCONAZOLE	0.2000	ppm	0.4	PASS	ND
BIFENAZATE	0.1000	ppm	0.2	PASS	ND	THIACLOPRID	0.1000	ppm	0.2	PASS	ND
BIFENTHRIN	0.1000	ppm	0.2	PASS	ND	THIAMETHOXAM	0.1000	ppm	0.2	PASS	ND
BOSCALID	0.2000	ppm	0.4	PASS	ND	TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	ND
CARBARYL	0.1000	ppm	0.2	PASS	ND	CHLORFENAPYR *	0.3000	ppm	1	PASS	ND
CARBOFURAN	0.1000	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.5000	ppm	1	PASS	ND
CHLORANTRANILIPROLE	0.1000	ppm	0.2	PASS	ND	Analyzed by: 152, 410, 39, 272, 331					
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	ND	Weight: 0.5075g					
CLOFENTHINE	0.1000	ppm	0.2	PASS	ND	Extraction date: 10/23/24 13:59:36					
CYPERMETHRIN	0.5000	ppm	1	PASS	ND	Extracted by: 410					
DIAZINON	0.1000	ppm	0.2	PASS	ND	Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ					
DAMINOZIDE	0.5000	ppm	1	PASS	ND	Analytical Batch : TE006255PES					
DICHLORVOS (DDVP)	0.0500	ppm	0.1	PASS	ND	Instrument Used : TE-262 *MS/MS - Pest/Myco 2*, TE-117 UHPLC - Pest/Myco 2					
DIMETHOATE	0.1000	ppm	0.2	PASS	ND	Analyzed Date : 10/24/24 14:30:30					
ETHOPROPHOS	0.1000	ppm	0.2	PASS	ND	Batch Date : 10/22/24 17:22:32					
ETOFENPROX	0.2000	ppm	0.4	PASS	ND	Dilution : 25					
ETOXAZOLE	0.1000	ppm	0.2	PASS	ND	Reagent : 102124.R32; 101824.R08; 100824.R28; 100824.R27; 102224.R04; 101524.R09; 100824.R22; 101824.R01; 041823.06					
FENOXICARB	0.1000	ppm	0.2	PASS	ND	Consumables : 9479291.110; 8000038072; 20240202; 220318-306-D; 1008645998; GD23006; 425240JF					
FENPROXIMATE	0.2000	ppm	0.4	PASS	ND	Pipette : TE-060 SN:20C35457 (20-200uL); TE-108 SN:20B18337 (100-1000uL)					
FIPRONIL	0.2000	ppm	0.4	PASS	ND	Pesticide screening is carried out using LC-MS/MS supplemented by GC-MS/MS for volatile pesticides. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).					
FLONICAMID	0.5000	ppm	1	PASS	ND	Analyzed by: 152, 410, 39, 272, 331					
FLUDIOXONIL	0.2000	ppm	0.4	PASS	ND	Weight: 0.5075g					
HEXATHIAZOL	0.5000	ppm	1	PASS	ND	Extraction date: 10/23/24 13:59:36					
IMAZALIL	0.1000	ppm	0.2	PASS	ND	Extracted by: 410					
IMIDACLOPRID	0.2000	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ					
KRESOXIM-METHYL	0.2000	ppm	0.4	PASS	ND	Analytical Batch : TE006280VOL					
MALATHION	0.1000	ppm	0.2	PASS	ND	Instrument Used : TE-117 UHPLC - Pest/Myco 2, TE-262 *MS/MS - Pest/Myco 2					
METALAXYL	0.1000	ppm	0.2	PASS	ND	Analyzed Date : 10/24/24 14:40:21					
METHIOCARB	0.1000	ppm	0.2	PASS	ND	Batch Date : 10/23/24 17:53:14					
METHOMYL	0.2000	ppm	0.4	PASS	ND	Dilution : 25					
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	ND	Reagent : 102124.R32; 101824.R08; 100824.R28; 100824.R27; 102224.R04; 101524.R09; 100824.R22; 101824.R01; 041823.06					
NALED	0.2500	ppm	0.5	PASS	ND	Consumables : 9479291.110; 8000038072; 20240202; 220318-306-D; 1008645998; GD23006; 425240JF					
OXAMYL	0.5000	ppm	1	PASS	ND	Pipette : TE-060 SN:20C35457 (20-200uL); TE-108 SN:20B18337 (100-1000uL)					
PACLOBUTRAZOL	0.2000	ppm	0.4	PASS	ND	Supplemental pesticide screening using GC-MS/MS to quantitatively screen for Chlorfenapyr, Cyfluthrin, Cypermethrin, and Diazinon; as well as the qualitative confirmation of Dichlorvos, Permethrins, Piperonyl Butoxide, Prallethrin, Propiconazole, Pyrethrins, and Tebuconazole which are all quantitatively screened using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.154.AZ for analysis using a ThermoScientific 1310-series GC equipped with a TriPlus RSH autosampler and detected on a TSQ 9000-series mass spectrometer).					
TOTAL PERMETHRINS	0.1000	ppm	0.2	PASS	ND						
PHOSMET	0.1000	ppm	0.2	PASS	ND						
PIPERONYL BUTOXIDE	1.0000	ppm	2	PASS	ND						
PRALLETHRIN	0.1000	ppm	0.2	PASS	ND						
PROCONAZOLE	0.2000	ppm	0.4	PASS	ND						
PROPOXUR	0.1000	ppm	0.2	PASS	ND						
TOTAL PYRETHRINS	0.5000	ppm	1	PASS	ND						
PYRIDABEN	0.1000	ppm	0.2	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License #  
00000024LCMD66604568  
ISO 17025 Accreditation # 97164

Signature  
10/24/24



1231 W. Warner Road, Suite 105  
Tempe, AZ, 85284, US  
(480) 220-4470

Kaycha Labs

Maui Wowie Select B distillate  
Maui Wowie  
Matrix : Concentrate  
Type: Formulated Vape Oil



# Certificate of Analysis

PASSED

Curaleaf\_AZ


3333 S Central Ave  
Phoenix, AZ, 85040, US  
Telephone: (602) 842-0020  
Email: christopher.paternoster@curaleaf.com  
License #: 00000058ESFA63267513

Sample : TE41022006-009

Batch#: CAZ2422J-MW-B  
Sampled : 10/22/24  
Ordered : 10/22/24

Sample Size Received : 32.65 gram  
Total Amount : 10 gram  
Completed : 10/24/24 Expires: 10/25/25  
Sample Method : SOP Client Method

Page 3 of 6

	Residual Solvents				PASSED
Solvents	LOQ	Units	Action Level	Pass/Fail	Result
BUTANES	2400.0000	ppm	5000	PASS	ND
METHANOL	1440.0000	ppm	3000	PASS	ND
PENTANES	2400.0000	ppm	5000	PASS	ND
ETHANOL	2400.0000	ppm	5000	PASS	ND
ETHYL ETHER	2400.0000	ppm	5000	PASS	ND
ACETONE	480.0000	ppm	1000	PASS	ND
2-PROPANOL	2400.0000	ppm	5000	PASS	ND
ACETONITRILE	196.8000	ppm	410	PASS	ND
DICHLOROMETHANE	288.0000	ppm	600	PASS	ND
HEXANES	139.2000	ppm	290	PASS	ND
ETHYL ACETATE	2400.0000	ppm	5000	PASS	ND
CHLOROFORM	28.8000	ppm	60	PASS	ND
BENZENE	1.2000	ppm	2	PASS	ND
ISOPROPYL ACETATE	2400.0000	ppm	5000	PASS	ND
HEPTANE	2400.0000	ppm	5000	PASS	ND
TOLUENE	427.2000	ppm	890	PASS	ND
XYLENES	1041.6000	ppm	2170	PASS	ND
Analyzed by: 334, 39, 272, 331	Weight: 0.0209g	Extraction date: 10/23/24 12:19:17		Extracted by: 445	
Analysis Method : SOP.T.40.044.AZ					
Analytical Batch : TE006267SOL					
Instrument Used : TE-092 "GC - Solvents 1",TE-095 "MS - Solvents 1",TE-098 "Injector - Solvents 1",TE-100 "HS - Solvents 1",TE-113 "Vacuum Pump - Solvents 1" Batch Date : 10/23/24 12:14:20					
Analyzed Date : 10/24/24 15:52:55					
Dilution : N/A					
Reagent : 020124.21; 071024.02; 041224.19					
Consumables : H109203-1; 429651; 0090628; GD23006					
Pipette : N/A					
Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License #  
00000024LCMD66604568  
ISO 17025 Accreditation # 97164

Signature  
10/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



1231 W. Warner Road, Suite 105  
Tempe, AZ, 85284, US  
(480) 220-4470

Kaycha Labs

Maui Wowie Select B distillate  
Maui Wowie  
Matrix : Concentrate  
Type: Formulated Vape Oil



# Certificate of Analysis

PASSED

Curaleaf\_AZ



3333 S Central Ave  
Phoenix, AZ, 85040, US  
Telephone: (602) 842-0020  
Email: christopher.paternoster@curaleaf.com  
License #: 00000058ESFA63267513

Sample : TE41022006-009

Batch#: CAZ2422J-MW-B  
Sampled : 10/22/24  
Ordered : 10/22/24

Sample Size Received : 32.65 gram  
Total Amount : 10 gram  
Completed : 10/24/24 Expires: 10/25/25  
Sample Method : SOP Client Method

Page 4 of 6

<div> Microbial</div> <div>PASSED</div>						<div><div></div> Mycotoxins</div> <div>PASSED</div>					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
SALMONELLA SPP	0.0000		Not Present in 1g	PASS		TOTAL AFLATOXINS	4.8510	ppb	ND	PASS	20
ASPERGILLUS FLAVUS	0.0000		Not Present in 1g	PASS		AFLATOXIN B1	4.8510	ppb	ND	PASS	20
ASPERGILLUS FUMIGATUS	0.0000		Not Present in 1g	PASS		AFLATOXIN B2	5.9400	ppb	ND	PASS	20
ASPERGILLUS NIGER	0.0000		Not Present in 1g	PASS		AFLATOXIN G1	6.2700	ppb	ND	PASS	20
ASPERGILLUS TERREUS	0.0000		Not Present in 1g	PASS		AFLATOXIN G2	10.7250	ppb	ND	PASS	20
ESCHERICHIA COLI REC	10.0000	CFU/g	<10	PASS	100	OCHRATOXIN A	12.0000	ppb	ND	PASS	20
Analyzed by: 87, 272, 331	Weight: 0.9436g	Extraction date: 10/24/24 13:40:49		Extracted by: 331		Analyzed by: 152, 410, 39, 272, 331	Weight: 0.5075g	Extraction date: 10/23/24 13:59:36		Extracted by: 410	
Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ Analytical Batch : TE006252MIC Instrument Used : TE-234 "bioMerieux GENE-UP"      Batch Date : 10/22/24 16:16:04 Analyzed Date : 10/24/24 19:16:34						Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ Analytical Batch : TE006279MYC Instrument Used : TE-262 "MS/MS - Pest/Myco 2,TE-117 UHPLC - Batch Date : 10/23/24 17:52:16 Pest/Myco 2 Analyzed Date : 10/24/24 14:35:42					
Dilution : 10 Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : 25 Reagent : 102124.R32; 101824.R08; 100824.R28; 100824.R27; 102224.R04; 101524.R09; 100824.R22; 101824.R01; 041823.06					



## Heavy Metals

PASSED

Metal	LOQ	Units	Result	Pass / Fail	Action Level
ARSENIC	0.2000	ppm	ND	PASS	0.4
CADMIUM	0.2000	ppm	ND	PASS	0.4
LEAD	0.5000	ppm	ND	PASS	1
MERCURY	0.1000	ppm	ND	PASS	0.2
Analyzed by: 398, 272, 331	Weight: 0.2075g	Extraction date: 10/24/24 15:04:17		Extracted by: 398	
Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ					
Analytical Batch : TE006283HEA					
Instrument Used : TE-307 "Ted"		Batch Date : 10/23/24 19:34:31			
Analyzed Date : 10/24/24 19:15:02					
Dilution : 50					
Reagent : 101723.15; 102124.R18; 102124.R11; 032724.08; 101824.01; 090922.04					
Consumables : 20240202; 210705-306-D; 210725-598-D					
Pipette : TE-063 SN:20C50490 (20-200uL); TE-110 SN:20B18338 (100-1000uL)					

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific ICAP RQ ICP-MS).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License #  
00000024LCMD66604568  
ISO 17025 Accreditation # 97164

Signature  
10/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



1231 W. Warner Road, Suite 105  
Tempe, AZ, 85284, US  
(480) 220-4470

## Kaycha Labs

Maui Wowie Select B distillate  
Maui Wowie  
Matrix : Concentrate  
Type: Formulated Vape Oil



# Certificate of Analysis

**PASSED**

Curaleaf\_AZ

3333 S Central Ave  
Phoenix, AZ, 85040, US  
Telephone: (602) 842-0020  
Email: christopher.paternoster@curaleaf.com  
License # : 00000058ESFA63267513

Sample : TE41022006-009

Batch# : CAZ2422J-MW-B  
Sampled : 10/22/24  
Ordered : 10/22/24

Sample Size Received : 32.65 gram  
Total Amount : 10 gram  
Completed : 10/24/24 Expires: 10/25/25  
Sample Method : SOP Client Method

Page 5 of 6

## COMMENTS

\* Confident Cannabis sample ID: 2410KLAZ0736.3062



\* Pesticide TE41022006-009PES

1 - M1: Spirotetramat, M2: Bifenthrin, Boscalid, Hexythiazox

\* Residual TE41022006-009SOL

1 - M2- EthylBenzene; m/p Xylene; o-Xylenes

\* Volatile Pesticides TE41022006-009VOL

1 - M2: Chlorfenapyr, Cyfluthrin

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Gonzales**

Lab Director

State License #  
00000024LCMD66604568  
ISO 17025 Accreditation # 97164

Signature  
10/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.



1231 W. Warner Road, Suite 105  
Tempe, AZ, 85284, US  
(480) 220-4470

## Kaycha Labs

Maui Wowie Select B distillate  
Maui Wowie  
Matrix : Concentrate  
Type: Formulated Vape Oil



# Certificate of Analysis

**PASSED**

Curaleaf\_AZ

3333 S Central Ave  
Phoenix, AZ, 85040, US  
Telephone: (602) 842-0020  
Email: christopher.paternoster@curaleaf.com  
License # : 00000058ESFA63267513

Sample : TE41022006-009

Batch# : CAZ2422J-MW-B  
Sampled : 10/22/24  
Ordered : 10/22/24

Sample Size Received : 32.65 gram  
Total Amount : 10 gram  
Completed : 10/24/24 Expires: 10/25/25  
Sample Method : SOP Client Method

Page 6 of 6

## COMMENTS

\* Confident Cannabis sample ID: 2410KLAZ0736.3062



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Gonzales**

Lab Director

State License #  
00000024LCMD66604568  
ISO 17025 Accreditation # 97164

Signature  
10/24/24

Revision: #1

This revision supersedes any and all previous versions of this document.