

Powered by Confident LIMS 1 of 4

Ŵ

Cinnamon

Mass

mg/g 4.500

4.300

4.000

3.800

3.400

2.200

1.300

1.200

0.800

0.700

0.500

0.500

0.400

0.100

0.100

<

<

<

<

27.800

Qualifier

Q3

Q3

Total Health & Wellness dba True Harvest

Sample: 2403TLL0089.0462


Phoenix, AZ 85043 jpastor@trueharvestco.com

Strain: Alien Banana Parent Batch #:; Batch#: R6ANB0214; Batch Size: 20 g Sample Received: 03/14/2024; Report Created: 03/19/2024; Expires: 03/19/2025 Manufacturing Date: Sampling: ; Environment:

Lic. #00000100DCWU00857159 Harvest Dates: **Alien Banana**

Plant, Flower - Cured Dispensary License #: ; Manufacturing License #: ; Cultivation License #:





Lemon

100

Mass

% 0.4500

0.4300

0.4000

0.3800

0.3400

0.2200

0.1300

0.1200

0.0800

0.0700

0.0500

0.0500 0.0400

0.0100

0.0100

2.7800

Cannabinoids

TPL_Potency_01		_		
32.85%	<loq< th=""><th></th><th>39.99</th><th>%</th></loq<>		39.99	%
Total THC	Total CBD	Total Cannabir Q3		binoids
Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.10	37.24	372.4	
Δ9-THC	0.10	0.18	1.8	
∆8-THC	0.10	ND	ND	
THCV	0.10	ND	ND	
CBDa	0.10	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD	0.10	ND	ND	
CBDV	0.10	ND	ND	
CBN	0.10	ND	ND	
CBGa	0.10	2.35	23.5	
CBG	0.10	0.22	2.2	
CBC	0.10	ND	ND	
Total		39.99	399.9	

Total THC = THCa * 0.877 + Δ 9-THC Total CBD = CBDa * 0.877 + CBD Instrument: HPLC-DAD: ; Method: TPL_Potency_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic#0000029LRCXG19240160

hipi

Brian DiMarco Laboratory Director

Terpenes TPL_Terpenes_01

Analyte

α-Humulene

δ-Limonene

β-Myrcene

Linalool

β-Pinene

β-Caryophyllene Ocimene

trans-Nerolidol

Caryophyllene Oxide

Instrument: GCMS; Method: TPL_Terp_01

Terpinolene

y-Terpinene

α-Bisabolol Eucalyptol

α-Pinene Camphene

3-Carene

Geraniol

Isopulegol

p-Cymene Total

Guaiol

Notes:

α-Terpinene cis-Nerolidol

Hops

All Rights Reserved coa.support@confidentlims.com www.confidentlims.com



This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.Using mariliuana during preenancy could cause birth defects or other health issues to your unborn child.

Confident LIMS (866) 506-5866





Powered by Confident LIMS 2 of 4

Sample: 2403TLL0089.0462

Total Health & Wellness dba True Harvest

Phoenix, AZ 85043 jpastor@trueharvestco.com Strain: Alien Banana Parent Batch #: ; Batch#: R6ANB0214; Batch Size: 20 g Sample Received: 03/14/2024; Report Created: 03/19/2024; Expires: 03/19/2025 Manufacturing Date: Sampling: ; Environment:

Pass

Lic. #00000100DCWU00857159 Harvest Dates:

Alien Banana

Plant, Flower - Cured Dispensary License #: ; Manufacturing License #: ; Cultivation License #:

Pesticides TPL_Pesticides_01

Analyte	LOQ	Limit	Mass	Status Q	ualifier	Analyte	LOQ	Limit	Mass	Status Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM	
Abamectin	0.24	0.50	ND	Pass	L1 R2	Hexythiazox	0.48	1.00	ND	Pass
Abamectin	0.24	0.50	ND	Fd55	M1	Imazalil	0.10	0.20	ND	Pass
Acephate	0.19	0.40	ND	Pass		Imidacloprid	0.19	0.40	ND	Pass
Acetamiprid	0.10	0.20	ND	Pass		Kresoxim	0.19	0.40	ND	Pass
Aldicarb	0.19	0.40	ND	Pass		Methyl	0.17	0.40	ND	F 855
Azoxystrobin	0.10	0.20	ND	Pass		Malathion	0.10	0.20	ND	Pass
Bifenazate	0.10	0.20	ND	Pass		Metalaxyl	0.10	0.20	ND	Pass
Bifenthrin	0.10	0.20	ND	Pass		Methiocarb	0.10	0.20	ND	Pass
Boscalid	0.19	0.40	ND	Pass		Methomyl	0.19	0.40	ND	Pass
Carbaryl	0.10	0.20	ND	Pass		Myclobutanil	0.10	0.20	ND	Pass
Carbofuran	0.10	0.20	ND	Pass		Naled	0.24	0.50	ND	Pass
Chlorantraniliprole	0.10	0.20	ND	Pass		Oxamyl	0.48	1.00	ND	Pass
Chlorfenapyr	0.48	1.00	ND	Pass	M2	Paclobutrazol	0.19	0.40	ND	Pass
Chlorpyrifos	0.10	0.20	ND	Pass	M2	Permethrin	0.10	0.20	ND	Pass
Clofentezine	0.10	0.20	ND	Pass		Phosmet	0.10	0.20	ND	Pass
Cyfluthrin	0.48	1.00	ND	Pass		Piperonyl	0.96	2.00	ND	Pass
Cypermethrin	0.48	1.00	ND	Pass	M1	Butoxide	0.70	2.00	ND	F d55
Daminozide	0.48	1.00	ND	Pass	M1	Prallethrin	0.10	0.20	ND	Pass
Diazinon	0.10	0.20	ND	Pass	L1 R2	Propiconazole	0.19	0.40	ND	Pass
Dichlorvos	0.05	0.10	ND	Pass		Propoxur	0.10	0.20	ND	Pass
Dimethoate	0.10	0.20	ND	Pass		Pyrethrins	0.48	1.00	ND	Pass
Ethoprophos	0.10	0.20	ND	Pass		Pyridaben	0.10	0.20	ND	Pass
Etofenprox	0.19	0.40	ND	Pass		Spinosad	0.10	0.20	ND	Pass
Etoxazole	0.10	0.20	ND	Pass		Spiromesifen	0.10	0.20	ND	Pass
Fenoxycarb	0.10	0.20	ND	Pass		Spirotetramat	0.10	0.20	ND	Pass
Fenpyroximate	0.19	0.40	ND	Pass		Spiroxamine	0.19	0.40	ND	Pass
Fipronil	0.19	0.40	ND	Pass		Tebuconazole	0.19	0.40	ND	Pass
Flonicamid	0.48	1.00	ND	Pass		Thiacloprid	0.10	0.20	ND	Pass
Fludioxonil	0.19	0.40	ND	Pass		Thiamethoxam	0.10	0.20	ND	Pass
						Trifloxystrobin	0.10	0.20	ND	Pass

Instrument: LC-QQQ ; Method: TPL_Pesticides_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160 hipi

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Brian DiMarco Laboratory Director

This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Support 20.2 Using mariluman during preenancy could cause birth defects or other health issues to your unborn child.



Pass

Powered by Confident LIMS 3 of 4

Total Health & Wellness dba True Harvest

Sample: 2403TLL0089.0462

Phoenix, AZ 85043 jpastor@trueharvestco.com Strain: Alien Banana Parent Batch #: ; Batch#: R6ANB0214; Batch Size: 20 g Sample Received: 03/14/2024; Report Created: 03/19/2024; Expires: 03/19/2025 Manufacturing Date: Sampling: ; Environment:

Lic. #00000100DCWU00857159 Harvest Dates: Alien Banana

Plant, Flower - Cured

Dispensary License #: ; Manufacturing License #: ; Cultivation License #:

Heavy Metals

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	
Cadmium	200.0	400.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Lead	500.0	1000.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Mercury	100.0	200.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	

			Pass
LOQ	Limit	Result	StatusQualifier
CFU/g	CFU/g	CFU/g	
10	100	<10	Pass
		CFU/g CFU/g	CFU/g CFU/g CFU/g

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

Instrument: ICPMS; Method: AOAC 2021.03

Instrument: qPCR/Plating; AOAC Methods 082102, 022202 and 2018.13



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160



Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Brian DiMarco Laboratory Director

This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.Using mariliuana during preenancy could cause birth defects or other health issues to your unborn child.



B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was blow LOQ,

B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.

D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,

11 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,

L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,

M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,

M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,

M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,

M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria,

M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,

N1 - A description of the variance is described in the final report of testing,

R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03 (K)(2) was within accepted criteria,

R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)

Q1 = Sample integrity was not maintained,

Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices

Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.C.C 17 R9-17-403.03(J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

-	(SPA	RENT
	2	RS

Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

1721 E McDowell Road

Brian DiMarco

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Brian DiMarco Laboratory Director

This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.Using marijuana during preparatory could cause birth defects or other health issues to your unborn child.