

Total Health & Wellness dba True Harvest

Sample: 2401TLL0016.0106

Phoenix, AZ 85043  
jpastor@trueharvestco.com


Strain: Lemon Goo  
Parent Batch #: ; Batch#: 0108LGLR; Batch Size: 20 g  
Sample Received: 01/19/2024; Report Created: 01/23/2024; Expires: 01/23/2025

Lic. #00000100DCWU00857159  
Harvest Dates:

Manufacturing Date: 01/08/2024  
Sampling: ; Environment:

## Lemon Goo

Concentrates & Extracts, Live Rosin, Extraction Method: Pressing  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



## Safety

<b>Pass</b> Pesticides	<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins
<b>Pass</b> Solvents	<b>Pass</b> Metals	<b>Not Tested</b> Foreign Matter

## Cannabinoids

TPL\_Potency\_01

<b>79.60%</b> Total THC	<b>&lt;LOQ</b> Total CBD	<b>96.51%</b> Total Cannabinoids Q3
----------------------------	-----------------------------	---

Analyte	LOQ	Mass	Mass	Qualifier
	%	mg/g	mg/g	
THCa	0.10	87.50	875.0	M2
Δ9-THC	0.10	2.86	28.6	M2
Δ8-THC	0.10	ND	ND	M2
THCV	0.10	<LOQ	<LOQ	M2
CBDa	0.10	<LOQ	<LOQ	M2
CBD	0.10	ND	ND	M2
CBDV	0.10	ND	ND	M2
CBN	0.10	ND	ND	M2
CBGa	0.10	5.74	57.4	M2
CBG	0.10	0.41	4.1	M2
CBC	0.10	ND	ND	M2
<b>Total</b>		<b>96.51</b>	<b>965.1</b>	

Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD  
Instrument: HPLC-DAD: ; Method: TPL\_Potency\_01

## Terpenes

TPL\_Terpenes\_01

 Hops	 Lemon	 Cinnamon
----------	-----------	--------------

Analyte	LOQ	Mass	Mass	Qualifier
	%	mg/g	mg/g	
α-Humulene		0.32	3.2	Q3
δ-Limonene		0.32	3.2	Q3
β-Caryophyllene		0.29	2.9	Q3
β-Myrcene		0.23	2.3	Q3
Terpinolene		0.22	2.2	Q3
trans-Nerolidol		0.19	1.9	Q3
Guaiol		0.15	1.5	Q3
β-Pinene		0.14	1.4	Q3
α-Bisabolol		0.12	1.2	Q3
3-Carene		0.09	0.9	Q3
α-Pinene		0.06	0.6	Q3
γ-Terpinene		0.06	0.6	Q3
α-Terpinene		0.06	0.6	Q3
Eucalyptol		0.05	0.5	Q3
Caryophyllene Oxide		0.02	0.2	Q3
Camphene		0.01	0.1	Q3
cis-Nerolidol		<	<	Q3
Geraniol		<	<	Q3
Isopulegol		<	<	Q3
Linalool		<	<	Q3
Ocimene		<	<	Q3
p-Cymene		<	<	Q3
<b>Total</b>		<b>2.31</b>	<b>23.1</b>	

Instrument: GCMS; Method: TPL\_Terp\_01  
Notes:

1721 E McDowell Road  
Phoenix, AZ  
(602) 368-4233  
<https://www.transparentlabsaz.com>  
Lic# 0000029LRCXG19240160

Brian DiMarco  
Laboratory Director

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Total Health & Wellness dba True Harvest

Sample: 2401TLL0016.0106

Phoenix, AZ 85043  
jpastor@trueharvestco.com

Strain: Lemon Goo  
Parent Batch #: ; Batch#: 0108LGLR; Batch Size: 20 g  
Sample Received: 01/19/2024; Report Created: 01/23/2024; Expires: 01/23/2025  
Manufacturing Date: 01/08/2024  
Sampling: ; Environment:

Lic. #00000100DCWU00857159  
Harvest Dates:

**Lemon Goo**

Concentrates & Extracts, Live Rosin, Extraction Method: Pressing  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



## Pesticides TPL\_Pesticides\_01

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier	Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.24	0.50	ND	Pass		Hexythiazox	0.48	1.00	ND	Pass	M2 V1
Acephate	0.19	0.40	ND	Pass	V1	Imazalil	0.10	0.20	ND	Pass	
Acetamiprid	0.10	0.20	ND	Pass		Imidacloprid	0.19	0.40	ND	Pass	
Aldicarb	0.19	0.40	ND	Pass		Kresoxim	0.19	0.40	ND	Pass	L1 V1
Azoxystrobin	0.10	0.20	ND	Pass	V1	Methyl					
Bifenazate	0.10	0.20	ND	Pass		Malathion	0.10	0.20	ND	Pass	V1
Bifenthrin	0.10	0.20	ND	Pass	M2 V1	Metalaxyl	0.10	0.20	ND	Pass	L1 V1
Boscalid	0.19	0.40	ND	Pass	M2	Methiocarb	0.10	0.20	ND	Pass	M2 V1
Carbaryl	0.10	0.20	ND	Pass	L1 V1	Methomyl	0.19	0.40	ND	Pass	
Carbofuran	0.10	0.20	ND	Pass	V1	Myclobutanil	0.10	0.20	ND	Pass	M2
Chlorantraniliprole	0.10	0.20	ND	Pass	M2	Naled	0.24	0.50	ND	Pass	
Chlorfenapyr	0.48	1.00	ND	Pass	I1 M2	Oxamyl	0.48	1.00	ND	Pass	L1 V1
Chlorpyrifos	0.10	0.20	ND	Pass		Paclbutrazol	0.19	0.40	ND	Pass	M2
Clofentezine	0.10	0.20	ND	Pass	M2	Permethrin	0.10	0.20	ND	Pass	M2 V1
Cyfluthrin	0.48	1.00	ND	Pass		Phosmet	0.10	0.20	ND	Pass	M2 V1
Cypermethrin	0.48	1.00	ND	Pass	M2 V1	Piperonyl					
Daminozide	0.48	1.00	ND	Pass		Butoxide	0.95	2.00	ND	Pass	
Diazinon	0.10	0.20	ND	Pass	V1	Prallethrin	0.10	0.20	ND	Pass	V1
Dichlorvos	0.05	0.10	ND	Pass	L1	Propiconazole	0.19	0.40	ND	Pass	
Dimethoate	0.10	0.20	ND	Pass	V1	Propoxur	0.10	0.20	ND	Pass	L1 V1
Ethoprophos	0.10	0.20	ND	Pass		Pyrethrins	0.48	1.00	ND	Pass	
Etofenprox	0.19	0.40	ND	Pass	V1	Pyridaben	0.10	0.20	ND	Pass	V1
Etoazole	0.10	0.20	ND	Pass	V1	Spinosad	0.10	0.20	ND	Pass	
Fenoxycarb	0.10	0.20	ND	Pass	V1	Spiromesifen	0.10	0.20	ND	Pass	
Fenpyroximate	0.19	0.40	ND	Pass	I1	Spirotetramat	0.10	0.20	ND	Pass	
Fipronil	0.19	0.40	ND	Pass	V1	Spiroxamine	0.19	0.40	ND	Pass	V1
Flonicamid	0.48	1.00	ND	Pass		Tebuconazole	0.19	0.40	ND	Pass	
Fludioxonil	0.19	0.40	ND	Pass	M2 V1	Thiacloprid	0.10	0.20	ND	Pass	
						Thiamethoxam	0.10	0.20	ND	Pass	
						Trifloxystrobin	0.10	0.20	ND	Pass	L1

Instrument: LC-QQQ ; Method: TPL\_Pesticides\_01

1721 E McDowell Road  
Phoenix, AZ  
(602) 368-4233  
<https://www.transparentlabsaz.com>  
Lic# 0000029LRCXG19240160

Brian DiMarco  
Laboratory Director

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



The product associated with this COA has been tested by Transparent Labs using state validated testing methods, as required by The State of Arizona. Measurement uncertainty and decision rule information is available upon request. The test results on this COA are only valid for the sample submitted by the client and are not valid for samples or batches not mentioned on this Certificate of Analysis. Transparent Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This COA shall not be reproduced except in full, except without the written approval of Transparent Labs. The required tests and associated limit values are referenced from The required tests and testing limits used within this COA conform to those specified in A.R.S Title 36, Chapter 28.2 and A.A.C Title 9 Chapter 17 Supp. 22-3. Using Marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

## Total Health & Wellness dba True Harvest

Sample: 2401TLL0016.0106

Phoenix, AZ 85043  
jpastor@trueharvestco.com

Strain: Lemon Goo  
Parent Batch #: ; Batch#: 0108LGLR; Batch Size: 20 g  
Sample Received: 01/19/2024; Report Created: 01/23/2024; Expires: 01/23/2025

Lic. #00000100DCWU00857159  
Harvest Dates:

Manufacturing Date: 01/08/2024  
Sampling: ; Environment:

### Lemon Goo

Concentrates & Extracts, Live Rosin, Extraction Method: Pressing  
Dispensary License #: ; Manufacturing License #: ; Cultivation License #:



### Heavy Metals Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	
Cadmium	200.0	400.0	ND	Pass	
Lead	500.0	1000.0	<LOQ	Pass	
Mercury	100.0	200.0	<LOQ	Pass	

### Microbials Pass

Analyte	LOQ	Limit	Result	Status	Qualifier
	CFU/g	CFU/g	CFU/g		
E. Coli	10	100	<10	Pass	

### Residual Solvents Pass

Instrument: ICPMS; Method: AOAC 2021.03

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPM	PPM	PPM		
Acetone	192.0	1000.0	ND	Pass	
Acetonitrile	79.0	410.0	ND	Pass	
Benzene	0.4	2.0	ND	Pass	
Butanes	481.0	5000.0	ND	Pass	
Chloroform	12.0	60.0	ND	Pass	
Dichloromethane	115.0	600.0	ND	Pass	
Ethanol	962.0	5000.0	ND	Pass	
Ethyl-Acetate	962.0	5000.0	ND	Pass	
Ethyl-Ether	962.0	5000.0	ND	Pass	
Heptane	962.0	5000.0	ND	Pass	
Hexanes	139.0	290.0	ND	Pass	
Isopropyl-Acetate	962.0	5000.0	ND	Pass	
Methanol	577.0	3000.0	ND	Pass	
Pentanes	962.0	5000.0	ND	Pass	
2-Propanol	962.0	5000.0	ND	Pass	
Toluene	171.0	890.0	ND	Pass	
Xylenes	835.0	2170.0	ND	Pass	

### Microbials (continued)

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

qPCR/Plating: AOAC Methods 082102, 022202 and 2018.13

### Mycotoxins Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
B1	9	0	ND	Pass	V1
B2	9	0	ND	Pass	L1 V1
G1	9	0	ND	Pass	L1
G2	5	0	ND	Pass	L1 V1
Ochratoxin A	9	20	ND	Pass	I1 L1
Total Aflatoxins	10	20	ND	Pass	L1 V1

Instrument: HS-GCMS ; Method: TPL\_ResSolv\_01

1721 E McDowell Road

Phoenix, AZ

(602) 368-4233

https://www.transparentlabsaz.com

Lic# 0000029LRCXG19240160

Brian DiMarco  
Laboratory Director

Confident LIMS

All Rights Reserved

coa.support@confidentlims.com

(866) 506-5866

www.confidentlims.com



B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was below LOQ,

B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.

D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,

I1 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,

L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,

M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,

M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,

M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,

M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria,

M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,

N1 - A description of the variance is described in the final report of testing,

R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recovery in subsection A.A.C 17 R9-17-404.03 (K)(2) was within accepted criteria,

R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)

Q1 = Sample integrity was not maintained,

Q2 = The sample is heterogeneous and sample homogeneity could not be readily achieved using routine laboratory practices

Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.A.C 17 R9-17-403.03(I)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.