



Powered by Confident LIMS

### Total Health & Wellness dba True Harvest

Sample: 2405TLL0173.0839 Strain: Orion's Belt

Phoenix, AZ 85043 jpastor@trueharvestco.com

Parent Batch #:; Batch#: ORB240429; Batch Size: 20 g

Sample Received: 05/20/2024; Report Created: 05/21/2024; Expires: 05/21/2025

Manufacturing Date:

Sampling: ; Environment:

Lic. #00000100DCWU00857159

Harvest Dates:

#### Orion's Belt

Plant, Flower - Cured, Extraction Method: Indoor

Dispensary License #: ; Manufacturing License #: ; Cultivation License #:





### Safety

**Pass** 

**Pass** 

**Pass** 

**Pesticides** 

Microbials

Metals

#### Cannabinoids

TPL\_Potency\_01

**Analyte** 

**THCa** 

Δ9-ΤΗС

Δ8-ΤΗС

THCV

CBDa

CBD

**CBDV** 

CBN

**CBGa** CBG

CBC

Total

26.48% **Total THC** 

<LOQ **Total CBD** 

LOO

0.10

0.10

0.10

0.10

Mass

29.89

0.26

ND

ND

ND

ND

ND

0.96

0.20

ND

<LOQ

T

Mass mg/g

298.9

2.6

ND

ND

ND

ND

ND

9.6

2.0

ND

313.1

<LOQ

31.31%	
otal Cannabinoids Q3	

Qualifier	, 4
	ţ
	Ī
	(
	E
	9
	2

### Terpenes TPL\_Terpenes\_01







Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
α-Humulene		0.4300	4.300	Q3
β-Caryophyllene		0.4000	4.000	Q3
Ocimene		0.1700	1.700	Q3
δ-Limonene		0.1600	1.600	Q3
Linalool		0.1200	1.200	Q3
β-Myrcene		0.1100	1.100	Q3
trans-Nerolidol		0.1000	1.000	Q3
β-Pinene		0.0900	0.900	Q3
Terpinolene		0.0800	0.800	Q3
α-Bisabolol		0.0700	0.700	Q3
y-Terpinene		0.0700	0.700	Q3
Éucalyptol		0.0500	0.500	Q3
α-Pinene		0.0300	0.300	Q3
Camphene		0.0100	0.100	Q3
3-Carene		<	<	Q3
α-Terpinene		<	<	Q3
Caryophyllene Oxide		<	<	Q3
cis-Nerolidol		<	<	Q3
Geraniol		<	<	Q3
Guaiol		<	<	Q3
Isopulegol		<	<	Q3
p-Cymene		<	<	Q3
Total		1.8900	18.900	

Instrument: GCMS; Method: TPL\_Terp\_01

Total THC = THCa  $^*$  0.877 +  $\Delta$ 9-THC Total CBD = CBDa  $^*$  0.877 + CBD

Instrument: HPLC-DAD: ; Method: TPL\_Potency\_01



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic#0000029LRCXG19240160

Brian DiMarco **Laboratory Director** 

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







201

Sample: 2405TLL0173.0839

Strain: Orion's Belt Parent Batch #: ; Batch#: ORB240429; Batch Size: 20 g

Sample Received: 05/20/2024; Report Created: 05/21/2024; Expires: 05/21/2025

Manufacturing Date:

Sampling: ; Environment:

Lic. #00000100DCWU00857159

jpastor@trueharvestco.com

Harvest Dates:

Orion's Belt

Phoenix, AZ 85043

Plant, Flower - Cured, Extraction Method: Indoor

Dispensary License #:; Manufacturing License #:; Cultivation License #:

Total Health & Wellness dba True Harvest



### Pesticides TPL\_Pesticides\_01

**Pass** 

Analyte	LOQ	Limit	Mass	Status (	Qualifier	Analyte	LOQ	Limit	Mass	Status Q	ualifier
	PPM	PPM	PPM		<u> </u>		PPM	PPM	PPM		
Abamectin	0.24	0.50	ND	Pass	V1	Hexythiazox	0.48	1.00	ND	Pass	M1
Acephate	0.19	0.40	ND	Pass		lmazalil	0.10	0.20	ND	Pass	M1
Acetamiprid	0.10	0.20	ND	Pass	M1	Imidacloprid	0.19	0.40	ND	Pass	M1
Aldicarb	0.19	0.40	ND	Pass		Kresoxim	0.19	0.40	ND	Pass	М1
Azoxystrobin	0.10	0.20	ND	Pass	M1	Methyl	0.17	0.40	ND	F 455	1417
Bifenazate	0.10	0.20	ND	Pass	M1L1	Malathion	0.10	0.20	ND	Pass	M1
Direitazate	0.10			1 433	V1	Metalaxyl	0.10	0.20	ND	Pass	M1
Bifenthrin	0.10	0.20	ND	Pass		Methiocarb	0.10	0.20	ND	Pass	
Boscalid	0.19	0.40	ND	Pass	M1	Methomyl	0.19	0.40	ND	Pass	
Carbaryl	0.10	0.20	ND	Pass		Myclobutanil	0.10	0.20	ND	Pass	
Carbofuran	0.10	0.20	ND	Pass		Naled	0.24	0.50	ND	Pass	
Chlorantraniliprole	0.10	0.20	ND	Pass	M1	Oxamyl	0.48	1.00	ND	Pass	
Chlorfenapyr	0.48	1.00	ND	Pass	M1 V1	Paclobutrazol	0.19	0.40	ND	Pass	
Chlorpyrifos	0.10	0.20	ND	Pass		Permethrin	0.10	0.20	ND	Pass	M2
Clofentezine	0.10	0.20	ND	Pass		Phosmet	0.10	0.20	ND	Pass	
Cyfluthrin	0.48	1.00	ND	Pass		Piperonyl	0.96	2.00	ND	Pass	M1
Cypermethrin	0.48	1.00	ND	Pass	M1	Butoxide					
Daminozide	0.48	1.00	ND	Pass	M1L1	Prallethrin	0.10	0.20	ND	Pass	
					V1	Propiconazole	0.19	0.40	ND	Pass	M1
Diazinon	0.10	0.20	ND	Pass		Propoxur	0.10	0.20	ND	Pass	
Dichlorvos	0.05	0.10	ND	Pass		Pyrethrins	0.48	1.00	ND	Pass	
Dimethoate	0.10	0.20	ND	Pass		Pyridaben	0.10	0.20	ND	Pass	M1
Ethoprophos	0.10	0.20	ND	Pass		Spinosad	0.10	0.20	ND	Pass	M1
Etofenprox	0.19	0.40	ND	Pass		Spiromesifen	0.10	0.20	ND	Pass	M1
Etoxazole	0.10	0.20	ND	Pass	M1	Spirotetramat	0.10	0.20	ND	Pass	M1
Fenoxycarb	0.10	0.20	ND	Pass		Spiroxamine	0.19	0.40	ND	Pass	M1
Fenpyroximate	0.19	0.40	ND	Pass	M1	Tebuconazole	0.19	0.40	ND	Pass	M1
Fipronil	0.19	0.40	ND	Pass		Thiacloprid	0.10	0.20	ND	Pass	M1
Flonicamid	0.48	1.00	ND	Pass	M1	Thiamethoxam	0.10	0.20	ND	Pass	M1
Fludioxonil	0.19	0.40	ND	Pass		Trifloxystrobin	0.10	0.20	ND	Pass	

 $Instrument: LC\text{-}QQQ \ ; Method: TPL\_Pesticides\_01$ 



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

hipin

Brian DiMarco Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







Total Health & Wellness dba True Harvest

Sample: 2405TLL0173.0839

Strain: Orion's Belt

Parent Batch #:; Batch#: ORB240429; Batch Size: 20 g Phoenix, AZ 85043 jpastor@trueharvestco.com

Sample Received: 05/20/2024; Report Created: 05/21/2024; Expires: 05/21/2025

Manufacturing Date:

Sampling: ; Environment:

Lic. #00000100DCWU00857159

Harvest Dates:

Orion's Belt

Plant, Flower - Cured, Extraction Method: Indoor

Dispensary License #:; Manufacturing License #:; Cultivation License #:



Heavy Me	etals				Pass
Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	
Cadmium	200.0	400.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Lead	500.0	1000.0	ND	Pass	
Mercury	100.0	200.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	

Microbials				Pass
Analyte	LOQ	Limit	Result	StatusQualifier
	CFU/g	CFU/g	CFU/g	
E. Coli	10	100	<10	Pass

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	

LOQ=Limit of Quantitation. The reported result is based on a simple weight with the applicable moisture content for that sample. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Instrument: ICPMS; Method: AOAC 2021.03

Instrument: qPCR/Plating; AOAC Methods 082102, 022202 and 2018.13



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic#0000029LRCXG19240160

Brian DiMarco Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3.U sing marijuana during pregnancy could cause birth defects or other health issues to your unborn child.





- B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was blow LOQ,
- B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.
- D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,
- I1 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,
- L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,
- M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,
- M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,
- M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,
- M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,
- N1 A description of the variance is described in the final report of testing,
- R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03(K)(2) was within accepted criteria,
- R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)
- Q1 = Sample integrity was not maintained,
- Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices
- Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317
- V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.C.C 17 R9-17-403.03(J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

TLABS

1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

