



Powered by Confident LIMS

Total Health & Wellness dba True Harvest

Sample: 2404TLL0145.0713

Strain: Alien Banana x THCa

Parent Batch #: ; Batch #: ABNxTHCA0411; Batch Size: 17 g Sample Received: 04/26/2024; Report Created: 05/01/2024; Expires: 05/01/2025

Manufacturing Date:

Sampling: ; Environment:

Lic. #00000100DCWU00857159

jpastor@trueharvestco.com

Harvest Dates:

Phoenix, AZ 85043

Alien Banana x THCa

Concentrates & Extracts, Infused/Enhanced Preroll Dispensary License #: ; Manufacturing License #: ; Cultivation License #:





Safety

Pass **Pesticides**

Pass Microbials

Pass Mycotoxins

Pass

Solvents

Pass

Not Tested

Metals Foreign Matter

Cannabinoids TPL_Potency_01

Analyte

THCa

Δ9-ΤΗС

Δ8-ΤΗС

THCV

CBDa

CBD

CBDV

CBN

CBGa

CBG

CBC

Total

43.36% **Total THC**

ND **Total CBD**

LOO

0.10

0.10

0.10

0.10

Mass

48.94

0.44

ND

ND

ND

ND

ND

1.61

0.14

ND

51.12

Т

mg/g

489.4

4.4

ND

ND

ND

ND

ND

ND

16.1

1.4

ND

511.2

51.12	2%
otal Canna Q3	abinoids
Mass	Qualifie

Qualifier	Analyte
	Terpinol β-Caryo Ocimene δ-Limon
	β-Myrce β-Pinene α-Humu Linalool trans-Ne α-Pinene Camphe 3-Caren
	α-Bisabo

Terpenes





Mass



Mass

Qualifier

Allalyte	LOQ	Iviass	Iviass	Qualifici
Taminalana	%	%	mg/g	00
Terpinolene		0.4800	4.800	Q3
β-Caryophyllene		0.2530	2.530	Q3
Ocimene		0.2110	2.110	Q3
δ-Limonene		0.1910	1.910	Q3
β-Myrcene		0.1760	1.760	Q3
β-Pinene		0.1440	1.440	Q3
α-Humulene		0.0840	0.840	Q3
Linalool		0.0530	0.530	Q3
trans-Nerolidol		0.0250	0.250	Q3
α-Pinene		0.0090	0.090	Q3
Camphene		0.0070	0.070	Q3
3-Carene		<	<	Q3
α-Bisabolol		<	<	Q3
α-Terpinene		<	<	Q3
Caryophyllene Oxide		<	<	Q3
cis-Nerolidol		<	<	Q3
Eucalyptol		<	<	Q3
y-Terpinene		<	<	Q3
Geraniol		<	<	Q3
Guaiol		<	<	Q3
Isopulegol		<	<	Q3
p-Cymene		<	<	Q3
T-4-I		4 / 222	4/220	

Instrument: GCMS; Method: TPL_Terp_01

Total THC = THCa * 0.877 + Δ9-THC Total CBD = CBDa * 0.877 + CBD

Instrument: HPLC-DAD: ; Method: TPL_Potency_01

LABS

1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco **Laboratory Director**

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







Total Health & Wellness dba True Harvest

Sample: 2404TLL0145.0713

Strain: Alien Banana x THCa

Parent Batch #: ; Batch#: ABNxTHCA0411; Batch Size: 17 g

Sample Received: 04/26/2024; Report Created: 05/01/2024; Expires: 05/01/2025

Manufacturing Date:

Sampling: ; Environment:

Lic. #00000100DCWU00857159

jpastor@trueharvestco.com

Harvest Dates:

Phoenix, AZ 85043

Alien Banana x THCa

Concentrates & Extracts, Infused/Enhanced Preroll Dispensary License #:; Manufacturing License #:; Cultivation License #:



Pesticides TPL_Pesticides_01

Pass

Analyte	LOQ	Limit	Mass	Status	Qualifier	Analyte	LOQ	Limit	Mass	Status Q	ualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.24	0.50	ND	Pass	M1, L1,	Hexythiazox	0.48	1.00	ND	Pass	M2
Abamecum	0.24	0.50	ND	F 433	R2, V1	Imazalil	0.10	0.20	ND	Pass	
Acephate	0.19	0.40	ND	Pass		Imidacloprid	0.19	0.40	ND	Pass	
Acetamiprid	0.10	0.20	ND	Pass		Kresoxim	0.19	0.40	ND	Pass	
Aldicarb	0.19	0.40	ND	Pass		Methyl					
Azoxystrobin	0.10	0.20	ND	Pass		Malathion	0.10	0.20	ND	Pass	
Bifenazate	0.10	0.20	ND	Pass		Metalaxyl	0.10	0.20	ND	Pass	
Bifenthrin	0.10	0.20	ND	Pass		Methiocarb	0.10	0.20	ND	Pass	
Boscalid	0.19	0.40	ND	Pass		Methomyl	0.19	0.40	ND	Pass	
Carbaryl	0.10	0.20	ND	Pass		Myclobutanil	0.10	0.20	ND	Pass	
Carbofuran	0.10	0.20	ND	Pass		Naled	0.24	0.50	ND	Pass	
Chlorantraniliprole	0.10	0.20	ND	Pass		Oxamyl	0.48	1.00	ND	Pass	
Chlorfenapyr	0.48	1.00	ND	Pass	M2	Paclobutrazol	0.19	0.40	ND	Pass	
Chlorpyrifos	0.10	0.20	ND	Pass		Permethrin	0.10	0.20	ND	Pass	
Clofentezine	0.10	0.20	ND	Pass		Phosmet	0.10	0.20	ND	Pass	
Cyfluthrin	0.48	1.00	ND	Pass		Piperonyl	0.96	2.00	ND	Pass	
Cypermethrin	0.48	1.00	ND	Pass	M1L1	Butoxide					
Daminozide	0.48	1.00	ND	Pass	M1 V1	Prallethrin	0.10	0.20	ND	Pass	
Diazinon	0.10	0.20	ND	Pass		Propiconazole	0.19	0.40	ND	Pass	
Dichlorvos	0.05	0.10	ND	Pass		Propoxur	0.10	0.20	ND	Pass	
Dimethoate	0.10	0.20	ND	Pass		Pyrethrins	0.48	1.00	ND	Pass	M4
Ethoprophos	0.10	0.20	ND	Pass		Pyridaben	0.10	0.20	ND	Pass	
Etofenprox	0.19	0.40	ND	Pass		Spinosad	0.10	0.20	ND	Pass	M2
Etoxazole	0.10	0.20	ND	Pass		Spiromesifen	0.10	0.20	ND	Pass	
Fenoxycarb	0.10	0.20	ND	Pass	M2	Spirotetramat	0.10	0.20	ND	Pass	M1
Fenpyroximate	0.19	0.40	ND	Pass		Spiroxamine	0.19	0.40	ND	Pass	
Fipronil	0.19	0.40	ND	Pass		Tebuconazole	0.19	0.40	ND	Pass	M2
Flonicamid	0.48	1.00	ND	Pass		Thiacloprid	0.10	0.20	ND	Pass	
Fludioxonil	0.19	0.40	ND	Pass		Thiamethoxam	0.10	0.20	ND	Pass	
						Trifloxystrobin	0.10	0.20	ND	Pass	M2

 $Instrument: LC\text{-}QQQ \ ; Method: TPL_Pesticides_01$



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

prific

Brian DiMarco Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







Total Health & Wellness dba True Harvest

Sample: 2404TLL0145.0713

Strain: Alien Banana x THCa

Parent Batch #:; Batch#: ABNxTHCA0411; Batch Size: 17 g

Sample Received: 04/26/2024; Report Created: 05/01/2024; Expires: 05/01/2025

Manufacturing Date:

Sampling: ; Environment:

Lic. #00000100DCWU00857159

jpastor@trueharvestco.com

Harvest Dates:

Phoenix, AZ 85043

Alien Banana x THCa

Concentrates & Extracts, Infused/Enhanced Preroll Dispensary License #:; Manufacturing License #:; Cultivation License #:

回俗無滿回

Heavy Metal	S				Pass
Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPB	PPB	PPB		
Arsenic	200.0	400.0	ND	Pass	V1
Cadmium	200.0	400.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Lead	500.0	1000.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	
Mercury	100.0	200.0	<loq< th=""><th>Pass</th><th></th></loq<>	Pass	

LOQ=Limit of Quantitation. The reported result is based on a simple weight with the applicable moisture content for that sample. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Instrument: ICPMS; Method: AOAC 2021.03

Residual Solve	ents				Pass
Analyte	LOQ	Limit	Mass	Status	Qualifier
	PPM	PPM	PPM		
Acetone	482.6	1000.0	ND	Pass	
Acetonitrile	197.9	410.0	ND	Pass	
Benzene	1.0	2.0	ND	Pass	
Butanes	603.3	5000.0	ND	Pass	
Chloroform	29.0	60.0	ND	Pass	
Dichloromethane	289.6	600.0	ND	Pass	
Ethanol	2413.1	5000.0	ND	Pass	
Ethyl-Acetate	2413.1	5000.0	ND	Pass	
Ethyl-Ether	2413.1	5000.0	ND	Pass	
Heptane	2413.1	5000.0	ND	Pass	
Hexanes	140.0	290.0	ND	Pass	
Isopropyl-Acetate	2413.1	5000.0	ND	Pass	
Methanol	1447.9	3000.0	ND	Pass	
Pentanes	140.0	5000.0	ND	Pass	
2-Propanol	2413.1	5000.0	ND	Pass	
Toluene	429.5	890.0	ND	Pass	
Xvlenes	96.5	2170.0	ND	Pass	

Performed by GCMS-HS SOP-004. Methods used per AZDHS R9-17-404.03 and the solvent limits set by AZDHS R9-17 Table 3.1. AZDHS approved method for residual solvents by GCMS-HS for all listed analytes. Subcontracted through DVT Registration Certificate Identification Number: 0000031LRCHX78341676

Microbials				Pass
Analyte	LOQ	Limit	Result	StatusQualifier
	CFU/g	CFU/g	CFU/g	
E. Coli	10	100	<10	Pass

Analyte	Limit	Result	Status	Qualifier
Salmonella	Detectable in 1g	Not Detected	Pass	
Aspergillus	Detectable in 1g	Not Detected	Pass	
Aspergillus fumigatus	Detectable in 1g	Not Detected	Pass	
Aspergillus niger	Detectable in 1g	Not Detected	Pass	
Aspergillus flavus	Detectable in 1g	Not Detected	Pass	
Aspergillus terreus	Detectable in 1g	Not Detected	Pass	



 $Instrument: qPCR/Plating; AOAC\ Methods\ 082102, 022202\ and\ 2018.13$

Pass

Analyte	LOQ	Limit	Mass StatusQualifier
	PPB	PPB	PPB
B1	8.1	20.0	ND Pass
B2	8.1	20.0	ND Pass
G1	8.1	20.0	ND Pass
G2	8.1	20.0	ND Pass
Ochratoxin A	8.1	20.0	ND Pass
Total Aflatoxins	8.1	20.0	ND Pass



1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160 pipe.

Brian DiMarco Laboratory Director Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Transparent Labs LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Transparent Lab LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Transparent Labs LLC. The required tests and testing limits used within this COA conform to those specified in A.R.S. Title 36, Chapter 28.2 and A.A.C. Title 9 Chapter 17 Supp. 22-3. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.





- B1 = Target analyte detected in calibration blank was above LOQ but the concentration of cannabinoid was blow LOQ,
- B2 = Target analyte detected in calibration blank was above LOQ but was below the maximum allowable concentration.
- D1 = The limit of quantitation and the sample results were adjusted to reflect sample dilution,
- I1 = The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria with respect to the reference spectra, indicating interference,
- L1 = The percent recovery of a laboratory control sample is greater than the acceptance limits in A.A.C 17 R9-17-404.03(K)(2)(C), but the sample's target analytes were not detected above the maximum allowed concentration,
- M1 = The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria,
- M2 = The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria,
- M3 = The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria,
- M4 = The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5 = The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample,
- N1 A description of the variance is described in the final report of testing,
- R1 = The relative percent difference for the laboratory control sample and duplicate exceeded the limit in A.A.C 17 R9-17-404.03(K)(3), but the recover in subsection A.A.C 17 R9-17-404.03(K)(2) was within accepted criteria,
- R2 = The relative percent difference for a sample and duplicated exceeded the limit in subsection A.A.C 17 R9-17-404.03 (O)
- Q1 = Sample integrity was not maintained,
- Q2 = The sample is heterogenous and sample homogeneity could not be readily achieved using routine laboratory practices
- Q3 = Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317
- V1 = The recovery from continuing calibration verification standards exceeded the acceptance limits denoted in A.C.C 17 R9-17-403.03(J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

TLABS

1721 E McDowell Road Phoenix, AZ (602) 368-4233 transparentlabsaz.com Lic# 0000029LRCXG19240160

Brian DiMarco Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

