



Certificate of Analysis

Pages 1 of 6

PASSED



Harvest/Lot ID: CAD250702-LR
Batch #: CAD250702-LR
Manufacturing Date: 09/15/25
Production Method: Ice/Water
Total Amount: 7 gram

Lab ID: TE50916007-001
Ordered: 09/16/25
Sampled Date: 09/16/25
Sample Collection Time: 10:00 AM
Sample Size: 127.98 gram
Completed: 09/19/25

Total Health & Wellness dba True Harvest

License #: 00000100DCWU00857159

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Vitamin E
NOT TESTED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC
78.229%



Total CBD
ND



Total Cannabinoids ^{Q3}
92.192%

	D9-THC	THCA	CBD	CBDA	CBG	CBGA	CBN	D8-THC	THCV	CBDV	CBC
%	ND	89.201	ND	ND	ND	2.9910	ND	ND	ND	ND	ND
mg/g	ND	892.01	ND	ND	ND	29.910	ND	ND	ND	ND	ND
LOD	0.0001	0.0001	0.0001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.0001
LOQ	0.0001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
333, 540, 272, 545

Weight:
0.1543g

Extraction date:
09/17/25 11:47:01

Extracted by:
333,410

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031

Analytical Batch : TE010634POT

Instrument Used : TE-004 "Blossom" (Flower)

Analyzed Date : 09/18/25 12:08:29

Batch Date : 09/16/25 16:31:14

Dilution : 800

Reagent : 091025.R13; 091625.R08; 010825.R24; 032725.R12

Consumables : 947.162; 8000038072; 20240202; 042425CH01; 1009015070; 1; 1008741093; GD240003

Pipette : TE-059 SN:20A04528 (20-200uL); TE-064 SN:20B27672 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.



Terpenes

TESTED

ANALYTES

TOTAL TERPENES

LOD

LOQ

LIMIT

PASS/FAIL

RESULT (%)

(MG/G)

QUALIFIER

0

0.002

TESTED

10.36

103.6

Q3

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Ariel Gonzales

Signature
09/19/25

Laboratory License #:
00000024LCMD66604568



Certificate of Analysis

Pages 2 of 6

Total Health & Wellness dba True Harvest

License # : 00000100DCWU00857159

Sample: TE50916007-001

Batch #: CAD250702-LR

Harvest/Lot ID: CAD250702-LR

Ordered: 09/16/25

Sampled: 09/16/25

Completed: 09/19/25

PASSED



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/G)	QUALIFIER
LIMONENE	0	0.002		TESTED	2.994	29.94	Q3
BETA-MYRCENE	0	0.002		TESTED	1.745	17.45	Q3
LINALOOL	0	0.002		TESTED	1.186	11.86	Q3
ALPHA-HUMULENE	0	0.002		TESTED	1.011	10.11	Q3
BETA-CARYOPHYLLENE	0	0.002		TESTED	0.9098	9.098	Q3
BETA-PINENE	0	0.002		TESTED	0.8037	8.037	Q3
FENCHYL ALCOHOL	0	0.002		TESTED	0.4807	4.807	Q3
ALPHA-TERPINEOL	0	0.002		TESTED	0.4229	4.229	Q3
ALPHA-PINENE	0	0.002		TESTED	0.4041	4.041	Q3
ALPHA-BISABOLOL	0	0.002		TESTED	0.2262	2.262	Q3
CAMPHENE	0	0.002		TESTED	0.09970	0.9970	Q3
TERPINOLENE	0	0.002		TESTED	0.07680	0.7680	Q3
3-CARENE	0	0.002		TESTED	ND	ND	
BORNEOL	0	0.002		TESTED	ND	ND	
CAMPHOR	0	0.002		TESTED	ND	ND	
CARYOPHYLLENE OXIDE	0	0.002		TESTED	ND	ND	
CEDROL	0	0.002		TESTED	ND	ND	
EUCALYPTOL	0	0.002		TESTED	ND	ND	
FENCHONE	0	0.002		TESTED	ND	ND	
GERANIOL	0	0.002		TESTED	ND	ND	
GERANYL ACETATE	0	0.002		TESTED	ND	ND	
GUAJOL	0	0.002		TESTED	ND	ND	
ISOBORNEOL	0	0.002		TESTED	ND	ND	
ISOPULEGOL	0	0.002		TESTED	ND	ND	
MENTHOL	0	0.002		TESTED	ND	ND	
NEROL	0	0.002		TESTED	ND	ND	
OCIMENE	0	0.002		TESTED	ND	ND	
PULEGONE	0	0.002		TESTED	ND	ND	
SABINENE	0	0.002		TESTED	ND	ND	
SABINENE HYDRATE	0	0.002		TESTED	ND	ND	
VALENCENE	0	0.002		TESTED	ND	ND	
ALPHA-CEDRENE	0	0.002		TESTED	ND	ND	
ALPHA-PHELLANDRENE	0	0.002		TESTED	ND	ND	
ALPHA-TERPINENE	0	0.002		TESTED	ND	ND	
CIS-NEROLIDOL	0	0.0004		TESTED	ND	ND	
GAMMA-TERPINENE	0	0.002		TESTED	ND	ND	
TRANS-NEROLIDOL	0	0.0006		TESTED	ND	ND	

Analyzed by:
445, 272, 545

Weight:
0.2571g

Extraction date:
09/17/25 14:43:27

Extracted by:
410,445

Analysis Method : SOP.T.30.500, SOP.T.30.064, SOP.T.40.064

Analytical Batch : TE010646TER

Instrument Used : TE-292 "MS - Terpenes 2"

Batch Date : 09/17/25 11:10:08

Analyzed Date : 09/19/25 10:10:11

Dilution : N/A

Reagent : 110124.04; 052725.01

Consumables : 947.162; H109203-1; 8000038072; 4000813; 1; GD240003

Pipette : N/A

Terpenes screening is performed using GC-MS which can detect below single digit ppm concentrations. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.064 for sample prep, and SOP.T.40.064 for analysis via ThermoScientific 1310-series GC equipped with an AI 1310-series liquid injection autosampler and detection carried out by ISQ 7000-series mass spectrometer). Terpene results are reported on a wt/wt% basis. Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Nor, can it be used to satisfy marijuana establishment testing requirements in R9-18-311(A) or labeling requirements in R9-18-310 - Q3.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
09/19/25
Laboratory License #:
00000024LCMD66604568



Certificate of Analysis

Pages 3 of 6

Total Health & Wellness dba True Harvest

License # : 00000100DCWU00857159

Sample: TE50916007-001

Batch #: CAD250702-LR

Harvest/Lot ID: CAD250702-LR

Ordered: 09/16/25

Sampled: 09/16/25

Completed: 09/19/25

PASSED

	Pesticide	PASSED
---	------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AVERMECTINS (ABAMECTIN B1A)	ppm	0.017	0.25	0.5	PASS	ND	L1
ACEPHATE	ppm	0.01	0.2	0.4	PASS	ND	
ACETAMIPRID	ppm	0.005	0.1	0.2	PASS	ND	
ALDICARB	ppm	0.014	0.2	0.4	PASS	ND	
AZOXYSTROBIN	ppm	0.005	0.1	0.2	PASS	ND	
BIFENAZATE	ppm	0.006	0.1	0.2	PASS	ND	L1
BIFENTHRIN	ppm	0.005	0.1	0.2	PASS	ND	
BOSCALID	ppm	0.005	0.2	0.4	PASS	ND	
CARBARYL	ppm	0.008	0.1	0.2	PASS	ND	
CARBOFURAN	ppm	0.005	0.1	0.2	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.011	0.1	0.2	PASS	ND	
CHLORPYRIFOS	ppm	0.005	0.1	0.2	PASS	ND	
CLOFENTEZINE	ppm	0.01	0.1	0.2	PASS	ND	
CYPERMETHRIN	ppm	0.1	0.5	1	PASS	ND	
DAMINOZIDE	ppm	0.01	0.5	1	PASS	ND	
DIAZINON	ppm	0.006	0.1	0.2	PASS	ND	
DICHLORVOS (DDVP)	ppm	0.001	0.05	0.1	PASS	ND	
DIMETHOATE	ppm	0.006	0.1	0.2	PASS	ND	
ETHOPROPHOS	ppm	0.004	0.1	0.2	PASS	ND	
ETOFENPROX	ppm	0.006	0.2	0.4	PASS	ND	
ETOXAZOLE	ppm	0.004	0.1	0.2	PASS	ND	
FENOXYCARB	ppm	0.005	0.1	0.2	PASS	ND	
FENPYROXIMATE	ppm	0.004	0.2	0.4	PASS	ND	
FIPRONIL	ppm	0.006	0.2	0.4	PASS	ND	
FLONICAMID	ppm	0.009	0.5	1	PASS	ND	
FLUDIOXONIL	ppm	0.006	0.2	0.4	PASS	ND	
HEXYTHIAZOX	ppm	0.005	0.5	1	PASS	ND	
IMAZALIL	ppm	0.011	0.1	0.2	PASS	ND	
IMIDACLOPRID	ppm	0.008	0.2	0.4	PASS	ND	
KRESOXIM-METHYL	ppm	0.007	0.2	0.4	PASS	ND	
MALATHION	ppm	0.007	0.1	0.2	PASS	ND	
METALAXYL	ppm	0.004	0.1	0.2	PASS	ND	
METHIOCARB	ppm	0.004	0.1	0.2	PASS	ND	
METHOMYL	ppm	0.005	0.2	0.4	PASS	ND	
MYCLOBUTANIL	ppm	0.01	0.1	0.2	PASS	ND	
NALED	ppm	0.007	0.25	0.5	PASS	ND	
OXAMYL	ppm	0.008	0.5	1	PASS	ND	
PACLOBUTRAZOL	ppm	0.005	0.2	0.4	PASS	ND	
TOTAL PERMETHRINS	ppm	0.003	0.1	0.2	PASS	ND	V1
PHOSMET	ppm	0.01	0.1	0.2	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.005	1	2	PASS	ND	
PRALLETHRIN	ppm	0.013	0.1	0.2	PASS	ND	
PROPICONAZOLE	ppm	0.005	0.2	0.4	PASS	ND	
PROPOXUR	ppm	0.005	0.1	0.2	PASS	ND	
TOTAL PYRETHRINS	ppm	0.001	0.5	1	PASS	ND	
PYRIDABEN	ppm	0.004	0.1	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.006	0.1	0.2	PASS	ND	
SPIROMESIFEN	ppm	0.008	0.1	0.2	PASS	ND	
SPIROTETRAMAT	ppm	0.006	0.1	0.2	PASS	ND	
SPIROXAMINE	ppm	0.004	0.2	0.4	PASS	ND	
TEBUCONAZOLE	ppm	0.004	0.2	0.4	PASS	ND	
THIACLOPRID	ppm	0.006	0.1	0.2	PASS	ND	
THIAMETHOXAM	ppm	0.006	0.1	0.2	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
09/19/25
Laboratory License #:
00000024LCMD66604568



Certificate of Analysis

Pages 4 of 6

Total Health & Wellness dba True Harvest

License #: 00000100DCWU00857159

Sample: TE50916007-001

Batch #: CAD250702-LR

Harvest/Lot ID: CAD250702-LR

Ordered: 09/16/25

Sampled: 09/16/25

Completed: 09/19/25

PASSED

	Pesticide	PASSED
--	------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TRIFLOXYSTROBIN	ppm	0.006	0.1	0.2	PASS	ND	
CHLORFENAPYR	ppm	0.027	0.5	1	PASS	ND	
CYFLUTHRIN	ppm	0.015	0.5	1	PASS	ND	L1, V1

Analyzed by: 410, 432, 272, 545	Weight: 0.9814g	Extraction date: 09/17/25 14:37:25	Extracted by: 410
------------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ

Analytical Batch : TE010632PES

Instrument Used : N/A

Analyzed Date : 09/19/25 09:55:34

Batch Date : 09/16/25 15:04:17

Dilution : 50

Reagent : 082525.R07; 070125.R35; 082525.R09; 082925.R40; 091225.R01; 091525.R32; 081325.R12; 091125.R09

Consumables : 9479291.043; 8000038072; 042425CH01; 1009015070; 1010008458; GD240003; 527170JR

Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Pesticide screening is carried out using LC-MS/MS (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).

Analyzed by: 410, 432, 272, 545	Weight: 0.9814g	Extraction date: 09/17/25 14:37:25	Extracted by: 410
------------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ

Analytical Batch : TE010652VOL

Instrument Used : N/A

Analyzed Date : 09/19/25 09:56:15

Batch Date : 09/17/25 14:48:18

Dilution : 50

Reagent : 082525.R07; 070125.R35; 082525.R09; 082925.R40; 091225.R01; 091525.R32; 081325.R12; 091125.R09

Consumables : 9479291.043; 8000038072; 042425CH01; 1009015070; 1010008458; GD240003; 527170JR

Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Chlorfenapyr and Cyfluthrin analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC)

	Residual Solvents	PASSED
--	--------------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
BUTANES	ppm	168.2	2400	5000	PASS	ND	
METHANOL	ppm	87.7	1440	3000	PASS	ND	
PENTANES	ppm	163.9	2400	5000	PASS	ND	
ETHANOL	ppm	142.2	2400	5000	PASS	ND	
ETHYL ETHER	ppm	193.1	2400	5000	PASS	ND	
ACETONE	ppm	37.6	480	1000	PASS	ND	
2-PROPANOL	ppm	156.2	2400	5000	PASS	ND	
ACETONITRILE	ppm	12.2	196.8	410	PASS	ND	
DICHLOROMETHANE	ppm	22.7	288	600	PASS	ND	
HEXANES	ppm	8.4	139.2	290	PASS	ND	
ETHYL ACETATE	ppm	179	2400	5000	PASS	ND	
CHLOROFORM	ppm	2.41	28.8	60	PASS	ND	
BENZENE	ppm	0.115	1	2	PASS	ND	V1
HEPTANE	ppm	152.8	2400	5000	PASS	ND	
ISOPROPYL ACETATE	ppm	168.6	2400	5000	PASS	ND	
TOLUENE	ppm	26.2	427.2	890	PASS	ND	
XYLENES	ppm	53.2	1041.6	2170	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
09/19/25
Laboratory License #:
00000024LCMD66604568



Certificate of Analysis

Pages 5 of 6

Total Health & Wellness dba True Harvest

License # : 00000100DCWU00857159

Sample: TE50916007-001

Batch #: CAD250702-LR

Harvest/Lot ID: CAD250702-LR

Ordered: 09/16/25

Sampled: 09/16/25

Completed: 09/19/25

PASSED



Residual Solvents

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

Analyzed by: 334, 272, 545 Weight: 0.0218g Extraction date: 09/19/25 09:56:41 Extracted by: 334,445

Analysis Method : SOP.T.40.044.AZ

Analytical Batch : TE010647SOL

Instrument Used : TE-092 "GC - Solvents 1", TE-095 "MS - Solvents 1", TE-098 "Injector - Solvents 1", TE-100 "HS - Solvents 1", TE-113 "Vacuum Pump - Solvents 1" Batch Date : 09/17/25 11:12:29

Analyzed Date : 09/19/25 16:42:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.



Microbial

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

SALMONELLA SPP. PASS Not Detected in 1g
ASPERGILLUS FLAVUS PASS Not Detected in 1g
ASPERGILLUS FUMIGATUS PASS Not Detected in 1g
ASPERGILLUS NIGER PASS Not Detected in 1g
ASPERGILLUS TERREUS PASS Not Detected in 1g
ESCHERICHIA COLI (REC) CFU/g 10 10 100 PASS ND

Analyzed by: 331, 272, 545 Weight: 1.0270g Extraction date: 09/17/25 13:21:29 Extracted by: 527

Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ

Analytical Batch : TE010639MIC

Instrument Used : TE-234 "bioMérieux GENE-UP"

Batch Date : 09/17/25 10:35:25

Analyzed Date : 09/19/25 11:02:54

Dilution : 10

Reagent : 072425.14; 091725.R23; 082925.11

Consumables : 344XPM; 1008855960; 1009817562; 3950911; 030125CH01; 121324CH01; 1009015070; 1010008458

Pipette : TE-075 SN:RU31709; TE-053 SN:20E78952; TE-057 SN:21D58688; TE-058 SN:20C35427; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMérieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm.



Mycotoxins

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

TOTAL AFLATOXINS ppb 3.03 10 20 PASS ND
AFLATOXIN B1 ppb 3.03 10 20 PASS ND
AFLATOXIN B2 ppb 3.03 10 20 PASS ND
AFLATOXIN G1 ppb 3.03 10 20 PASS ND
AFLATOXIN G2 ppb 3.03 10 20 PASS ND
OCHRATOXIN A ppb 3.03 10 20 PASS ND

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
09/19/25
Laboratory License #:
00000024LCMD66604568



Certificate of Analysis

Pages 6 of 6

Total Health & Wellness dba True Harvest

License #: 00000100DCWU00857159

Sample: TE50916007-001

Batch #: CAD250702-LR

Harvest/Lot ID: CAD250702-LR

Ordered: 09/16/25

Sampled: 09/16/25

Completed: 09/19/25

PASSED



Mycotoxins

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 410, 432, 272, 545		Weight: 0.9814g		Extraction date: 09/17/25 14:37:25		Extracted by: 410		
Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ								
Analytical Batch : TE010653MYC								
Instrument Used : N/A				Batch Date : 09/17/25 14:48:50				
Analyzed Date : 09/19/25 11:07:03								
Dilution : 50								
Reagent : 082525.R07; 070125.R35; 082525.R09; 082925.R40; 091225.R01; 091525.R32; 081325.R12; 091125.R09								
Consumables : 9479291.043; 8000038072; 042425CH01; 1009015070; 1010008458; GD240003; 527170JR								
Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)								
Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflatoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg.								



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ARSENIC	ppm	0.066	0.2	0.4	PASS	ND	
CADMIUM	ppm	0.066	0.2	0.4	PASS	ND	
LEAD	ppm	0.166	0.5	1	PASS	ND	
MERCURY	ppm	0.0333	0.1	0.2	PASS	ND	
Analyzed by: 398, 272, 545		Weight: 0.1966g		Extraction date: 09/17/25 10:50:40		Extracted by: 445,398	
Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ							
Analytical Batch : TE010642HEA							
Instrument Used : TE-260 "Ludwig",TE-307 "Ted"				Batch Date : 09/17/25 10:50:05			
Analyzed Date : 09/18/25 12:07:26							
Dilution : 50							
Reagent : 102824.05; 091225.R30; 091625.R12; 091725.R10; 010325.09; 081525.16; 090222.04							
Consumables : 042425CH01; 1009015070; 1008741093; GD240003							
Pipette : TE-063 SN:20C50490 (20-200uL); TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)							
Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS).							

CONFIDENT CANNABIS QR

* Confident Cannabis sample ID: 2509KLAZ1070.4583

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Gonzales

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Ariel Gonzales

Signature
09/19/25
Laboratory License #:
00000024LCMD66604568