

Smokiez Edibles

2 N 35th Ave
Phoenix, AZ 85009
angelp@nirvanacenter.com
(928) 246-6949
Lic. #000000015DCGC00626237

Sample: 2405LVL0637.3519

Secondary License: ; Chain of Distribution:
Strain: peach (sour); Batch Size: g; External Batch ID: 240419MDIS-1KSP5.7.24
Sample Received: 05/07/2024; Report Created: 05/09/2024; Report Expiration: 05/09/2025
Sampling Date: 05/07/2024; Sampling Time: 9am; Sampling Person: angel
Harvest Date: 04/19/2024; Manufacturing Date: ; External Lot ID: 240419MDIS

1000mg 20pk gummies - Sour Peach

Ingestible, Soft Chew, Other



1003.51mg/unit	ND	1003.51mg/unit
Total THC	Total CBD	
NT	Not Tested	Total Cannabinoids
Total Terpenes	Moisture NT	

Cannabinoids

Complete

Analyte	LOQ	Mass	Mass	Qualifier
	mg/unit	mg/unit	mg/g	
THCa	48.572	ND	ND	
Δ9-THC	48.572	1003.508	8.258	
Δ8-THC	48.572	ND	ND	M2
THCVa	48.572	ND	ND	Q3
THCV	48.572	ND	ND	Q3
CBDa	48.572	ND	ND	
CBD	48.572	ND	ND	
CBDVa	48.572	ND	ND	Q3
CBDV	48.572	ND	ND	Q3
CBN	48.572	<LOQ	<LOQ	Q3
CBGa	48.572	ND	ND	Q3
CBG	48.572	<LOQ	<LOQ	Q3
CBCa	48.572	ND	ND	Q3
CBC	48.572	<LOQ	<LOQ	Q3
Total		1003.508	8.258	Q3

Qualifiers:
Date Tested: 05/08/2024 07:00 am
121.52
Total THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-LM-005. ADHS approved method for potency by HPLC-DAD for all listed analytes.



Certificate of Analysis

Powered by Confident LIMS
2 of 2

Smokiez Edibles

2 N 35th Ave
Phoenix, AZ 85009
angelp@nirvanacenter.com
(928) 246-6949
Lic. #000000015DCGC00626237

Sample: 2405LVL0637.3519

Secondary License: ; Chain of Distribution:
Strain: peach (sour); Batch Size: g; External Batch ID: 240419MDIS-1KSP5.7.24
Sample Received: 05/07/2024; Report Created: 05/09/2024; Report Expiration: 05/09/2025
Sampling Date: 05/07/2024; Sampling Time: 9am; Sampling Person: angel
Harvest Date: 04/19/2024; Manufacturing Date: ; External Lot ID: 240419MDIS

1000mg 20pk gummies - Sour Peach

Ingestible, Soft Chew, Other



Microbials

Pass

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not Detected	in one gram	Pass	
Aspergillus terreus	NR	in one gram	NT	
Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger	NR	in one gram	NT	

Qualifiers:
Date Tested: 05/09/2024 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Manager

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2404SMAZ0565.1758
 Batch #: 240419MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 5731

Distillate

Batch #: 240419MDIS
 Strain: Hybrid Blend
 Parent Batch #:
 Production Method: Alcohol
 Harvest Date: 04/19/2024
 Received: 04/23/2024

Sample ID: 2404SMAZ0565.1758
 Amount Received: 5.4 g
 Sample Type: Distillate
 Sample Collected: 04/23/2024 12:51:00
 Manufacture Date: 04/19/2024
 Published: 04/29/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

88.834% Total THC
0.403% Total CBD
0.402% CBN
2.808% CBG
93.801% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2404SMAZ0565.1758
 Batch #: 240419MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 5731

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 04/24/2024
 SOP: 418.AZ
 Batch Number: 1266

Sample Analysis

Date: 04/25/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 0.044 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.293	0.888	1	0.890	8.905	
CBD	0.293	0.888	1	0.403	4.030	
CBDA	0.293	0.888	1	ND	ND	
CBDV	0.293	0.888	1	ND	ND	
CBG	0.293	0.888	1	2.808	28.079	
CBGA	0.293	0.888	1	ND	ND	
CBN	0.293	0.888	1	0.402	4.024	
d8-THC	0.293	0.888	1	ND	ND	
d9-THC	0.293	0.888	1	88.834	888.338	
THCA	0.293	0.888	1	ND	ND	
THCV	0.293	0.888	1	0.463	4.633	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	88.834	888.338	
Total CBD	0.403	4.030	
Total Cannabinoids	93.801	938.008	Q3


Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2404SMAZ0565.1758
 Batch #: 240419MDIS



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 5731

Terpene Total

GC-FID

Tested (0.0847%)


Sample Prep

Batch Date: 04/25/2024
 SOP: 419
 Batch Number: 1271

Sample Analysis

Date: 04/26/2024
 SOP: 419 - GC-FID
 Sample Weight: 0.413 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0285	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	ND	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.0071	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0045	Q3
alpha-Pinene	0.0010 / 0.0029	1	ND	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	ND	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	ND	Q3	Limonene	0.0010 / 0.0029	1	ND	Q3
Borneol	0.0010 / 0.0029	1	ND	Q3	Linalool	0.0010 / 0.0029	1	ND	Q3
Camphene	0.0010 / 0.0029	1	ND	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0094	Q3	Terpineol	0.0010 / 0.0029	1	0.0044	Q3
Cedrol	0.0010 / 0.0029	1	0.0134	Q3	Terpinolene	0.0010 / 0.0029	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.0136	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	0.0037	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	ND	Q3	trans-Ocimene	0.0010 / 0.0029	1	ND	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					




Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2404SMAZ0565.1758
 Batch #: 240419MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 5731

Microbial Analysis
 Pass

Sample Prep

Batch Date: 04/24/2024
 SOP: 431.AZ
 Batch Number: 1264

Sample Analysis

Date: 04/25/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.017 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 04/24/2024
 SOP: 406.AZ
 Batch Number: 1263

Sample Analysis

Date: 04/25/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.018 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 04/24/2024
 SOP: 406.AZ
 Batch Number: 1263

Sample Analysis

Date: 04/25/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.018 g


Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2404SMAZ0565.1758
 Batch #: 240419MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 5731

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 04/24/2024
 SOP: 405.AZ
 Batch Number: 1259

Sample Analysis

Date: 04/25/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.055 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	60 / 182	1	1000	ND		Heptane	304 / 909	1	5000	ND	
Acetonitrile	25 / 75	1	410	ND		Hexanes	44 / 132	1	290	ND	
Benzene	0.13 / 0.36	1	2	ND		Isopropyl acetate	304 / 909	1	5000	ND	
Butanes	151 / 455	1	5000	ND		Methanol	182 / 545	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	304 / 909	1	5000	ND	
Dichloromethane	36 / 109	1	600	ND		2-Propanol (IPA)	304 / 909	1	5000	ND	
Ethanol	304 / 909	1	5000	ND		Toluene	55 / 162	1	890	ND	
Ethyl acetate	304 / 909	1	5000	ND		Xylenes	264 / 789	1	2170	ND	
Ethyl ether	304 / 909	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2404SMAZ0565.1758
 Batch #: 240419MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 5731

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 04/24/2024
 SOP: 428.AZ
 Batch Number: 1261

Sample Analysis

Date: 04/24/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.215 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.019	0.186	10	0.4	ND	
Cadmium	0.019	0.186	10	0.4	ND	
Lead	0.019	0.465	10	1	ND	
Mercury	0.019	0.093	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 04/26/2024
 SOP: 432.AZ
 Batch Number: 1280

Sample Analysis

Date: 04/29/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.568 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.52	8.80	1	20	ND	L1
Aflatoxin B1	3.52	9.84	1		ND	L1
Aflatoxin B2	3.52	9.84	1		ND	
Aflatoxin G1	3.52	9.84	1		ND	I1
Aflatoxin G2	3.52	4.92	1		ND	
Ochratoxin A	8.80	9.84	1	20	ND	I1, R1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2404SMAZ0565.1758
 Batch #: 240419MDIS



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 5731

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 04/26/2024
 SOP: 432.AZ
 Batch Number: 1280

Sample Analysis

Date: 04/29/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.568 g
 Volume: 12.5 mL


Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.073 / 0.220	1	0.5	ND	M2	Hexythiazox	0.147 / 0.440	1	1	ND	
Acephate	0.059 / 0.176	1	0.4	ND		Imazail	0.029 / 0.088	1	0.2	ND	
Acetamiprid	0.029 / 0.088	1	0.2	ND		Imidacloprid	0.059 / 0.176	1	0.4	ND	
Aldicarb	0.059 / 0.176	1	0.4	ND		Kresoxim-methyl	0.059 / 0.176	1	0.4	ND	
Azoxystrobin	0.029 / 0.088	1	0.2	ND		Malathion	0.029 / 0.088	1	0.2	ND	
Bifenazate	0.029 / 0.088	1	0.2	ND		Metalaxyl	0.029 / 0.088	1	0.2	ND	
Bifenthrin	0.029 / 0.088	1	0.2	<LOQ	M2	Methiocarb	0.029 / 0.088	1	0.2	ND	M2
Boscalid	0.059 / 0.176	1	0.4	ND		Methomyl	0.059 / 0.176	1	0.4	ND	
Carbaryl	0.029 / 0.088	1	0.2	ND		Myclobutanil	0.029 / 0.088	1	0.2	ND	
Carbofuran	0.029 / 0.088	1	0.2	ND		Naled	0.073 / 0.220	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.088	1	0.2	ND	M2	Oxamyl	0.147 / 0.440	1	1	ND	
Chlorfenapyr	0.147 / 0.440	1	1	ND	I1 V1, L1	Paclobutrazol	0.059 / 0.176	1	0.4	ND	M2
Chlorpyrifos	0.029 / 0.088	1	0.2	ND		Permethrins	0.029 / 0.088	1	0.2	ND	M2
Clofentezine	0.029 / 0.088	1	0.2	ND		Phosmet	0.029 / 0.088	1	0.2	ND	
Cyfluthrin	0.147 / 0.440	1	1	ND	M2	Piperonyl Butoxide	0.293 / 0.880	1	2	ND	
Cypermethrin	0.147 / 0.440	1	1	ND	I1, M2	Prallethrin	0.029 / 0.088	1	0.2	ND	M1
Daminozide	0.147 / 0.440	1	1	ND		Propiconazole	0.059 / 0.176	1	0.4	ND	
Diazinon	0.029 / 0.088	1	0.2	ND		Propoxur	0.029 / 0.088	1	0.2	ND	
Dichlorvos	0.015 / 0.044	1	0.1	ND		Pyrethrins	0.123 / 0.369	1	1	ND	
Dimethoate	0.029 / 0.088	1	0.2	ND		Pyridaben	0.029 / 0.088	1	0.2	ND	M2
Ethoprophos	0.029 / 0.088	1	0.2	ND		Spinosad	0.029 / 0.088	1	0.2	ND	M2
Etofenprox	0.059 / 0.176	1	0.4	ND		Spiromesifen	0.029 / 0.088	1	0.2	ND	
Etoxazole	0.029 / 0.088	1	0.2	ND		Spirotetramat	0.029 / 0.088	1	0.2	ND	
Fenoxycarb	0.029 / 0.088	1	0.2	ND		Spiroxamine	0.059 / 0.176	1	0.4	ND	
Fenpyroximate	0.059 / 0.176	1	0.4	ND		Tebuconazole	0.059 / 0.176	1	0.4	ND	M2
Fipronil	0.059 / 0.176	1	0.4	ND	I1	Thiacloprid	0.029 / 0.088	1	0.2	ND	
Fonicamid	0.147 / 0.440	1	1	ND		Thiamethoxam	0.029 / 0.088	1	0.2	ND	
Fludioxonil	0.059 / 0.176	1	0.4	ND		Trifloxystrobin	0.029 / 0.088	1	0.2	ND	M2

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2404SMAZ0565.1758
 Batch #: 240419MDIS



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 5731

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By: 00000105DCOU00194638 Fort Consulting, LLC

Manufactured By: 00000105DCOU00194638 Fort Consulting, LLC

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2404SMAZ0565.1758
 Batch #: 240419MDIS



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 5731

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>