


Smokiez Edibles

2 N 35th Ave
Phoenix, AZ 85009
angelp@nirvanacenter.com
(928) 246-6949
Lic. #00000121ESBM38825533

Sample: 2407LVL0881.4568

Secondary License: ; Chain of Distribution:
Strain: watermelon (sweet); Batch Size: g; External Batch ID: 240603MDIS-W7.9.24
Sample Received: 07/09/2024; Report Created: 07/12/2024; Report Expiration: 07/12/2025
Sampling Date: 07/08/2024; Sampling Time: 8am; Sampling Person: angel
Harvest Date: 05/20/2024; Manufacturing Date: ; External Lot ID: 240603MDIS

100mg 10pk gummies-watermelon (sweet)
Ingestible, Soft Chew, Other



104.50mg/unit Total THC	ND Total CBD	104.50mg/unit Total Cannabinoids
NT Total Terpenes	Not Tested Moisture	

Cannabinoids

Complete

Analyte	LOQ mg/unit	Mass mg/unit	Mass mg/g	Qualifier
THCa	25.01	ND	ND	
Δ9-THC	25.01	104.50	1.74	
Δ8-THC	25.01	ND	ND	Q3
THCVa	25.01	ND	ND	Q3
THCV	25.01	ND	ND	Q3
CBDa	25.01	ND	ND	
CBD	25.01	ND	ND	
CBDVa	25.01	ND	ND	Q3
CBDV	25.01	ND	ND	Q3
CBN	25.01	ND	ND	Q3
CBGa	25.01	ND	ND	Q3
CBG	25.01	ND	ND	Q3
CBCa	25.01	ND	ND	Q3
CBC	25.01	ND	ND	Q3
Total		104.50	1.74	Q3

Qualifiers:
Date Tested: 07/09/2024 07:00 am
60.22
Total THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-LM-005. ADHS approved method for potency by HPLC-DAD for all listed analytes.
Retest 1



Certificate of Analysis

Powered by Confident LIMS
2 of 2

Smokiez Edibles

2 N 35th Ave
Phoenix, AZ 85009
angelp@nirvanacenter.com
(928) 246-6949
Lic. #00000121ESBM38825533

Sample: 2407LVL0881.4568

Secondary License: ; Chain of Distribution:
Strain: watermelon (sweet); Batch Size: g; External Batch ID: 240603MDIS-W7.9.24
Sample Received: 07/09/2024; Report Created: 07/12/2024; Report Expiration: 07/12/2025
Sampling Date: 07/08/2024; Sampling Time: 8am; Sampling Person: angel
Harvest Date: 05/20/2024; Manufacturing Date: ; External Lot ID: 240603MDIS

100mg 10pk gummies-watermelon (sweet)

Ingestible, Soft Chew, Other



Microbials

Pass

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not Detected	in one gram	Pass	
Aspergillus terreus	NR	in one gram	NT	
Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger	NR	in one gram	NT	

Qualifiers:
Date Tested: 07/10/2024 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Manager

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2406SMAZ0743.2292
 Batch #: 240603MDIS




CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6510

Distillate

Batch #: 240603MDIS
 Strain: Hybrid Blend
 Parent Batch #:
 Production Method: Alcohol
 Harvest Date:
 Received: 06/03/2024

Sample ID: 2406SMAZ0743.2292
 Amount Received: 4.8 g
 Sample Type: Vape
 Sample Collected: 06/03/2024 13:53:00
 Manufacture Date: 06/03/2024
 Published: 06/10/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

90.669% Total THC
<LOQ Total CBD
<LOQ CBN
2.917% CBG
95.669% Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2406SMAZ0743.2292
 Batch #: 240603MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6510

Cannabinoid Profile

HPLC **Tested**

Sample Prep
 Batch Date: 06/06/2024
 SOP: 418.AZ
 Batch Number: 1489

Sample Analysis
 Date: 06/07/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 0.041 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	1.257	3.813	4	0.930	9.296	
CBD	1.257	3.813	4	<LOQ	<LOQ	
CBDA	1.257	3.813	4	ND	ND	
CBDV	1.257	3.813	4	ND	ND	
CBG	1.257	3.813	4	2.917	29.175	
CBGA	1.257	3.813	4	ND	ND	
CBN	1.257	3.813	4	<LOQ	<LOQ	
d8-THC	1.257	3.813	4	ND	ND	
d9-THC	1.257	3.813	4	90.669	906.693	
THCA	1.257	3.813	4	ND	ND	
THCV	1.257	3.813	4	1.152	11.524	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	90.669	906.693	
Total CBD	<LOQ	<LOQ	
Total Cannabinoids	95.669	956.687	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2406SMAZ0743.2292
 Batch #: 240603MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6510

Terpene Total

GC-FID **Tested (0.0730%)**


Sample Prep

Batch Date: 06/06/2024
 SOP: 419
 Batch Number: 1484

Sample Analysis

Date: 06/07/2024
 SOP: 419 - GC-FID
 Sample Weight: 0.400 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0030	1	0.0287	Q3	gamma-Terpinene	0.0010 / 0.0030	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0030	1	ND	Q3	Geraniol	0.0010 / 0.0030	1	ND	Q3
alpha-Humulene	0.0010 / 0.0030	1	0.0053	Q3	Geranyl acetate	0.0010 / 0.0030	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0030	1	ND	Q3	Guaiol	0.0010 / 0.0030	1	0.0077	Q3
alpha-Pinene	0.0010 / 0.0030	1	ND	Q3	Hexahydrothymol	0.0010 / 0.0030	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0030	1	ND	Q3	Isoborneol	0.0010 / 0.0030	1	ND	Q3
beta-Myrcene	0.0010 / 0.0030	1	ND	Q3	Isopulegol	0.0010 / 0.0030	1	ND	Q3
beta-Pinene	0.0010 / 0.0030	1	ND	Q3	Limonene	0.0010 / 0.0030	1	ND	Q3
Borneol	0.0010 / 0.0030	1	ND	Q3	Linalool	0.0010 / 0.0030	1	ND	Q3
Camphene	0.0010 / 0.0030	1	ND	Q3	Nerol	0.0010 / 0.0030	1	ND	Q3
Camphor	0.0010 / 0.0030	1	ND	Q3	Pulegone (+)	0.0010 / 0.0030	1	ND	Q3
3-Carene	0.0010 / 0.0030	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0030	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0030	1	0.0096	Q3	Terpineol	0.0010 / 0.0030	1	0.0041	Q3
Cedrol	0.0010 / 0.0030	1	0.0176	Q3	Terpinolene	0.0010 / 0.0030	1	ND	Q3
cis-Nerolidol	0.0010 / 0.0030	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0030	1	ND	Q3
cis-Ocimene	0.0010 / 0.0030	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0030	1	<LOQ	Q3
Fenchyl alcohol	0.0010 / 0.0030	1	ND	Q3	trans-Ocimene	0.0010 / 0.0030	1	ND	Q3
Eucalyptol	0.0010 / 0.0030	1	ND	Q3	Valencene	0.0010 / 0.0030	1	ND	Q3
Fenchone	0.0010 / 0.0030	1	ND	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2406SMAZ0743.2292
 Batch #: 240603MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6510

Microbial Analysis

Pass

Sample Prep

Batch Date: 06/04/2024
 SOP: 431.AZ
 Batch Number: 1469

Sample Analysis

Date: 06/05/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.001 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 06/04/2024
 SOP: 406.AZ
 Batch Number: 1468

Sample Analysis

Date: 06/05/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.033 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 06/04/2024
 SOP: 406.AZ
 Batch Number: 1468

Sample Analysis

Date: 06/05/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.033 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2406SMAZ0743.2292
 Batch #: 240603MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6510

Residual Solvents

HS-GC-MS **Pass**

Sample Prep
 Batch Date: 06/04/2024
 SOP: 405.AZ
 Batch Number: 1467

Sample Analysis
 Date: 06/05/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.052 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	ND		Heptane	321 / 962	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	321 / 962	1	5000	ND	
Butanes	160 / 481	1	5000	ND		Methanol	192 / 577	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	321 / 962	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	321 / 962	1	5000	ND	
Ethanol	321 / 962	1	5000	ND		Toluene	58 / 171	1	890	ND	
Ethyl acetate	321 / 962	1	5000	ND		Xylenes	279 / 835	1	2170	ND	
Ethyl ether	321 / 962	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2406SMAZ0743.2292
 Batch #: 240603MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6510

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 06/06/2024
 SOP: 428.AZ
 Batch Number: 1485

Sample Analysis
 Date: 06/06/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.218 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.018	0.184	10	0.4	ND	
Cadmium	0.018	0.184	10	0.4	ND	
Lead	0.018	0.459	10	1	ND	
Mercury	0.018	0.092	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 06/05/2024
 SOP: 432.AZ
 Batch Number: 1478

Sample Analysis
 Date: 06/07/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.552 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.62	9.06	1	20	ND	R1 V1
Aflatoxin B1	3.62	9.06	1		ND	
Aflatoxin B2	3.62	9.06	1		ND	I1, R1 V1
Aflatoxin G1	3.62	9.06	1		ND	
Aflatoxin G2	3.62	4.53	1		ND	
Ochratoxin A	9.06	9.06	1	20	ND	I1, M1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2406SMAZ0743.2292
 Batch #: 240603MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6510

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 06/05/2024
 SOP: 432.AZ
 Batch Number: 1478

Sample Analysis

Date: 06/07/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.552 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.075 / 0.226	1	0.5	ND	M2	Hexythiazox	0.151 / 0.453	1	1	ND	M2
Acephate	0.061 / 0.181	1	0.4	ND		Imazalil	0.030 / 0.091	1	0.2	ND	
Acetamiprid	0.030 / 0.091	1	0.2	ND		Imidacloprid	0.061 / 0.181	1	0.4	ND	
Aldicarb	0.061 / 0.181	1	0.4	ND		Kresoxim-methyl	0.061 / 0.181	1	0.4	ND	
Azoxystrobin	0.030 / 0.091	1	0.2	ND		Malathion	0.030 / 0.091	1	0.2	ND	
Bifenazate	0.030 / 0.091	1	0.2	ND	M1	Metaxyl	0.030 / 0.091	1	0.2	ND	
Bifenthrin	0.030 / 0.091	1	0.2	ND	M2	Methiocarb	0.030 / 0.091	1	0.2	ND	M1
Boscalid	0.061 / 0.181	1	0.4	ND	M2	Methomyl	0.061 / 0.181	1	0.4	ND	
Carbaryl	0.030 / 0.091	1	0.2	ND		Myclobutanil	0.030 / 0.091	1	0.2	ND	
Carbofuran	0.030 / 0.091	1	0.2	ND		Naled	0.075 / 0.226	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.091	1	0.2	ND		Oxamyl	0.151 / 0.453	1	1	ND	
Chlorfenapyr	0.151 / 0.453	1	1	ND	M2	Pacllobutrazol	0.061 / 0.181	1	0.4	ND	
Chlorpyrifos	0.030 / 0.091	1	0.2	ND	M2	Permethrins	0.030 / 0.091	1	0.2	ND	M2
Clofentezine	0.030 / 0.091	1	0.2	ND	M2	Phosmet	0.030 / 0.091	1	0.2	ND	
Cyfluthrin	0.151 / 0.453	1	1	ND	M2	Piperonyl Butoxide	0.302 / 0.906	1	2	ND	
Cypermethrin	0.151 / 0.453	1	1	ND	M2	Prallethrin	0.030 / 0.091	1	0.2	ND	
Daminozide	0.151 / 0.453	1	1	ND		Propiconazole	0.061 / 0.181	1	0.4	ND	
Diazinon	0.030 / 0.091	1	0.2	ND		Propoxur	0.030 / 0.091	1	0.2	ND	
Dichlorvos	0.015 / 0.045	1	0.1	ND	M2	Pyrethrins	0.127 / 0.380	1	1	ND	
Dimethoate	0.030 / 0.091	1	0.2	ND		Pyridaben	0.030 / 0.091	1	0.2	ND	
Ethoprophos	0.030 / 0.091	1	0.2	ND		Spinosad	0.030 / 0.091	1	0.2	ND	M2
Etofenprox	0.061 / 0.181	1	0.4	ND		Spiromesifen	0.030 / 0.091	1	0.2	ND	
Etoxazole	0.030 / 0.091	1	0.2	ND		Spirotetramat	0.030 / 0.091	1	0.2	ND	
Fenoxycarb	0.030 / 0.091	1	0.2	ND		Spiroxamine	0.061 / 0.181	1	0.4	ND	
Fenpyroximate	0.061 / 0.181	1	0.4	ND	M2	Tebuconazole	0.061 / 0.181	1	0.4	ND	
Fipronil	0.061 / 0.181	1	0.4	ND		Thiacloprid	0.030 / 0.091	1	0.2	ND	
Fonicamid	0.151 / 0.453	1	1	ND		Thiamethoxam	0.030 / 0.091	1	0.2	ND	
Fludioxonil	0.061 / 0.181	1	0.4	ND	M2	Trifloxystrobin	0.030 / 0.091	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2406SMAZ0743.2292
 Batch #: 240603MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6510

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2406SMAZ0743.2292
 Batch #: 240603MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6510

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>