




# Certificate of Analysis

Pages 1 of 5

**PASSED**



**Harvest/Lot ID:** JARSDIS-052025SG  
**Batch #:** JARSDIS-052025SG-SBR7.21.25  
**Harvest Date:** 04/24/25  
**Production Method:** Alcohol  
**Total Amount:** 1 units  
**Retail Product Size:** 60.57 gram  
**Retail Serving Size:** 6.057  
**Servings:** 10

**Lab ID:** TE50721004-001  
**Ordered:** 07/21/25  
**Sample Date:** 07/21/25  
**Sample Collection Time:** 01:30 PM  
**Sample Size:** 63.25 gram  
**Completed:** 07/24/25

## Smokiez Edibles

2121 s 15th Ave  
phoenix, AZ, 85007, US  
**License # :** 00000121ESBM38825533

### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration  
**NOT TESTED**



Water Activity  
**NOT TESTED**



Moisture Content  
**NOT TESTED**



Vitamin E  
**NOT TESTED**



Terpenes  
**NOT TESTED**



## Cannabinoid

**PASSED**



**Total THC**  
**0.1810%**

Total THC/Container : 109.63 mg



**Total CBD**  
**ND**

Total CBD/Container : 0.00 mg



**Total Cannabinoids Q3**  
**0.1920%**

Total Cannabinoids/Container : 116.29 mg

|           | D9-THC  | THCA   | CBD    | CBDA   | CBG    | CBGA   | CBN    | D8-THC | THCV   | CBDV   | CBC    |
|-----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| %         | 0.1810  | ND     | ND     | ND     | 0.0070 | ND     | 0.0010 | ND     | 0.0010 | ND     | 0.0020 |
| mg/unit   | 109.632 | ND     | ND     | ND     | 4.240  | ND     | 0.606  | ND     | 0.606  | ND     | 1.211  |
| LOD       | 0.0001  | 0.0001 | 0.0001 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0001 |
| LOQ       | 0.0010  | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 |
| %         | %       | %      | %      | %      | %      | %      | %      | %      | %      | %      | %      |
| Qualifier |         |        |        |        |        |        |        |        |        |        |        |

Analyzed by:  
333, 540, 547, 603

Weight:  
3.0618g

Extraction date:  
07/22/25 17:01:11

Extracted by:  
333

**Analysis Method :** SOP.T.30.500, SOP.T.30.031, SOP.T.40.031

**Analytical Batch :** TE009867POT

**Instrument Used :** TE-004 "Blossom" (Flower)

**Analyzed Date :** 07/23/25 10:34:41

**Batch Date :** 07/21/25 16:42:55

**Dilution :** 40

**Reagent :** 071025.R04; 071025.R03; 010825.R24; 061125.R16

**Consumables :** 0000179471; 947.162; 8000038072; 20240202; 121324CH01; 220321-306-D; 425204; 1009944912; 04402004; GD240003

**Pipette :** TE-059 SN:20A04528 (20-200uL); TE-064 SN:20B27672 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Madison Levy**  
Lab Director

State License #  
00000024LCMD66604568  
ISO 17025 Accreditation #  
97164

Signature  
07/24/25



# Certificate of Analysis

Pages 2 of 5

## Smokiez Edibles

2121 s 15th Ave  
phoenix, AZ, 85007, US  
License # : 00000121ESBM38825533

Sample: TE50721004-001

Batch #: JARSDIS-052025SG-SBR7.21.25  
Harvest/Lot ID: JARSDIS-052025SG

Ordered: 07/21/25  
Sampled: 07/21/25  
Completed: 07/24/25

**PASSED**



## Label Claim Verification

**PASSED**

| ANALYTES                          |         | UNIT             | LOD           | LOQ              | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------|---------|------------------|---------------|------------------|-------|-----------|--------|-----------|
| Analyzed by:                      | Weight: | Extraction date: | Extracted by: |                  |       |           |        |           |
| Analysis Method : N/A             |         |                  |               |                  |       |           |        |           |
| Analytical Batch : N/A            |         |                  |               |                  |       |           |        |           |
| Instrument Used : N/A             |         |                  |               |                  |       |           |        |           |
| Analyzed Date : 07/23/25 10:34:53 |         |                  |               | Batch Date : N/A |       |           |        |           |



## Pesticide

**PASSED**

| ANALYTES                    | UNIT | LOD   | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------|------|-------|------|-------|-----------|--------|-----------|
| AVERMECTINS (ABAMECTIN B1A) | ppm  | 0.017 | 0.25 | 0.5   | PASS      | ND     |           |
| ACEPHATE                    | ppm  | 0.01  | 0.2  | 0.4   | PASS      | ND     |           |
| ACETAMIPRID                 | ppm  | 0.005 | 0.1  | 0.2   | PASS      | ND     |           |
| ALDICARB                    | ppm  | 0.014 | 0.2  | 0.4   | PASS      | ND     |           |
| AZOXYSTROBIN                | ppm  | 0.005 | 0.1  | 0.2   | PASS      | ND     |           |
| BIFENAZATE                  | ppm  | 0.006 | 0.1  | 0.2   | PASS      | ND     |           |
| BIFENTHRIN                  | ppm  | 0.005 | 0.1  | 0.2   | PASS      | ND     |           |
| BOSCALID                    | ppm  | 0.005 | 0.2  | 0.4   | PASS      | ND     |           |
| CARBARYL                    | ppm  | 0.008 | 0.1  | 0.2   | PASS      | ND     |           |
| CARBOFURAN                  | ppm  | 0.005 | 0.1  | 0.2   | PASS      | ND     |           |
| CHLORANTRANILIPROLE         | ppm  | 0.011 | 0.1  | 0.2   | PASS      | ND     |           |
| CHLORPYRIFOS                | ppm  | 0.005 | 0.1  | 0.2   | PASS      | ND     |           |
| CLOFENTEZINE                | ppm  | 0.01  | 0.1  | 0.2   | PASS      | ND     |           |
| CYPERMETHRIN                | ppm  | 0.1   | 0.5  | 1     | PASS      | ND     |           |
| DAMINOZIDE                  | ppm  | 0.01  | 0.5  | 1     | PASS      | ND     |           |
| DIAZINON                    | ppm  | 0.006 | 0.1  | 0.2   | PASS      | ND     |           |
| DICHLORVOS (DDVP)           | ppm  | 0.001 | 0.05 | 0.1   | PASS      | ND     |           |
| DIMETHOATE                  | ppm  | 0.006 | 0.1  | 0.2   | PASS      | ND     |           |
| ETHOPROPHOS                 | ppm  | 0.004 | 0.1  | 0.2   | PASS      | ND     |           |
| ETOFENPROX                  | ppm  | 0.006 | 0.2  | 0.4   | PASS      | ND     |           |
| ETOXAZOLE                   | ppm  | 0.004 | 0.1  | 0.2   | PASS      | ND     |           |
| FENOXYCARB                  | ppm  | 0.005 | 0.1  | 0.2   | PASS      | ND     |           |
| FENPYROXIMATE               | ppm  | 0.004 | 0.2  | 0.4   | PASS      | ND     |           |
| FIPRONIL                    | ppm  | 0.006 | 0.2  | 0.4   | PASS      | ND     |           |
| FLONICAMID                  | ppm  | 0.009 | 0.5  | 1     | PASS      | ND     |           |
| FLUDIOXONIL                 | ppm  | 0.006 | 0.2  | 0.4   | PASS      | ND     |           |
| HEXYTHIAZOX                 | ppm  | 0.005 | 0.5  | 1     | PASS      | ND     |           |
| IMAZALIL                    | ppm  | 0.011 | 0.1  | 0.2   | PASS      | ND     |           |
| IMIDACLOPRID                | ppm  | 0.008 | 0.2  | 0.4   | PASS      | ND     |           |
| KRESOXIM-METHYL             | ppm  | 0.007 | 0.2  | 0.4   | PASS      | ND     |           |
| MALATHION                   | ppm  | 0.007 | 0.1  | 0.2   | PASS      | ND     |           |
| METALAXYL                   | ppm  | 0.004 | 0.1  | 0.2   | PASS      | ND     |           |
| METHIOCARB                  | ppm  | 0.004 | 0.1  | 0.2   | PASS      | ND     |           |
| METHOMYL                    | ppm  | 0.005 | 0.2  | 0.4   | PASS      | ND     |           |
| MYCLOBUTANIL                | ppm  | 0.01  | 0.1  | 0.2   | PASS      | ND     |           |
| NALED                       | ppm  | 0.007 | 0.25 | 0.5   | PASS      | ND     |           |
| OXAMYL                      | ppm  | 0.008 | 0.5  | 1     | PASS      | ND     |           |
| PACLOBUTRAZOL               | ppm  | 0.005 | 0.2  | 0.4   | PASS      | ND     |           |
| TOTAL PERMETHRINS           | ppm  | 0.003 | 0.1  | 0.2   | PASS      | ND     |           |
| PHOSMET                     | ppm  | 0.01  | 0.1  | 0.2   | PASS      | ND     |           |
| PIPERONYL BUTOXIDE          | ppm  | 0.005 | 1    | 2     | PASS      | ND     |           |
| PRALLETHRIN                 | ppm  | 0.013 | 0.1  | 0.2   | PASS      | ND     |           |
| PROPICONAZOLE               | ppm  | 0.005 | 0.2  | 0.4   | PASS      | ND     |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Madison Levy**  
Lab Director  
State License #  
00000024LCMD66604568  
ISO 17025 Accreditation #  
97164

  
Signature  
07/24/25



# Certificate of Analysis

Pages 3 of 5

## Smokiez Edibles

2121 s 15th Ave  
phoenix, AZ, 85007, US  
License # : 00000121ESBM38825533

## Sample: TE50721004-001

Batch #: JARSDIS-052025SG-SBR7.21.25  
Harvest/Lot ID: JARSDIS-052025SG

Ordered: 07/21/25  
Sampled: 07/21/25  
Completed: 07/24/25

**PASSED**



## Pesticide

**PASSED**

| ANALYTES         | UNIT | LOD   | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------|------|-------|-----|-------|-----------|--------|-----------|
| PROPOXUR         | ppm  | 0.005 | 0.1 | 0.2   | PASS      | ND     |           |
| TOTAL PYRETHRINS | ppm  | 0.001 | 0.5 | 1     | PASS      | ND     |           |
| PYRIDABEN        | ppm  | 0.004 | 0.1 | 0.2   | PASS      | ND     |           |
| TOTAL SPINOSAD   | ppm  | 0.006 | 0.1 | 0.2   | PASS      | ND     |           |
| SPIROMESIFEN     | ppm  | 0.008 | 0.1 | 0.2   | PASS      | ND     |           |
| SPIROTETRAMAT    | ppm  | 0.006 | 0.1 | 0.2   | PASS      | ND     |           |
| SPIROXAMINE      | ppm  | 0.004 | 0.2 | 0.4   | PASS      | ND     |           |
| TEBUCONAZOLE     | ppm  | 0.004 | 0.2 | 0.4   | PASS      | ND     |           |
| THIACLOPRID      | ppm  | 0.006 | 0.1 | 0.2   | PASS      | ND     |           |
| THIAMETHOXAM     | ppm  | 0.006 | 0.1 | 0.2   | PASS      | ND     |           |
| TRIFLOXYSTROBIN  | ppm  | 0.006 | 0.1 | 0.2   | PASS      | ND     |           |
| CHLORFENAPYR     | ppm  | 0.027 | 0.3 | 1     | PASS      | ND     |           |
| CYFLUTHRIN       | ppm  | 0.015 | 0.5 | 1     | PASS      | ND     |           |

|                                    |                    |                                       |                      |
|------------------------------------|--------------------|---------------------------------------|----------------------|
| Analyzed by:<br>410, 152, 547, 603 | Weight:<br>1.0517g | Extraction date:<br>07/22/25 12:08:40 | Extracted by:<br>410 |
|------------------------------------|--------------------|---------------------------------------|----------------------|

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ  
Analytical Batch : TE009864PES  
Instrument Used : TE-262 "MS/MS - Pest/Myco 2",TE-117 UHPLC - Pest/Myco 2  
Batch Date : 07/21/25 16:31:52  
Analyzed Date : 07/23/25 14:09:26

Dilution : 50  
Reagent : 051325.R09; 070125.R35; 060425.R20; 070125.R29; 072125.R05; 071725.R15; 061125.R28; 071525.R05  
Consumables : 9479291.162; 8000038072; 042425CH01; 220321-306-D; 1010008456; GD240003  
Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Pesticide screening is carried out using LC-MS/MS (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).

|                                    |                    |                                       |                      |
|------------------------------------|--------------------|---------------------------------------|----------------------|
| Analyzed by:<br>410, 152, 547, 603 | Weight:<br>1.0517g | Extraction date:<br>07/22/25 12:08:40 | Extracted by:<br>410 |
|------------------------------------|--------------------|---------------------------------------|----------------------|

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ  
Analytical Batch : TE009882VOL  
Instrument Used : TE-117 UHPLC - Pest/Myco 2,TE-262 "MS/MS - Pest/Myco 2"  
Batch Date : 07/22/25 17:10:46  
Analyzed Date : 07/23/25 14:10:11

Dilution : 50  
Reagent : 051325.R09; 070125.R35; 060425.R20; 070125.R29; 072125.R05; 071725.R15; 061125.R28; 071525.R05  
Consumables : 9479291.162; 8000038072; 042425CH01; 220321-306-D; 1010008456; GD240003  
Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Chlorfenapyr and Cyfluthrin analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC)



## Residual Solvents

**PASSED**

| ANALYTES        | UNIT | LOD   | LOQ   | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------|------|-------|-------|-------|-----------|--------|-----------|
| BUTANES         | ppm  | 168.2 | 2400  | 5000  | PASS      | ND     |           |
| METHANOL        | ppm  | 87.7  | 1440  | 3000  | PASS      | ND     |           |
| PENTANES        | ppm  | 163.9 | 2400  | 5000  | PASS      | ND     |           |
| ETHANOL         | ppm  | 142.2 | 2400  | 5000  | PASS      | ND     |           |
| ETHYL ETHER     | ppm  | 193.1 | 2400  | 5000  | PASS      | ND     |           |
| ACETONE         | ppm  | 37.6  | 480   | 1000  | PASS      | ND     |           |
| 2-PROPANOL      | ppm  | 156.2 | 2400  | 5000  | PASS      | ND     |           |
| ACETONITRILE    | ppm  | 12.2  | 196.8 | 410   | PASS      | ND     |           |
| DICHLOROMETHANE | ppm  | 22.7  | 288   | 600   | PASS      | ND     |           |
| HEXANES         | ppm  | 8.4   | 139.2 | 290   | PASS      | ND     |           |
| ETHYL ACETATE   | ppm  | 179   | 2400  | 5000  | PASS      | ND     |           |
| CHLOROFORM      | ppm  | 2.41  | 28.8  | 60    | PASS      | ND     |           |
| BENZENE         | ppm  | 0.115 | 1.2   | 2     | PASS      | ND     |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Madison Levy**  
Lab Director  
  
State License #  
00000024LCMD66604568  
ISO 17025 Accreditation #  
97164

  
Signature  
07/24/25



# Certificate of Analysis

Pages 4 of 5

## Smokiez Edibles

2121 s 15th Ave  
phoenix, AZ, 85007, US  
License # : 00000121ESBM38825533

Sample: TE50721004-001

Batch #: JARSDIS-052025SG-SBR7.21.25  
Harvest/Lot ID: JARSDIS-052025SG

Ordered: 07/21/25  
Sampled: 07/21/25  
Completed: 07/24/25

**PASSED**



## Residual Solvents

**PASSED**

| ANALYTES          | UNIT | LOD   | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------|------|-------|--------|-------|-----------|--------|-----------|
| HEPTANE           | ppm  | 152.8 | 2400   | 5000  | PASS      | ND     |           |
| ISOPROPYL ACETATE | ppm  | 168.6 | 2400   | 5000  | PASS      | ND     |           |
| TOLUENE           | ppm  | 26.2  | 427.2  | 890   | PASS      | ND     |           |
| XYLENES           | ppm  | 53.2  | 1041.6 | 2170  | PASS      | ND     |           |

Analyzed by: 334, 547, 603      Weight: 0.0225g      Extraction date: 07/22/25 12:51:50      Extracted by: 334

Analysis Method : SOP.T.40.044.AZ  
Analytical Batch : TE009873SOL  
Instrument Used : TE-092 "GC - Solvents 1", TE-095 "MS - Solvents 1", TE-098 "Injector - Solvents 1", TE-100 "HS - Solvents 1", TE-113 "Vacuum Pump - Solvents 1"      Batch Date : 07/22/25 12:48:08  
Analyzed Date : 07/24/25 10:51:39

Dilution : N/A  
Reagent : 071525.01; 032625.31  
Consumables : H109203-1; 431526; 103689; GD240003  
Pipette : TE-347 (25ul gastight); TE-348 25ul gastight SN:42677

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.



## Microbial

**PASSED**

| ANALYTES               | UNIT  | LOD | LOQ | LIMIT | PASS/FAIL | RESULT             | QUALIFIER |
|------------------------|-------|-----|-----|-------|-----------|--------------------|-----------|
| SALMONELLA SPP.        |       | 1   | 1   | 1     | PASS      | Not Detected in 1g |           |
| ESCHERICHIA COLI (REC) | CFU/g | 10  | 10  | 100   | PASS      | <10                |           |

Analyzed by: 331, 547, 603      Weight: 1.0641g      Extraction date: 07/22/25 12:08:32      Extracted by: 545,527

Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ  
Analytical Batch : TE009863MIC  
Instrument Used : TE-234 "bioMerieux GENE-UP"      Batch Date : 07/21/25 16:17:33  
Analyzed Date : 07/23/25 17:10:19

Dilution : 10  
Reagent : 053025.13; 031725.14; 072225.R01; 041825.39; 021125.23; 021125.26; 081324.90; 041025.25; 050725.05; 052125.65; 032725.02; 061725.12  
Consumables : 343P3T; 1008855960; 1009817562; 2240626; 042425CH01; 1009015070; 1010008456  
Pipette : TE-075 SN:RU31709; TE-053 SN:20E78952; TE-057 SN:21D58688; TE-058 SN:20C35427; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMerieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm.



## Mycotoxins

**PASSED**

| ANALYTES         | UNIT | LOD  | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------|------|------|-----|-------|-----------|--------|-----------|
| TOTAL AFLATOXINS | ppb  | 3.03 | 10  | 20    | PASS      | ND     |           |
| AFLATOXIN B1     | ppb  | 3.03 | 10  | 20    | PASS      | ND     |           |
| AFLATOXIN B2     | ppb  | 3.03 | 10  | 20    | PASS      | ND     |           |
| AFLATOXIN G1     | ppb  | 3.03 | 10  | 20    | PASS      | ND     |           |
| AFLATOXIN G2     | ppb  | 3.03 | 10  | 20    | PASS      | ND     |           |
| OCHRATOXIN A     | ppb  | 3.03 | 10  | 20    | PASS      | ND     |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Madison Levy**  
Lab Director  
  
State License #  
00000024LCMD66604568  
ISO 17025 Accreditation #  
97164

Signature  
07/24/25



# Certificate of Analysis

Pages 5 of 5

## Smokiez Edibles

2121 s 15th Ave  
phoenix, AZ, 85007, US  
License # : 00000121ESBM38825533

Sample: TE50721004-001

Batch #: JARSDIS-052025SG-SBR7.21.25  
Harvest/Lot ID: JARSDIS-052025SG

Ordered: 07/21/25  
Sampled: 07/21/25  
Completed: 07/24/25

**PASSED**



## Mycotoxins

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                        | UNIT               | LOD                                   | LOQ                  | LIMIT | PASS/FAIL | RESULT                         | QUALIFIER |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|----------------------|-------|-----------|--------------------------------|-----------|
| Analyzed by:<br>410, 152, 547, 603                                                                                                                                                                                                                                                                                                              | Weight:<br>1.0517g | Extraction date:<br>07/22/25 12:08:40 | Extracted by:<br>410 |       |           |                                |           |
| Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ                                                                                                                                                                                                                                                                                |                    |                                       |                      |       |           |                                |           |
| Analytical Batch : TE009883MYC                                                                                                                                                                                                                                                                                                                  |                    |                                       |                      |       |           |                                |           |
| Instrument Used : TE-262 "MS/MS - Pest/Myco 2,TE-117 UHPLC - Pest/Myco 2                                                                                                                                                                                                                                                                        |                    |                                       |                      |       |           | Batch Date : 07/22/25 17:11:20 |           |
| Analyzed Date : 07/23/25 14:09:51                                                                                                                                                                                                                                                                                                               |                    |                                       |                      |       |           |                                |           |
| Dilution : 50                                                                                                                                                                                                                                                                                                                                   |                    |                                       |                      |       |           |                                |           |
| Reagent : 051325.R09; 070125.R35; 060425.R20; 070125.R29; 072125.R05; 071725.R15; 061125.R28; 071525.R05                                                                                                                                                                                                                                        |                    |                                       |                      |       |           |                                |           |
| Consumables : 9479291.162; 8000038072; 042425CH01; 220321-306-D; 1010008456; GD240003                                                                                                                                                                                                                                                           |                    |                                       |                      |       |           |                                |           |
| Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)                                                                                                                                                                                                                                                                                   |                    |                                       |                      |       |           |                                |           |
| Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSO with Vanquish UHPLC). Total Aflatoxins (sum of Aflatoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg. |                    |                                       |                      |       |           |                                |           |



## Heavy Metals

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                     | UNIT               | LOD                                   | LOQ | LIMIT                          | PASS/FAIL                | RESULT | QUALIFIER |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-----|--------------------------------|--------------------------|--------|-----------|
| ARSENIC                                                                                                                                                                                                                                                                                                                                                                      | ppm                | 0.066                                 | 0.2 | 0.4                            | PASS                     | ND     |           |
| CADMIUM                                                                                                                                                                                                                                                                                                                                                                      | ppm                | 0.066                                 | 0.2 | 0.4                            | PASS                     | ND     |           |
| LEAD                                                                                                                                                                                                                                                                                                                                                                         | ppm                | 0.166                                 | 0.5 | 1                              | PASS                     | ND     |           |
| MERCURY                                                                                                                                                                                                                                                                                                                                                                      | ppm                | 0.0333                                | 0.1 | 1.2                            | PASS                     | ND     |           |
| Analyzed by:<br>398, 547, 603                                                                                                                                                                                                                                                                                                                                                | Weight:<br>0.1971g | Extraction date:<br>07/22/25 12:29:11 |     |                                | Extracted by:<br>527,398 |        |           |
| Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ                                                                                                                                                                                                                                                                                                             |                    |                                       |     |                                |                          |        |           |
| Analytical Batch : TE009871HEA                                                                                                                                                                                                                                                                                                                                               |                    |                                       |     |                                |                          |        |           |
| Instrument Used : TE-141 "Wolfgang",TE-307 "Ted"                                                                                                                                                                                                                                                                                                                             |                    |                                       |     | Batch Date : 07/22/25 12:28:27 |                          |        |           |
| Analyzed Date : 07/23/25 14:10:30                                                                                                                                                                                                                                                                                                                                            |                    |                                       |     |                                |                          |        |           |
| Dilution : 50                                                                                                                                                                                                                                                                                                                                                                |                    |                                       |     |                                |                          |        |           |
| Reagent : 122624.26; 072125.R08; 072225.R19; 072125.R06; 010325.07; 071125.04; 090922.04                                                                                                                                                                                                                                                                                     |                    |                                       |     |                                |                          |        |           |
| Consumables : 042425CH01; 220321-306-D; 1009944912; GD240003                                                                                                                                                                                                                                                                                                                 |                    |                                       |     |                                |                          |        |           |
| Pipette : TE-063 SN:20C50490 (20-200uL); TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)                                                                                                                                                                                                                                                                  |                    |                                       |     |                                |                          |        |           |
| Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS). |                    |                                       |     |                                |                          |        |           |

## CONFIDENT CANNABIS QR

\* Confident Cannabis sample ID: 2507KLAZ0892.3785



# **JARS CANNABIS**

*Dreem Green Inc. - 00000078ESQG10647381*

**USING MARIJUANA DURING PREGNANCY COULD CAUSE BIRTH DEFECTS OR OTHER HEALTH ISSUES TO YOUR UNBORN CHILD.**

**Batch #:** JARSDIS – 052025SG

**Form:** Distillate

**Cultivated by:**

Bailey Management LLC (Green Dreem) 0000143DRCJN36084405

Health Center of Cochise MEL# 00000099ESVM28064808

**Harvest Date:**

| Batch                                                           | Strain                 | Harvest date |
|-----------------------------------------------------------------|------------------------|--------------|
| <b>Bailey Management LLC (Green Dreem) 0000143DRCJN36084405</b> |                        |              |
| GG.012025.23-5F                                                 | Grape Gas              | 4/24/2025    |
| MIM.012025.23-5F                                                | Mimosa                 | 4/24/2025    |
| APL.012025.23-5F                                                | PLCG x Applelicious    | 4/24/2025    |
| VB.012025.23-5F                                                 | Variety Blend          | 4/24/2025    |
| FC#208.01222025.24-1J                                           | Flavor Crystals        | 5/5/2025     |
| OCC#270.01222025.24-1J                                          | Orange Cream Cake #270 | 5/5/2025     |
| APL.01222025.24-1J                                              | PLCG x Applelicious    | 5/5/2025     |
| SLRS.12262024.22-4G                                             | Slushers               | 4/14/2025    |
| VB.01222025.24-1J                                               | Variety Blend          | 5/5/2025     |
| <b>Health Center of Cochise MEL# 00000099ESVM28064808</b>       |                        |              |
| ANIMAL GRAPES.B24A.13.2025.(9333)                               | Animal Grapes          | 3/26/2025    |
| Chem OG.B10B.17.2025.(9822)                                     | Chem OG                | 4/22/2025    |
| CHEMISTRY 64.B7B10B.17.2025.(9826)                              | Chemistry #64          | 4/23/2025    |
| G4.B11B.16.2025.(9318)                                          | G4                     | 4/16/2025    |
| G4.B12B.17.2025.(9827)                                          | G4                     | 4/23/2025    |
| GMO.B9B10B.17.2025.(9824)                                       | GMO                    | 4/22/2025    |
| GMO.B7B.17.2025.(9820)                                          | GMO                    | 4/21/2025    |
| GMO.B9B10B.17.2025.(9824)                                       | GMO                    | 4/22/2025    |
| GMO.B8B.17.2025.(9821)                                          | GMO                    | 4/22/2025    |

|                                                       |                              |           |
|-------------------------------------------------------|------------------------------|-----------|
| GMO.B13B.17.2025.(9928)                               | GMO                          | 4/24/2025 |
| LURCH.B15B.17.2025.(9924)                             | Lurch                        | 4/25/2025 |
| Lurch.B14B.17.2025.(9927)                             | Lurch                        | 4/24/2025 |
| MOTORBREATH X HEADBANGER<br>OG.B10B.17.2025.(9823)    | Motorbreath x Headbanger OG  | 4/22/2025 |
| MOTORBREATH X HEADBANGER<br>OG.B11B.17.2025.(9825)    | Motorbreath x Headbanger OG  | 4/23/2025 |
| Mule Fuel.B14B.17.2025.(9922)                         | Mule Fuel                    | 4/24/2025 |
| Mule Fuel.B12B13B.17.2025.(9926)                      | Mule Fuel                    | 4/23/2025 |
| ULTRA SOUR DUBBLE DIESEL<br>20.B20B21A.14.2025.(9335) | Ultra Sour Dubble Diesel #20 | 3/31/2025 |
| ULTRA SOUR DUBBLE DIESEL<br>20.B15B16A.13.2025.(9334) | Ultra Sour Dubble Diesel #20 | 3/25/2025 |
| Ultraviolet.B15B.17.2025.(9925)                       | Ultraviolet                  | 4/25/2025 |
| WEDDING CAKE.B14B15B.17.2025.(9929)                   | Wedding Cake                 | 4/25/2025 |
| WEDDING CAKE.B9B10B.16.2025.(9315)                    | Wedding Cake                 | 4/16/2025 |
| Wedding Cake.B16B17B.17.2025.(9923)                   | Wedding Cake                 | 4/26/2025 |

**Manufactured By:** Dreem Green Inc. - 00000078ESQG10647381

**Manufacture Date:** 5.20.25

**Extraction Method:** Ethanol

**Strain:** Hybrid

**Distribution:**

Gila Dreams X, LLC 00000137ESPF58509627

Legacy & Co., Inc. 00000079ESTS64678211

Dreem Green 00000078ESQG10647381

Desert Medical Campus 00000038ESPN59181329

Mohave Cannabis Club 1, LLC 00000098ESAA47054477

Mohave Cannabis Club 2, LLC 00000119ESKK32735375

Mohave Cannabis Club 3, LLC 00000122ESRN95872973

Mohave Cannabis Club 4, LLC 00000107ESVJ79465811

Yuma County Dispensary LLC 0000145ESNP12373673

Piper's Shop LLC Establishment 00000138ESOA91816349

Lawrence Health Services LLC 00000136ESTJ56415147

MCCSE82 0000165ESTJX05511145

MCCSE214 0000164ESTEB22806734

MCCSE240 0000169ESTMB88870542

Greenmed, Inc 00000017DCEX00412883 00000113 ESLZ23 317951

Payson Dreams LLC 0000141DRCDP24213459

Wickenburg Alternative Medicine LLC 00000097ESKC38985532  
00000061DCMK00381513

### **Final Sale:**

Adult Use consumer or valid Medical Marijuana Patient card holder.



## JARS Cannabis Bulk Distillate

Sample ID: 2506AP02432.12562  
Strain: Hybrid  
Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #:

Produced:  
Collected: 06/04/2025 02:05 pm  
Received: 06/04/2025  
Completed: 06/09/2025  
Batch #: JARSDIS - 052025SG  
Harvest Date:

Client  
**JARS Cannabis**  
Lic. # 00000078ESQG10647381

Lot #: JARSDIS - 052025SG  
Production/Manufacture Date: 05/20/2025  
Production/Manufacture Method: Alcohol



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 06/06/2025  | Complete |
| Residual Solvents | 06/06/2025  | Pass     |
| Microbials        | 06/09/2025  | Pass     |
| Mycotoxins        | 06/06/2025  | Pass     |
| Pesticides        | 06/06/2025  | Pass     |
| Heavy Metals      | 06/06/2025  | Pass     |

### Cannabinoids by SOP-6

Complete

|                              |                             |                                                       |                                             |
|------------------------------|-----------------------------|-------------------------------------------------------|---------------------------------------------|
| <b>91.3874%</b><br>Total THC | <b>0.2015%</b><br>Total CBD | <b>96.0309%</b><br>Total Cannabinoids <sup>(Q3)</sup> | <b>NT</b><br>Total Terpenes <sup>(Q3)</sup> |
|------------------------------|-----------------------------|-------------------------------------------------------|---------------------------------------------|

| Analyte          | LOD<br>% | LOQ<br>% | Result<br>%    | Result<br>mg/g  | Q |
|------------------|----------|----------|----------------|-----------------|---|
| THCa             |          | 0.1000   | ND             | ND              |   |
| Δ9-THC           |          | 0.1000   | 91.3874        | 913.874         |   |
| Δ8-THC           |          | 0.1000   | ND             | ND              |   |
| THCV             |          | 0.1000   | 0.5928         | 5.928           |   |
| CBDa             |          | 0.1000   | ND             | ND              |   |
| CBD              |          | 0.1000   | 0.2015         | 2.015           |   |
| CBDVa            |          | 0.1000   | ND             | ND              |   |
| CBDV             |          | 0.1000   | ND             | ND              |   |
| CBN              |          | 0.1000   | 0.2971         | 2.971           |   |
| CBGa             |          | 0.1000   | ND             | ND              |   |
| CBG              |          | 0.1000   | 2.7185         | 27.185          |   |
| CBC              |          | 0.1000   | 0.8336         | 8.336           |   |
| <b>Total THC</b> |          |          | <b>91.3874</b> | <b>913.8740</b> |   |
| <b>Total CBD</b> |          |          | <b>0.2015</b>  | <b>2.0150</b>   |   |
| <b>Total</b>     |          |          | <b>96.0309</b> | <b>960.309</b>  |   |

Date Tested: 06/06/2025 07:00 am



*Anthony Settanni*  
Anthony Settanni  
Lab Director  
06/09/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



#### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

#### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## JARS Cannabis Bulk Distillate

**Sample ID:** 2506APO2432.12562  
**Strain:** Hybrid

**Matrix:** Concentrates & Extracts  
**Type:** Distillate  
**Source Batch #:**

**Produced:**  
**Collected:** 06/04/2025 02:05 pm  
**Received:** 06/04/2025  
**Completed:** 06/09/2025  
**Batch #:** JARSDIS - 052025SG  
**Harvest Date:**

**Client**  
**JARS Cannabis**  
**Lic. #** 00000078ESQG10647381

**Lot #:** JARSDIS - 052025SG  
**Production/Manufacture Date:** 05/20/2025  
**Production/Manufacture Method:** Alcohol

### Pesticides by SOP-22

Pass

| Analyte             | LOQ    | Limit  | Result | Q | Status | Analyte         | LOQ    | Limit  | Result | Q | Status |
|---------------------|--------|--------|--------|---|--------|-----------------|--------|--------|--------|---|--------|
|                     | PPM    | PPM    | PPM    |   |        |                 | PPM    | PPM    | PPM    |   |        |
| Abamectin           | 0.2500 | 0.5000 | ND     |   | Pass   | Hexythiazox     | 0.5000 | 1.0000 | ND     |   | Pass   |
| Acephate            | 0.2000 | 0.4000 | ND     |   | Pass   | Imazalil        | 0.1000 | 0.2000 | ND     |   | Pass   |
| Acetamiprid         | 0.1000 | 0.2000 | ND     |   | Pass   | Imidacloprid    | 0.2000 | 0.4000 | ND     |   | Pass   |
| Aldicarb            | 0.2000 | 0.4000 | ND     |   | Pass   | Kresoxim Methyl | 0.2000 | 0.4000 | ND     |   | Pass   |
| Azoxystrobin        | 0.1000 | 0.2000 | ND     |   | Pass   | Malathion       | 0.1000 | 0.2000 | ND     |   | Pass   |
| Bifenazate          | 0.1000 | 0.2000 | ND     |   | Pass   | Metalaxyl       | 0.1000 | 0.2000 | ND     |   | Pass   |
| Bifenthrin          | 0.1000 | 0.2000 | ND     |   | Pass   | Methiocarb      | 0.1000 | 0.2000 | ND     |   | Pass   |
| Boscalid            | 0.2000 | 0.4000 | ND     |   | Pass   | Methomyl        | 0.2000 | 0.4000 | ND     |   | Pass   |
| Carbaryl            | 0.1000 | 0.2000 | ND     |   | Pass   | Myclobutanil    | 0.1000 | 0.2000 | ND     |   | Pass   |
| Carbofuran          | 0.1000 | 0.2000 | ND     |   | Pass   | Naled           | 0.2500 | 0.5000 | ND     |   | Pass   |
| Chlorantraniliprole | 0.1000 | 0.2000 | ND     |   | Pass   | Oxamyl          | 0.5000 | 1.0000 | ND     |   | Pass   |
| Chlorfenapyr        | 0.5000 | 1.0000 | ND     |   | Pass   | Paclobutrazol   | 0.2000 | 0.4000 | ND     |   | Pass   |
| Chlorpyrifos        | 0.1000 | 0.2000 | ND     |   | Pass   | Permethrins     | 0.1000 | 0.2000 | ND     |   | Pass   |
| Clofentezine        | 0.1000 | 0.2000 | ND     |   | Pass   | Phosmet         | 0.1000 | 0.2000 | ND     |   | Pass   |
| Cyfluthrin          | 0.5000 | 1.0000 | ND     |   | Pass   | Piperonyl       | 1.0000 | 2.0000 | ND     |   | Pass   |
| Cypermethrin        | 0.5000 | 1.0000 | ND     |   | Pass   | Butoxide        |        |        |        |   |        |
| Daminozide          | 0.5000 | 1.0000 | ND     |   | Pass   | Prallethrin     | 0.1000 | 0.2000 | ND     |   | Pass   |
| Diazinon            | 0.1000 | 0.2000 | ND     |   | Pass   | Propiconazole   | 0.2000 | 0.4000 | ND     |   | Pass   |
| Dichlorvos          | 0.0500 | 0.1000 | ND     |   | Pass   | Propoxur        | 0.1000 | 0.2000 | ND     |   | Pass   |
| Dimethoate          | 0.1000 | 0.2000 | ND     |   | Pass   | Pyrethrins      | 0.5000 | 1.0000 | ND     |   | Pass   |
| Ethoprophos         | 0.1000 | 0.2000 | ND     |   | Pass   | Pyridaben       | 0.1000 | 0.2000 | ND     |   | Pass   |
| Etofenprox          | 0.2000 | 0.4000 | ND     |   | Pass   | Spinosad        | 0.1000 | 0.2000 | ND     |   | Pass   |
| Etoxazole           | 0.1000 | 0.2000 | ND     |   | Pass   | Spiromesifen    | 0.1000 | 0.2000 | ND     |   | Pass   |
| Fenoxycarb          | 0.1000 | 0.2000 | ND     |   | Pass   | Spirotetramat   | 0.1000 | 0.2000 | ND     |   | Pass   |
| Fenpyroximate       | 0.2000 | 0.4000 | ND     |   | Pass   | Spiroxamine     | 0.2000 | 0.4000 | ND     |   | Pass   |
| Fipronil            | 0.2000 | 0.4000 | ND     |   | Pass   | Tebuconazole    | 0.2000 | 0.4000 | ND     |   | Pass   |
| Flonicamid          | 0.5000 | 1.0000 | ND     |   | Pass   | Thiacloprid     | 0.1000 | 0.2000 | ND     |   | Pass   |
| Fludioxonil         | 0.2000 | 0.4000 | ND     |   | Pass   | Thiamethoxam    | 0.1000 | 0.2000 | ND     |   | Pass   |
|                     |        |        |        |   |        | Trifloxystrobin | 0.1000 | 0.2000 | ND     |   | Pass   |

Date Tested: 06/06/2025 07:00 am



*Anthony Settanni*

Anthony Settanni  
Lab Director  
06/09/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



#### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

#### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## JARS Cannabis Bulk Distillate

**Sample ID:** 2506AP02432.12562  
**Strain:** Hybrid

**Matrix:** Concentrates & Extracts  
**Type:** Distillate  
**Source Batch #:**

**Produced:**  
**Collected:** 06/04/2025 02:05 pm  
**Received:** 06/04/2025  
**Completed:** 06/09/2025  
**Batch #:** JARSDIS - 052025SG  
**Harvest Date:**

**Client**  
**JARS Cannabis**  
**Lic. #** 00000078ESQG10647381

**Lot #:** JARSDIS - 052025SG  
**Production/Manufacture Date:** 05/20/2025  
**Production/Manufacture Method:** Alcohol

### Microbials

Pass

| Analyte                                                                       | Limit                       | Result | Status | Q |
|-------------------------------------------------------------------------------|-----------------------------|--------|--------|---|
| Salmonella SPP by QPCR: SOP-15                                                | Detected/Not Detected in 1g | ND     | Pass   |   |
| Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14 | Detected/Not Detected in 1g | ND     | Pass   |   |
| Aspergillus Terreus by QPCR: SOP-14                                           | Detected/Not Detected in 1g | ND     | Pass   |   |

| Analyte                                | LOQ           | Limit          | Result              | Status | Q |
|----------------------------------------|---------------|----------------|---------------------|--------|---|
| E. Coli by traditional plating: SOP-13 | CFU/g<br>10.0 | CFU/g<br>100.0 | CFU/g<br>< 10 CFU/g | Pass   |   |

Date Tested: 06/09/2025 12:00 am

### Mycotoxins by SOP-22

Pass

| Analyte          | LOD   | LOQ   | Limit | Units | Status | Q  |
|------------------|-------|-------|-------|-------|--------|----|
|                  | µg/kg | µg/kg | µg/kg | µg/kg |        |    |
| B1               | 5     | 10    | 20    | ND    | Pass   |    |
| B2               | 5     | 10    | 20    | ND    | Pass   |    |
| G1               | 5     | 10    | 20    | ND    | Pass   |    |
| G2               | 5     | 10    | 20    | ND    | Pass   |    |
| Total Aflatoxins | 5     | 10    | 20    | ND    | Pass   |    |
| Ochratoxin A     | 5     | 10    | 20    | ND    | Pass   | R1 |

Date Tested: 06/06/2025 07:00 am

### Heavy Metals by SOP-21

Pass

| Analyte | LOD    | LOQ    | Limit  | Units | Status | Q |
|---------|--------|--------|--------|-------|--------|---|
|         | PPM    | PPM    | PPM    | PPM   |        |   |
| Arsenic | 0.1000 | 0.1330 | 0.4000 | ND    | Pass   |   |
| Cadmium | 0.1000 | 0.1330 | 0.4000 | ND    | Pass   |   |
| Lead    | 0.2500 | 0.3330 | 1.0000 | ND    | Pass   |   |
| Mercury | 0.0500 | 0.0660 | 0.2000 | ND    | Pass   |   |

Date Tested: 06/06/2025 12:00 am



*Anthony Settanni*

Anthony Settanni  
Lab Director  
06/09/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



#### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

#### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## JARS Cannabis Bulk Distillate

**Sample ID:** 2506AP02432.12562  
**Strain:** Hybrid

**Matrix:** Concentrates & Extracts  
**Type:** Distillate  
**Source Batch #:**

**Produced:**  
**Collected:** 06/04/2025 02:05 pm  
**Received:** 06/04/2025  
**Completed:** 06/09/2025  
**Batch #:** JARSDIS - 052025SG  
**Harvest Date:**

**Client**  
**JARS Cannabis**  
**Lic. #** 00000078ESQG10647381

**Lot #:** JARSDIS - 052025SG  
**Production/Manufacture Date:** 05/20/2025  
**Production/Manufacture Method:** Alcohol

### Residual Solvents by SOP-3

| Analyte                 | LOQ       | Limit     | Result | Status | Q    |
|-------------------------|-----------|-----------|--------|--------|------|
|                         | PPM       | PPM       | PPM    |        | Pass |
| Acetone                 | 381.0000  | 1000.0000 | ND     | Pass   |      |
| Acetonitrile            | 154.0000  | 410.0000  | ND     | Pass   |      |
| Benzene                 | 1.0000    | 2.0000    | ND     | Pass   |      |
| Butanes                 | 1914.0000 | 5000.0000 | ND     | Pass   |      |
| Chloroform              | 24.0000   | 60.0000   | ND     | Pass   |      |
| Dichloromethane         | 231.0000  | 600.0000  | ND     | Pass   |      |
| Ethanol                 | 1910.0000 | 5000.0000 | ND     | Pass   |      |
| Ethyl-Acetate           | 1907.0000 | 5000.0000 | ND     | Pass   |      |
| Ethyl-Ether             | 1901.0000 | 5000.0000 | ND     | Pass   |      |
| n-Heptane               | 1892.0000 | 5000.0000 | ND     | Pass   |      |
| Hexanes                 | 115.0000  | 290.0000  | ND     | Pass   |      |
| Isopropanol             | 1915.0000 | 5000.0000 | ND     | Pass   |      |
| Isopropyl-Acetate       | 1908.0000 | 5000.0000 | ND     | Pass   |      |
| Methanol                | 1141.0000 | 3000.0000 | ND     | Pass   |      |
| Pentane                 | 1923.0000 | 5000.0000 | ND     | Pass   |      |
| Toluene                 | 343.0000  | 890.0000  | ND     | Pass   |      |
| Xylenes + Ethyl Benzene | 841.0000  | 2170.0000 | ND     | Pass   |      |

Date Tested: 06/06/2025 07:00 am



*Anthony Settanni*

Anthony Settanni  
Lab Director  
06/09/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



#### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

#### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## JARS Cannabis Bulk Distillate

Sample ID: 2506AP02432.12562  
Strain: Hybrid  
Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #:

Produced:  
Collected: 06/04/2025 02:05 pm  
Received: 06/04/2025  
Completed: 06/09/2025  
Batch #: JARSDIS - 052025SG  
Harvest Date:

Client  
**JARS Cannabis**  
Lic. # 00000078ESQG10647381  
Lot #: JARSDIS - 052025SG  
Production/Manufacture Date: 05/20/2025  
Production/Manufacture Method: Alcohol

## Terpenes

| Analyte | LOQ | Result | Result Q | Analyte | LOQ | Result | Result Q |
|---------|-----|--------|----------|---------|-----|--------|----------|
|---------|-----|--------|----------|---------|-----|--------|----------|



## Primary Aromas

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

Date Tested:




Anthony Settanni

**ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:**  
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;  
**KEEP OUT OF REACH OF CHILDREN.**  
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Director

06/09/2025



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



**ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:**

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

**KEEP OUT OF REACH OF CHILDREN.**

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

## JARS Cannabis Bulk Distillate

**Sample ID: 2506APO2432.12562**  
Strain: Hybrid

Matrix: Concentrates & Extracts  
Type: Distillate  
Source Batch #:

Produced:  
Collected: 06/04/2025 02:05 pm  
Received: 06/04/2025  
Completed: 06/09/2025  
Batch #: JARSDIS - 052025SG  
Harvest Date:

Client  
**JARS Cannabis**  
Lic. # 00000078ESQG10647381

Lot #: JARSDIS - 052025SG  
Production/Manufacture Date: 05/20/2025  
Production/Manufacture Method: Alcohol

## Qualifiers Definitions

| Qualifier Notation | Qualifier Description                                                                                                                                                                                                                                                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| I1                 | The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference                                                                                                                                                                                  |
| L1                 | When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| M1                 | The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                                                                                                            |
| M2                 | The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                                                                                                             |
| M3                 | The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria                                                                                                              |
| R1                 | The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria                                                                                                                                                                            |
| V1                 | The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample                                                                                                        |
| Q2                 | The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis                                                                                                                         |
| Q3                 | Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317                                                                                                                                                                                                 |

## Customer Supplied Information:

## Notes and Addenda:



*[Signature]*

Bryant Kearl  
Chief Scientific Officer  
06/09/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



### ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

### KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.