




Certificate of Analysis

Pages 1 of 5

PASSED



Harvest/Lot ID: JARSDIS-112724SG
Batch #: JARSDIS-112724SG-1KSW4.28.25
Harvest Date: 11/06/24
Production Method: Other
Total Amount: 1 units
Retail Product Size: 120.49 gram
Retail Serving Size: 6.0245
Servings: 20

Lab ID: TE50428009-002
Sampled Date: 04/28/25
Sampling Method: N/A
Completed: 05/02/25
Revised: 05/05/25
Sample Collection Time: 05:15 PM
Sample Size: 123.13 gram
Ordered: 04/28/25

Smokiez Edibles

2121 s 15th Ave
phoenix, AZ, 85007, US
License # : 00000121ESBM38825533

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture Content
NOT TESTED



Vitamin E
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

PASSED



Total THC
0.7848%

Total THC/Container : 945.61 mg



Total CBD
0.0050%

Total CBD/Container : 6.02 mg



Total Cannabinoids Q3
0.8250%

Total Cannabinoids/Container : 994.04 mg

| | D9-THC | THCA | CBD | CBDA | CBG | CBGA | CBN | D8-THC | THCV | CBDV | CBC |
|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| % | 0.7840 | 0.0010 | 0.0050 | ND | 0.0200 | ND | 0.0030 | ND | 0.0050 | ND | 0.0070 |
| mg/unit | 944.642 | 1.205 | 6.025 | ND | 24.098 | ND | 3.615 | ND | 6.025 | ND | 8.434 |
| LOQ | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 |
| % | % | % | % | % | % | % | % | % | % | % | % |

Qualifier

Analyzed by:
333, 540, 545

Weight:
3.095g

Extraction date:
04/29/25 16:42:19

Extracted by:
333

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031

Analytical Batch : TE008677POT

Instrument Used : TE-245 "Buttercup" (Infused)

Analyzed Date : 04/30/25 15:35:11

Batch Date : 04/29/25 11:02:25

Dilution : 40

Reagent : 042125.R06; 042825.R07; 010825.R24; 020425.R21

Consumables : 0000179471; 9479291.162; 0000005808; 8000038072; L207802Q; 5051118; 1008439554; 121324CH01; 1009015070; 1009944912; 04402004; GD240003

Pipette : TE-059 SN:20A04528 (20-200uL); TE-064 SN:20B27672 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Revision: #2 This revision supersedes any and all previous versions of this document.

Madison Levy

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
05/02/25

Revision: #1 -
Removed mfg date
Revision: #2 -
Address corrected



Certificate of Analysis

Pages 2 of 5

Sample: TE50428009-002
Smokiez Edibles
Telephone: (503) 847-9472
Email: sales@smokiez.com

Harvest/Lot ID: JARSDIS-112724SG
Batch #: JARSDIS-112724SG-1KSW4.28.25

Ordered: 04/28/25
Sampled: 04/28/25
Completed: 05/02/25

PASSED

| | | |
|---|---------------------------------|---------------|
|  | Label Claim Verification | PASSED |
|---|---------------------------------|---------------|

| ANALYTES | UNIT | LOD | LOQ | ACTION LEVEL | PASS/FAIL | RESULT | QUALIFIER |
|---|------------------|-----|-----|--------------|-----------|--------|---------------|
|  | Pesticide | | | | | | PASSED |

| ANALYTES | UNIT | LOD | LOQ | ACTION LEVEL | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------|------|-------|------|--------------|-----------|--------|-----------|
| AVERMECTINS (ABAMECTIN B1A) | ppm | 0.017 | 0.25 | 0.5 | PASS | ND | |
| ACEPHATE | ppm | 0.01 | 0.2 | 0.4 | PASS | ND | |
| ACETAMIPRID | ppm | 0.005 | 0.1 | 0.2 | PASS | ND | |
| ALDICARB | ppm | 0.014 | 0.2 | 0.4 | PASS | ND | |
| AZOXYSTROBIN | ppm | 0.005 | 0.1 | 0.2 | PASS | ND | |
| BIFENAZATE | ppm | 0.006 | 0.1 | 0.2 | PASS | ND | |
| BIFENTHRIN | ppm | 0.005 | 0.1 | 0.2 | PASS | ND | |
| BOSCALID | ppm | 0.005 | 0.2 | 0.4 | PASS | ND | |
| CARBARYL | ppm | 0.008 | 0.1 | 0.2 | PASS | ND | |
| CARBOFURAN | ppm | 0.005 | 0.1 | 0.2 | PASS | ND | |
| CHLORANTRANILIPROLE | ppm | 0.011 | 0.1 | 0.2 | PASS | ND | |
| CHLORPYRIFOS | ppm | 0.005 | 0.1 | 0.2 | PASS | ND | |
| CLOFENTEZINE | ppm | 0.01 | 0.1 | 0.2 | PASS | ND | |
| CYPERMETHRIN | ppm | 0.1 | 0.5 | 1 | PASS | ND | |
| DIAZINON | ppm | 0.006 | 0.1 | 0.2 | PASS | ND | |
| DAMINOZIDE | ppm | 0.01 | 0.5 | 1 | PASS | ND | |
| DICHLORVOS (DDVP) | ppm | 0.001 | 0.05 | 0.1 | PASS | ND | |
| DIMETHOATE | ppm | 0.006 | 0.1 | 0.2 | PASS | ND | |
| ETHOPROPHOS | ppm | 0.004 | 0.1 | 0.2 | PASS | ND | |
| ETOFENPROX | ppm | 0.006 | 0.2 | 0.4 | PASS | ND | |
| ETOXAZOLE | ppm | 0.004 | 0.1 | 0.2 | PASS | ND | |
| FENOXYCARB | ppm | 0.005 | 0.1 | 0.2 | PASS | ND | |
| FENPYROXIMATE | ppm | 0.004 | 0.2 | 0.4 | PASS | ND | |
| FIPRONIL | ppm | 0.006 | 0.2 | 0.4 | PASS | ND | |
| FLONICAMID | ppm | 0.009 | 0.5 | 1 | PASS | ND | |
| FLUDIOXONIL | ppm | 0.006 | 0.2 | 0.4 | PASS | ND | |
| HEXYTHIAZOX | ppm | 0.005 | 0.5 | 1 | PASS | ND | |
| IMAZALIL | ppm | 0.011 | 0.1 | 0.2 | PASS | ND | |
| IMIDACLOPRID | ppm | 0.008 | 0.2 | 0.4 | PASS | ND | |
| KRESOXIM-METHYL | ppm | 0.007 | 0.2 | 0.4 | PASS | ND | |
| MALATHION | ppm | 0.007 | 0.1 | 0.2 | PASS | ND | |
| METALAXYL | ppm | 0.004 | 0.1 | 0.2 | PASS | ND | |
| METHIOCARB | ppm | 0.004 | 0.1 | 0.2 | PASS | ND | |
| METHOMYL | ppm | 0.005 | 0.2 | 0.4 | PASS | ND | |
| MYCLOBUTANIL | ppm | 0.01 | 0.1 | 0.2 | PASS | ND | |
| NALED | ppm | 0.007 | 0.25 | 0.5 | PASS | ND | |
| OXAMYL | ppm | 0.008 | 0.5 | 1 | PASS | ND | |
| PACLOBUTRAZOL | ppm | 0.005 | 0.2 | 0.4 | PASS | ND | |
| TOTAL PERMETHRINS | ppm | 0.003 | 0.1 | 0.2 | PASS | ND | |
| PHOSMET | ppm | 0.01 | 0.1 | 0.2 | PASS | ND | |
| PIPERONYL BUTOXIDE | ppm | 0.005 | 1 | 2 | PASS | ND | |
| PRALLETHRIN | ppm | 0.013 | 0.1 | 0.2 | PASS | ND | |
| PROPICONAZOLE | ppm | 0.005 | 0.2 | 0.4 | PASS | ND | |
| PROPOXUR | ppm | 0.005 | 0.1 | 0.2 | PASS | ND | |
| TOTAL PYRETHRINS | ppm | 0.001 | 0.5 | 1 | PASS | ND | |
| PYRIDABEN | ppm | 0.004 | 0.1 | 0.2 | PASS | ND | |
| TOTAL SPINOSAD | ppm | 0.006 | 0.1 | 0.2 | PASS | ND | |
| SPIROMESIFEN | ppm | 0.008 | 0.1 | 0.2 | PASS | ND | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Madison Levy
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
05/02/25

Revision: #1 -
Removed mfg date
Revision: #2 -
Address corrected

Revision: #2 This revision supersedes any and all previous versions of this document.



Certificate of Analysis

Pages 3 of 5

Sample: TE50428009-002
Smokiez Edibles
Telephone: (503) 847-9472
Email: sales@smokiez.com

Harvest/Lot ID: JARSDIS-112724SG
Batch #: JARSDIS-112724SG-1KSW4.28.25

Ordered: 04/28/25
Sampled: 04/28/25
Completed: 05/02/25

PASSED

Pesticide PASSED

| ANALYTES | UNIT | LOD | LOQ | ACTION LEVEL | PASS/FAIL | RESULT | QUALIFIER |
|-----------------|------|-------|-----|--------------|-----------|--------|-----------|
| SPIROTETRAMAT | ppm | 0.006 | 0.1 | 0.2 | PASS | ND | |
| SPIROXAMINE | ppm | 0.004 | 0.2 | 0.4 | PASS | ND | |
| TEBUCONAZOLE | ppm | 0.004 | 0.2 | 0.4 | PASS | ND | |
| THIACLOPRID | ppm | 0.006 | 0.1 | 0.2 | PASS | ND | |
| THIAMETHOXAM | ppm | 0.006 | 0.1 | 0.2 | PASS | ND | |
| TRIFLOXYSTROBIN | ppm | 0.006 | 0.1 | 0.2 | PASS | ND | |
| CHLORFENAPYR | ppm | 0.027 | 0.3 | 1 | PASS | ND | |
| CYFLUTHRIN | ppm | 0.015 | 0.5 | 1 | PASS | ND | |

Analyzed by: 410, 432, 547, 545 **Weight:** 0.4994g **Extraction date:** 04/29/25 15:47:41 **Extracted by:** 410

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ
Analytical Batch : TE008678PES
Instrument Used : TE-262 "MS/MS - Pest/Myco 2", TE-117 UHPLC - Pest/Myco 2 **Batch Date :** 04/29/25 11:03:56
Analyzed Date : 04/30/25 16:47:41

Dilution : 25
Reagent : 040825.R05; 042425.R09; 042425.R12; 030625.R06; 041725.R06; 042825.R11; 042225.R07; 041725.R05
Consumables : 9479291.162; 8000038072; 102324CH01; 220321-306-D; 1010008456; GD240003
Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Pesticide screening is carried out using LC-MS/MS supplemented by GC-MS/MS for volatile pesticides. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).

Analyzed by: 410, 432, 547, 545 **Weight:** 0.4994g **Extraction date:** 04/29/25 15:47:41 **Extracted by:** 410

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ
Analytical Batch : TE008694VOL
Instrument Used : N/A **Batch Date :** 04/29/25 16:20:16
Analyzed Date : 04/30/25 16:48:36

Dilution : 25
Reagent : 040825.R05; 042425.R09; 042425.R12; 030625.R06; 041725.R06; 042825.R11; 042225.R07; 041725.R05
Consumables : 9479291.162; 8000038072; 102324CH01; 220321-306-D; 1010008456; GD240003
Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Supplemental pesticide screening using GC-MS/MS to quantitatively screen for Chlorfenapyr, Cyfluthrin, Cypermethrin, and Diazinon; as well as the qualitative confirmation of Dichlorvos, Permethrins, Piperonyl Butoxide, Prallethrin, Propiconazole, Pyrethrins, and Tebuconazole which are all quantitatively screened using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.154.AZ for analysis using a ThermoScientific 1310-series GC equipped with a TriPlus RSH autosampler and detected on a TSQ 9000-series mass spectrometer).

Residual Solvents PASSED

| ANALYTES | UNIT | LOD | LOQ | ACTION LEVEL | PASS/FAIL | RESULT | QUALIFIER |
|-------------------|------|-------|-------|--------------|-----------|--------|-----------|
| BUTANES | ppm | 168.2 | 2400 | 5000 | PASS | ND | |
| METHANOL | ppm | 87.7 | 1440 | 3000 | PASS | ND | M2 |
| PENTANES | ppm | 163.9 | 2400 | 5000 | PASS | ND | M2 |
| ETHANOL | ppm | 142.2 | 2400 | 5000 | PASS | ND | M2 |
| ETHYL ETHER | ppm | 193.1 | 2400 | 5000 | PASS | ND | M2 |
| ACETONE | ppm | 37.6 | 480 | 1000 | PASS | ND | M2 |
| 2-PROPANOL | ppm | 156.2 | 2400 | 5000 | PASS | ND | M2 |
| ACETONITRILE | ppm | 12.2 | 196.8 | 410 | PASS | ND | M2 |
| DICHLOROMETHANE | ppm | 22.7 | 288 | 600 | PASS | ND | M2 |
| HEXANES | ppm | 8.4 | 139.2 | 290 | PASS | ND | M2 |
| ETHYL ACETATE | ppm | 179 | 2400 | 5000 | PASS | ND | M2 |
| CHLOROFORM | ppm | 2.41 | 28.8 | 60 | PASS | ND | M2 |
| BENZENE | ppm | 0.115 | 1.2 | 2 | PASS | ND | M2 |
| ISOPROPYL ACETATE | ppm | 168.6 | 2400 | 5000 | PASS | ND | M2 |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Madison Levy
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Madison Levy

Signature
05/02/25

Revision: #1 -
Removed mfg date
Revision: #2 -
Address corrected

Revision: #2 This revision supersedes any and all previous versions of this document.



Certificate of Analysis

Pages 4 of 5

Sample: TE50428009-002
Smokiez Edibles
Telephone: (503) 847-9472
Email: sales@smokiez.com

Harvest/Lot ID: JARSDIS-112724SG
Batch #: JARSDIS-112724SG-1KSW4.28.25

Ordered: 04/28/25
Sampled: 04/28/25
Completed: 05/02/25

PASSED



Residual Solvents

PASSED

| ANALYTES | UNIT | LOD | LOQ | ACTION LEVEL | PASS/FAIL | RESULT | QUALIFIER |
|----------|------|-------|--------|--------------|-----------|--------|-----------|
| HEPTANE | ppm | 152.8 | 2400 | 5000 | PASS | ND | M2 |
| TOLUENE | ppm | 26.2 | 427.2 | 890 | PASS | ND | M2 |
| XYLENES | ppm | 53.2 | 1041.6 | 2170 | PASS | ND | M2 |

Analyzed by: 334, 547, 545 **Weight:** 0.0223g **Extraction date:** 04/29/25 15:49:32 **Extracted by:** 334

Analysis Method : SOP.T.40.044.AZ
Analytical Batch : TE008689SOL
Instrument Used : TE-092 "GC - Solvents 1", TE-095 "MS - Solvents 1", TE-098 "Injector - Solvents 1", TE-100 "HS - Solvents 1", TE-113 "Vacuum Pump - Solvents 1"
Analyzed Date : 04/30/25 15:32:10 **Batch Date :** 04/29/25 14:57:26

Dilution : N/A
Reagent : 032725.01; 032625.31
Consumables : H109203-1; 430596; 103689; GD240003
Pipette : TE-349 SN: 42675; TE-347 (25ul gastight)

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.



Microbial

PASSED

| ANALYTES | UNIT | LOD | LOQ | ACTION LEVEL | PASS/FAIL | RESULT | QUALIFIER |
|------------------------|-----------|-----|-----|--------------|-----------|-------------------|-----------|
| SALMONELLA SPP. | pass/fail | 0 | 0 | 1 | PASS | Not Present in 1g | |
| ESCHERICHIA COLI (REC) | CFU/g | 10 | 10 | 100 | PASS | <10 | |

Analyzed by: 331, 134, 547, 545 **Weight:** 1.0302g **Extraction date:** 04/30/25 15:07:00 **Extracted by:** 527,331

Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ
Analytical Batch : TE008681MIC
Instrument Used : TE-234 "bioMerieux GENE-UP"
Analyzed Date : 05/02/25 13:45:32 **Batch Date :** 04/29/25 11:09:39

Dilution : 10
Reagent : 032625.20; 032625.22; 120524.29; 042825.R13
Consumables : 343P3T; 1008855960; 1009817562; 2240626; 102324CH01; 121324CH01; 1009015070; 1010008456
Pipette : TE-075 SN:RU31709; TE-053 SN:20E78952; TE-057 SN:21D58688; TE-058 SN:20C35427; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.056B for sample prep and screening for Salmonella and Aspergillus sp. by PathogenDx Detectcx Combined using a SensoSpot Microarray Analyzer and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm and confirmation of Aspergillus sp. on SabDex agar for derivative products). All qualitative microbial testing is reported as detected/not detected in 1g.



Mycotoxins

PASSED

| ANALYTES | UNIT | LOD | LOQ | ACTION LEVEL | PASS/FAIL | RESULT | QUALIFIER |
|------------------|------|-------|--------|--------------|-----------|--------|-----------|
| TOTAL AFLATOXINS | ppb | 1.487 | 4.851 | 20 | PASS | ND | |
| AFLATOXIN B1 | ppb | 1.47 | 4.851 | 20 | PASS | ND | |
| AFLATOXIN B2 | ppb | 1.8 | 5.94 | 20 | PASS | ND | |
| AFLATOXIN G1 | ppb | 1.9 | 6.27 | 20 | PASS | ND | |
| AFLATOXIN G2 | ppb | 3.25 | 10.725 | 20 | PASS | ND | |
| OCHRATOXIN A | ppb | 4.61 | 12 | 20 | PASS | ND | L1 |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Revision: #2 This revision supersedes any and all previous versions of this document.

Madison Levy
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
05/02/25

Revision: #1 -
Removed mfg date
Revision: #2 -
Address corrected



Certificate of Analysis

Pages 5 of 5

Sample: TE50428009-002
Smokiez Edibles
Telephone: (503) 847-9472
Email: sales@smokiez.com

Harvest/Lot ID: JARSDIS-112724SG
Batch #: JARSDIS-112724SG-1KSW4.28.25

Ordered: 04/28/25
Sampled: 04/28/25
Completed: 05/02/25

PASSED

Mycotoxins

PASSED

| ANALYTES | | UNIT | LOD | LOQ | ACTION LEVEL | PASS/FAIL | RESULT | QUALIFIER |
|---|--|---------------------------|--|-----|---------------------------------------|-----------|--------|-----------------------------|
| Analyzed by: 410, 432, 547, 545 | | Weight: 0.4994g | Extraction date: 04/29/25 15:47:41 | | Batch Date : 04/29/25 16:20:50 | | | Extracted by: 410 |
| Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ | | | | | | | | |
| Analytical Batch : TE008695MYC | | | | | | | | |
| Instrument Used : N/A | | | | | | | | |
| Analyzed Date : 04/30/25 16:49:41 | | | | | | | | |
| Dilution : 25 | | | | | | | | |
| Reagent : 040825.R05; 042425.R09; 042425.R12; 030625.R06; 041725.R06; 042825.R11; 042225.R07; 041725.R05 | | | | | | | | |
| Consumables : 9479291.162; 8000038072; 102324CH01; 220321-306-D; 1010008456; GD240003 | | | | | | | | |
| Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL) | | | | | | | | |
| Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflotoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg. | | | | | | | | |

Heavy Metals

PASSED

| ANALYTES | | UNIT | LOD | LOQ | ACTION LEVEL | PASS/FAIL | RESULT | QUALIFIER |
|--|--|--------------------|--------|---------------------------------------|--------------|--------------------------|--------|-----------|
| ARSENIC | | ppm | 0.066 | 0.2 | 0.4 | PASS | ND | |
| CADMIUM | | ppm | 0.066 | 0.2 | 0.4 | PASS | ND | |
| LEAD | | ppm | 0.166 | 0.5 | 1 | PASS | ND | |
| MERCURY | | ppm | 0.0333 | 0.1 | 1.2 | PASS | ND | |
| Analyzed by: 398, 547, 545 | | Weight: 0.2008g | | Extraction date: 04/30/25 12:12:00 | | Extracted by: 445,398 | | |
| Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ | | | | | | | | |
| Analytical Batch : TE008711HEA | | | | | | | | |
| Instrument Used : TE-051 "Metals Hood",TE-141 "Wolfgang",TE-260 "Ludwig",TE-307 "Ted",TE-311 "Ted PC",TE-308 "Ted Chiller",TE-310 "Ted AS",TE-309 "Ted Pump",TE-312 "Ted Monitor",TE-313 "Ted Monitor" | | | | | | | | |
| Batch Date : 04/30/25 12:10:35 | | | | | | | | |
| Analyzed Date : 05/01/25 15:15:21 | | | | | | | | |
| Dilution : 50 | | | | | | | | |
| Reagent : 102824.05; 043025.R19; 042925.R10; 010325.03; 041825.02; 090922.04 | | | | | | | | |
| Consumables : 102324CH01; 220321-306-D; 1009944912; GD240003 | | | | | | | | |
| Pipette : TE-063 SN:20C50490 (20-200uL); TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid) | | | | | | | | |
| Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS). | | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Revision: #2 This revision supersedes any and all previous versions of this document.

Madison Levy
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
05/02/25

Revision: #1 -
Removed mfg date
Revision: #2 -
Address corrected

JARS CANNABIS

Dreem Green Inc. - 00000078ESQG10647381

USING MARIJUANA DURING PREGNANCY COULD CAUSE BIRTH DEFECTS OR OTHER HEALTH ISSUES TO YOUR UNBORN CHILD.

Batch #: JARSDIS - 112724SG

Form: Distillate

Cultivated by: Health Center of Cochise MEL#
00000099ESVM28064808

Harvest Date:

| Production Batch | Strain | Harvest Date |
|--------------------------------------|---------------------|--------------|
| Banana OG.B18B19B.45.2024. | Banana OG | 11/6/2024 |
| Bangers and Mac 1.B15B16B.44.2024. | Bangers and Mac 1 | 10/30/2024 |
| Black Ice.B21B22B.44.2024. | Black Ice | 10/30/2024 |
| Chemistry 1.B17B18B.44.2024. | Chemistry 1 | 10/31/2024 |
| Fatso.B14B.44.2024. | Fatso | 10/28/2024 |
| G4.B19B.45.2024. | G4 | 11/5/2024 |
| Head Cheese 4.B13B.43.2024. | Head Cheese 4 | 10/24/2024 |
| Jiffy Cake.B20B.28.2024. | Jiffy Cake | 7/8/2024 |
| King Mamba 4.B20B21A.29.2024. | King Mamba 4 | 7/18/2024 |
| Legend OG.B16B17B.45.2024. | Legend OG | 11/4/2024 |
| Legend OG.B18B.45.2024. | Legend OG | 11/4/2024 |
| Moonshine Haze 7.B19B.44.2024. | Moonshine Haze 7 | 10/30/2024 |
| Mule Fuel.B20B.36.2024. | Mule Fuel | 9/4/2024 |
| Papaya Bomb.B13B.43.2024. | Papaya Bomb | 10/23/2024 |
| Papaya Bomb.B20B.45.2024. | Papaya Bomb | 11/7/2024 |
| Royal Cherry Diesel.B13B14B.26.2024. | Royal Cherry Diesel | 6/27/2024 |
| Royal Wedding.B14B15B.44.2024. | Royal Wedding | 10/28/2024 |
| Sour Leopard.B21B.44.2024. | Sour Leopard | 10/30/2024 |
| Tropsanto 90.B8B9B.43.2024. | Tropsanto 90 | 10/21/2024 |
| Wedding Cake.B11B12B.43.2024. | Wedding Cake | 10/22/2024 |
| Wedding Cake.B13B14B.44.2024. | Wedding Cake | 10/28/2024 |

| | | |
|------------------------------|-------------|------------|
| Wedding Pie.B10B11B.43.2024. | Wedding Pie | 10/22/2024 |
|------------------------------|-------------|------------|

Manufactured By: Dreem Green Inc. - 00000078ESQG10647381

Manufacture Date: 11.27.24

Extraction Method: Ethanol

Strain: Hybrid

Distribution:

Gila Dreams X, LLC 00000137ESPF58509627

Legacy & Co., Inc. 00000079ESTS64678211

Dreem Green 00000078ESQG10647381

Desert Medical Campus 00000038ESPN59181329

Mohave Cannabis Club 1, LLC 00000098ESAA47054477

Mohave Cannabis Club 2, LLC 00000119ESKK32735375

Mohave Cannabis Club 3, LLC 00000122ESRN95872973

Mohave Cannabis Club 4, LLC 00000107ESVJ79465811

Yuma County Dispensary LLC 0000145ESNP12373673

Piper's Shop LLC Establishment 00000138ESOA91816349

Lawrence Health Services LLC 00000136ESTJ56415147

MCCSE82 0000165ESTJX05511145

MCCSE214 0000164ESTEB22806734

MCCSE240 0000169ESTMB88870542

Greenmed, Inc 00000017DCEX00412883 00000113 ESLZ23 317951
Payson Dreams LLC 0000141DRCDP24213459
Wickenburg Alternative Medicine LLC 00000097ESKC38985532
00000061DCMK00381513

Final Sale:

Adult Use consumer or valid Medical Marijuana Patient card holder.


JARS Cannabis Bulk Distillate

Sample ID: 2412AP05455.25107
Strain: Hybrid
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #:

Produced:
Collected: 12/13/2024 11:56 am
Received: 12/13/2024
Completed: 12/18/2024
Batch #: JARSDIS - 112724SG
Harvest Date:

Client
JARS Cannabis
Lic. # 00000078ESQG10647381

Lot #:
Production/Manufacture Date: 11/27/2024
Production/Manufacture Method: Alcohol



Summary

| Test | Date Tested | Result |
|-------------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | 12/16/2024 | Complete |
| Residual Solvents | 12/16/2024 | Pass |
| Microbials | 12/18/2024 | Pass |
| Mycotoxins | 12/17/2024 | Pass |
| Pesticides | 12/17/2024 | Pass |
| Heavy Metals | 12/16/2024 | Pass |

Cannabinoids by SOP-6

Complete

| | | | |
|------------------------------|-----------------------------|---|---|
| 94.0589% Total THC | 0.2016% Total CBD | 98.4164% Total Cannabinoids ^(Q3) | NT Total Terpenes ^(Q3) |
|------------------------------|-----------------------------|---|---|

| Analyte | LOD % | LOQ % | Result % | Result mg/g | Q |
|------------------|----------|----------|----------------|-----------------|---|
| THCa | | 0.1000 | ND | ND | |
| Δ9-THC | | 0.1000 | 94.0589 | 940.589 | |
| Δ8-THC | | 0.1000 | ND | ND | |
| THCV | | 0.1000 | 0.4440 | 4.440 | |
| CBDa | | 0.1000 | ND | ND | |
| CBD | | 0.1000 | 0.2016 | 2.016 | |
| CBDVa | | 0.1000 | ND | ND | |
| CBDV | | 0.1000 | ND | ND | |
| CBN | | 0.1000 | 0.3235 | 3.235 | |
| CBGa | | 0.1000 | ND | ND | |
| CBG | | 0.1000 | 2.5448 | 25.448 | |
| CBC | | 0.1000 | 0.8436 | 8.436 | |
| Total THC | | | 94.0589 | 940.5890 | |
| Total CBD | | | 0.2016 | 2.0160 | |
| Total | | | 98.4164 | 984.164 | |

Date Tested: 12/16/2024 07:00 am



Anthony Settanni
Anthony Settanni
Lab Director
12/18/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

JARS Cannabis Bulk Distillate

Sample ID: 2412APO5455.25107
Strain: Hybrid
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #:

Produced:
Collected: 12/13/2024 11:56 am
Received: 12/13/2024
Completed: 12/18/2024
Batch #: JARSDIS - 112724SG
Harvest Date:

Client:
JARS Cannabis
Lic. # 00000078ESQG10647381
Lot #:
Production/Manufacture Date: 11/27/2024
Production/Manufacture Method: Alcohol

Pesticides by SOP-22

Pass

| Analyte | LOQ | Limit | Result | Q | Status | Analyte | LOQ | Limit | Result | Q | Status |
|---------------------|--------|--------|--------|---|--------|-----------------|--------|--------|--------|---|--------|
| | PPM | PPM | PPM | | | | PPM | PPM | PPM | | |
| Abamectin | 0.2500 | 0.5000 | ND | | Pass | Hexythiazox | 0.5000 | 1.0000 | ND | | Pass |
| Acephate | 0.2000 | 0.4000 | ND | | Pass | Imazalil | 0.1000 | 0.2000 | ND | | Pass |
| Acetamiprid | 0.1000 | 0.2000 | ND | | Pass | Imidacloprid | 0.2000 | 0.4000 | ND | | Pass |
| Aldicarb | 0.2000 | 0.4000 | ND | | Pass | Kresoxim Methyl | 0.2000 | 0.4000 | ND | | Pass |
| Azoxystrobin | 0.1000 | 0.2000 | ND | | Pass | Malathion | 0.1000 | 0.2000 | ND | | Pass |
| Bifenazate | 0.1000 | 0.2000 | ND | | Pass | Metalaxyl | 0.1000 | 0.2000 | ND | | Pass |
| Bifenthrin | 0.1000 | 0.2000 | ND | | Pass | Methiocarb | 0.1000 | 0.2000 | ND | | Pass |
| Boscalid | 0.2000 | 0.4000 | ND | | Pass | Methomyl | 0.2000 | 0.4000 | ND | | Pass |
| Carbaryl | 0.1000 | 0.2000 | ND | | Pass | Myclobutanil | 0.1000 | 0.2000 | ND | | Pass |
| Carbofuran | 0.1000 | 0.2000 | ND | | Pass | Naled | 0.2500 | 0.5000 | ND | | Pass |
| Chlorantraniliprole | 0.1000 | 0.2000 | ND | | Pass | Oxamyl | 0.5000 | 1.0000 | ND | | Pass |
| Chlorfenapyr | 0.5000 | 1.0000 | ND | | Pass | Paclobutrazol | 0.2000 | 0.4000 | ND | | Pass |
| Chlorpyrifos | 0.1000 | 0.2000 | ND | | Pass | Permethrins | 0.1000 | 0.2000 | ND | | Pass |
| Clofentezine | 0.1000 | 0.2000 | ND | | Pass | Phosmet | 0.1000 | 0.2000 | ND | | Pass |
| Cyfluthrin | 0.5000 | 1.0000 | ND | | Pass | Piperonyl | 1.0000 | 2.0000 | ND | | Pass |
| Cypermethrin | 0.5000 | 1.0000 | ND | | Pass | Butoxide | | | | | |
| Daminozide | 0.5000 | 1.0000 | ND | | Pass | Prallethrin | 0.1000 | 0.2000 | ND | | Pass |
| Diazinon | 0.1000 | 0.2000 | ND | | Pass | Propiconazole | 0.2000 | 0.4000 | ND | | Pass |
| Dichlorvos | 0.0500 | 0.1000 | ND | | Pass | Propoxur | 0.1000 | 0.2000 | ND | | Pass |
| Dimethoate | 0.1000 | 0.2000 | ND | | Pass | Pyrethrins | 0.5000 | 1.0000 | ND | | Pass |
| Ethoprophos | 0.1000 | 0.2000 | ND | | Pass | Pyridaben | 0.1000 | 0.2000 | ND | | Pass |
| Etofenprox | 0.2000 | 0.4000 | ND | | Pass | Spinosad | 0.1000 | 0.2000 | ND | | Pass |
| Etoxazole | 0.1000 | 0.2000 | ND | | Pass | Spiromesifen | 0.1000 | 0.2000 | ND | | Pass |
| Fenoxycarb | 0.1000 | 0.2000 | ND | | Pass | Spirotetramat | 0.1000 | 0.2000 | ND | | Pass |
| Fenpyroximate | 0.2000 | 0.4000 | ND | | Pass | Spiroxamine | 0.2000 | 0.4000 | ND | | Pass |
| Fipronil | 0.2000 | 0.4000 | ND | | Pass | Tebuconazole | 0.2000 | 0.4000 | ND | | Pass |
| Flonicamid | 0.5000 | 1.0000 | ND | | Pass | Thiacloprid | 0.1000 | 0.2000 | ND | | Pass |
| Fludioxonil | 0.2000 | 0.4000 | ND | | Pass | Thiamethoxam | 0.1000 | 0.2000 | ND | | Pass |
| | | | | | | Trifloxystrobin | 0.1000 | 0.2000 | ND | | Pass |

Date Tested: 12/17/2024 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
12/18/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

JARS Cannabis Bulk Distillate

Sample ID: 2412AP05455.25107
Strain: Hybrid

Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #:

Produced:
Collected: 12/13/2024 11:56 am
Received: 12/13/2024
Completed: 12/18/2024
Batch #: JARSDIS - 112724SG
Harvest Date:

Client
JARS Cannabis
Lic. # 00000078ESQG10647381

Lot #:
Production/Manufacture Date: 11/27/2024
Production/Manufacture Method: Alcohol

Microbials

Pass

| Analyte | Limit | Result | Status | Q |
|---|-----------------------------|--------|--------|---|
| Salmonella SPP by QPCR: SOP-15 | Detected/Not Detected in 1g | ND | Pass | |
| Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14 | Detected/Not Detected in 1g | ND | Pass | |
| Aspergillus Terreus by QPCR: SOP-14 | Detected/Not Detected in 1g | ND | Pass | |

| Analyte | LOQ | Limit | Result | Status | Q |
|--|---------------|----------------|---------------------|--------|---|
| E. Coli by traditional plating: SOP-13 | CFU/g 10.0 | CFU/g 100.0 | CFU/g < 10 CFU/g | Pass | |

Date Tested: 12/18/2024 12:00 am

Mycotoxins by SOP-22

Pass

| Analyte | LOD | LOQ | Limit | Units | Status | Q |
|------------------|-------|-------|-------|-------|--------|---|
| | µg/kg | µg/kg | µg/kg | µg/kg | | |
| B1 | 5 | 10 | 20 | ND | Pass | |
| B2 | 5 | 10 | 20 | ND | Pass | |
| G1 | 5 | 10 | 20 | ND | Pass | |
| G2 | 5 | 10 | 20 | ND | Pass | |
| Total Aflatoxins | 5 | 10 | 20 | ND | Pass | |
| Ochratoxin A | 5 | 10 | 20 | ND | Pass | |

Date Tested: 12/17/2024 07:00 am

Heavy Metals by SOP-21

Pass

| Analyte | LOD | LOQ | Limit | Units | Status | Q |
|---------|--------|--------|--------|-------|--------|---|
| | PPM | PPM | PPM | PPM | | |
| Arsenic | 0.1000 | 0.1330 | 0.4000 | ND | Pass | |
| Cadmium | 0.1000 | 0.1330 | 0.4000 | ND | Pass | |
| Lead | 0.2500 | 0.3330 | 1.0000 | ND | Pass | |
| Mercury | 0.0500 | 0.0660 | 0.2000 | ND | Pass | |

Date Tested: 12/16/2024 07:00 am



Anthony Settanni
Anthony Settanni
Lab Director
12/18/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

JARS Cannabis Bulk Distillate

Sample ID: 2412AP05455.25107
Strain: Hybrid
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #:

Produced:
Collected: 12/13/2024 11:56 am
Received: 12/13/2024
Completed: 12/18/2024
Batch #: JARSDIS - 112724SG
Harvest Date:

Client
JARS Cannabis
Lic. # 00000078ESQG10647381

Lot #:
Production/Manufacture Date: 11/27/2024
Production/Manufacture Method: Alcohol

Residual Solvents by SOP-3

| Analyte | LOQ | Limit | Result | Status | Q |
|-------------------------|-----------|-----------|--------|--------|------|
| | PPM | PPM | PPM | | Pass |
| Acetone | 381.0000 | 1000.0000 | ND | Pass | |
| Acetonitrile | 154.0000 | 410.0000 | ND | Pass | |
| Benzene | 1.0000 | 2.0000 | ND | Pass | |
| Butanes | 1914.0000 | 5000.0000 | ND | Pass | |
| Chloroform | 24.0000 | 60.0000 | ND | Pass | |
| Dichloromethane | 231.0000 | 600.0000 | ND | Pass | |
| Ethanol | 1910.0000 | 5000.0000 | ND | Pass | |
| Ethyl-Acetate | 1907.0000 | 5000.0000 | ND | Pass | |
| Ethyl-Ether | 1901.0000 | 5000.0000 | ND | Pass | |
| n-Heptane | 1892.0000 | 5000.0000 | ND | Pass | |
| Hexanes | 115.0000 | 290.0000 | ND | Pass | |
| Isopropanol | 1915.0000 | 5000.0000 | ND | Pass | |
| Isopropyl-Acetate | 1908.0000 | 5000.0000 | ND | Pass | |
| Methanol | 1141.0000 | 3000.0000 | ND | Pass | |
| Pentane | 1923.0000 | 5000.0000 | ND | Pass | |
| Toluene | 343.0000 | 890.0000 | ND | Pass | |
| Xylenes + Ethyl Benzene | 841.0000 | 2170.0000 | ND | Pass | |

Date Tested: 12/16/2024 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
12/18/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

JARS Cannabis Bulk Distillate

Sample ID: 2412AP05455.25107
Strain: Hybrid
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #:

Produced:
Collected: 12/13/2024 11:56 am
Received: 12/13/2024
Completed: 12/18/2024
Batch #: JARSDIS - 112724SG
Harvest Date:

Client
JARS Cannabis
Lic. # 00000078ESQG10647381

Lot #:
Production/Manufacture Date: 11/27/2024
Production/Manufacture Method: Alcohol

Terpenes

| Analyte | LOQ | Result | Result Q | Analyte | LOQ | Result | Result Q |
|---------|-----|--------|----------|---------|-----|--------|----------|
|---------|-----|--------|----------|---------|-----|--------|----------|

Primary Aromas

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

Date Tested:




Anthony Settanni

DEPARTMENT OF HEALTH SERVICES' WARNING:
 Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
 The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Director

12/18/2024



Confident LIMS
All Rights Reserved
coa.support@confidentlms.com
(866) 506-5866
www.confidentlms.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

JARS Cannabis Bulk Distillate

Sample ID: 2412AP05455.25107
Strain: Hybrid
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #:

Produced:
Collected: 12/13/2024 11:56 am
Received: 12/13/2024
Completed: 12/18/2024
Batch #: JARSDIS - 112724SG
Harvest Date:

Client
JARS Cannabis
Lic. # 00000078ESQG10647381
Lot #:
Production/Manufacture Date: 11/27/2024
Production/Manufacture Method: Alcohol

Qualifiers Definitions

| Qualifier Notation | Qualifier Description |
|--------------------|--|
| I1 | The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference |
| L1 | When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| M1 | The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| M2 | The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| M3 | The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria |
| R1 | The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria |
| V1 | The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample |
| Q2 | The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis |
| Q3 | Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 |

Customer Supplied Information:

Notes and Addenda:



Bryant Kearl
Chief Scientific Officer
12/18/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.