



# Certificate of Analysis

**PASSED**



**Harvest/Lot ID:** TR01  
**Batch #:** TR01-1KSW2.19.26  
**Harvest Date:** 09/15/25  
**Production Method:** Alcohol  
**Total Amount:** 1 units  
**Retail Product Size:** 122.1 gram  
**Retail Serving Size:** 6.105 gram  
**Servings:** 20

**Lab ID:** TE60223003-003  
**Ordered:** 02/20/26  
**Sampled Date:** 02/23/26  
**Sample Collection Time:** 03:30 PM  
**Sample Size:** 124.85 gram  
**Completed:** 03/01/26

## Smokiez Edibles

2121 s 15th Ave  
phoenix, AZ, 85007, US  
License #: 00000121ESBM38825533

### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration/Foreign  
Material  
**NOT TESTED**



Water Activity  
**NOT TESTED**



Moisture  
Content  
**NOT TESTED**



Vitamin E  
**NOT TESTED**



Terpenes  
**NOT TESTED**



## Cannabinoid

**PASSED**



**Total THC**  
**0.8100%**  
Total THC : 989.0100 mg



**Total CBD**  
**0.0230%**  
Total CBD : 28.0830 mg



**Total Cannabinoids Q3**  
**0.8340%**  
Total Cannabinoids/Container :  
1018.3140 mg



|           | D9-THC   | THCA   | CBD     | CBDA   | CBG    | CBGA   | CBN    | D8-THC | THCV   | CBDV   | CBC    |
|-----------|----------|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|
| %         | 0.8100   | ND     | 0.0230  | ND     | ND     | ND     | 0.0010 | ND     | ND     | ND     | ND     |
| mg/unit   | 989.0100 | ND     | 28.0830 | ND     | ND     | ND     | 1.2210 | ND     | ND     | ND     | ND     |
| LOD       | 0        | 0.0001 | 0.0001  | 0.0001 | 0.0001 | 0.0001 | 0.0001 | 0.0001 | 0.0001 | 0.0001 | 0.0001 |
| LOQ       | 0        | 0.0010 | 0.0010  | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 | 0.0010 |
| Qualifier | %        | %      | %       | %      | %      | %      | %      | %      | %      | %      | %      |

Analyzed by:  
333, 540, 602, 545

Weight:  
3.0446g

Extraction date:  
02/23/26 15:47:36

Extracted by:  
333

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031

Analytical Batch : TE012846POT

Instrument Used : TE-245 "Buttercup" (Infused)

Batch Date : 02/20/26 16:58:05

Analyzed Date : 02/24/26 15:28:01

Dilution : 40

Reagent : 022326.R07; 022326.R06; 111025.R11; 011326.R13

Consumables : 0000494267; 9479291.043; 8000038072; 05525055; 060225CH01; 1010628866; 1; 1010435125; 04402004; GD240004

Pipette : TE-073 SN:RU31809; TE-059 SN:20A04528 (20-200uL); TE-064 SN:20B27672 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**

Lab Director

State License #  
0000024LCMD66604568  
ISO 17025 Accreditation #  
97164



Signature  
03/01/26



# Certificate of Analysis

**Smokiez Edibles**

2121 s 15th Ave  
 phoenix, AZ, 85007, US  
 License #: 00000121ESBM38825533

**Sample: TE60223003-003**

**Batch #:** TR01-1KSW2.19.26  
**Harvest/Lot ID:** TR01

**Ordered:** 02/20/26  
**Sampled:** 02/23/26  
**Completed:** 03/01/26


**PASSED**



## Label Claim Verification

**PASSED**

| ANALYTES                          | UNIT             | LOD              | LOQ           | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------|------------------|------------------|---------------|-------|-----------|--------|-----------|
| Analyzed by:                      | Weight:          | Extraction date: | Extracted by: |       |           |        |           |
| Analysis Method : N/A             |                  |                  |               |       |           |        |           |
| Analytical Batch : N/A            |                  |                  |               |       |           |        |           |
| Instrument Used : N/A             |                  |                  |               |       |           |        |           |
| Analyzed Date : 02/25/26 14:12:36 | Batch Date : N/A |                  |               |       |           |        |           |



## Pesticide

**PASSED**

| ANALYTES                    | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------|------|--------|--------|-------|-----------|--------|-----------|
| AVERMECTINS (ABAMECTIN B1A) | ppm  | 0.0170 | 0.2500 | 0.5   | PASS      | ND     |           |
| ACEPHATE                    | ppm  | 0.0100 | 0.2000 | 0.4   | PASS      | ND     |           |
| ACETAMIPRID                 | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| ALDICARB                    | ppm  | 0.0140 | 0.2000 | 0.4   | PASS      | ND     |           |
| AZOXYSTROBIN                | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| BIFENAZATE                  | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| BIFENTHRIN                  | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| BOSCALID                    | ppm  | 0.0050 | 0.2000 | 0.4   | PASS      | ND     |           |
| CARBARYL                    | ppm  | 0.0080 | 0.1000 | 0.2   | PASS      | ND     |           |
| CARBOFURAN                  | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| CHLORANTRANILIPROLE         | ppm  | 0.0110 | 0.1000 | 0.2   | PASS      | ND     |           |
| CHLORPYRIFOS                | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| CLOFENTEZINE                | ppm  | 0.0100 | 0.1000 | 0.2   | PASS      | ND     |           |
| CYPERMETHRIN                | ppm  | 0.1000 | 0.5000 | 1     | PASS      | ND     |           |
| DAMINOZIDE                  | ppm  | 0.0100 | 0.5000 | 1     | PASS      | ND     |           |
| DIAZINON                    | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| DICHLORVOS (DDVP)           | ppm  | 0.0010 | 0.0500 | 0.1   | PASS      | ND     | V1, L1    |
| DIMETHOATE                  | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| ETHOPROPHOS                 | ppm  | 0.0040 | 0.1000 | 0.2   | PASS      | ND     |           |
| ETOFENPROX                  | ppm  | 0.0060 | 0.2000 | 0.4   | PASS      | ND     |           |
| ETOXAZOLE                   | ppm  | 0.0040 | 0.1000 | 0.2   | PASS      | ND     |           |
| FENOXYCARB                  | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |
| FENPYROXIMATE               | ppm  | 0.0040 | 0.2000 | 0.4   | PASS      | ND     |           |
| FIPRONIL                    | ppm  | 0.0060 | 0.2000 | 0.4   | PASS      | ND     |           |
| FLONICAMID                  | ppm  | 0.0090 | 0.5000 | 1     | PASS      | ND     |           |
| FLUDIOXONIL                 | ppm  | 0.0060 | 0.2000 | 0.4   | PASS      | ND     |           |
| HEXYTHIAZOX                 | ppm  | 0.0050 | 0.5000 | 1     | PASS      | ND     |           |
| IMAZALIL                    | ppm  | 0.0110 | 0.1000 | 0.2   | PASS      | ND     |           |
| IMIDACLOPRID                | ppm  | 0.0080 | 0.2000 | 0.4   | PASS      | ND     |           |
| KRESOXIM-METHYL             | ppm  | 0.0070 | 0.2000 | 0.4   | PASS      | ND     |           |
| MALATHION                   | ppm  | 0.0070 | 0.1000 | 0.2   | PASS      | ND     |           |
| METALAXYL                   | ppm  | 0.0040 | 0.1000 | 0.2   | PASS      | ND     |           |
| METHIOCARB                  | ppm  | 0.0040 | 0.1000 | 0.2   | PASS      | ND     |           |
| METHOMYL                    | ppm  | 0.0050 | 0.2000 | 0.4   | PASS      | ND     | V1        |
| MYCLOBUTANIL                | ppm  | 0.0100 | 0.1000 | 0.2   | PASS      | ND     |           |
| NALED                       | ppm  | 0.0070 | 0.2500 | 0.5   | PASS      | ND     |           |
| OXAMYL                      | ppm  | 0.0080 | 0.5000 | 1     | PASS      | ND     |           |
| PACLOBUTRAZOL               | ppm  | 0.0050 | 0.2000 | 0.4   | PASS      | ND     |           |
| TOTAL PERMETHRINS           | ppm  | 0.0030 | 0.1000 | 0.2   | PASS      | ND     |           |
| PHOSMET                     | ppm  | 0.0100 | 0.1000 | 0.2   | PASS      | ND     |           |
| PIPERONYL BUTOXIDE          | ppm  | 0.0050 | 1.0000 | 2     | PASS      | ND     |           |
| PRALLETHRIN                 | ppm  | 0.0130 | 0.1000 | 0.2   | PASS      | ND     |           |
| PROPICONAZOLE               | ppm  | 0.0050 | 0.2000 | 0.4   | PASS      | ND     |           |
| PROPOXUR                    | ppm  | 0.0050 | 0.1000 | 0.2   | PASS      | ND     |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**

Lab Director

State License #  
 00000024LCMD66604568  
 ISO 17025 Accreditation #  
 97164



Signature  
 03/01/26



# Certificate of Analysis

**Smokiez Edibles**


2121 s 15th Ave  
 phoenix, AZ, 85007, US  
 License # : 00000121ESBM38825533

**Sample: TE60223003-003**

Batch #: TR01-1KSW2.19.26  
 Harvest/Lot ID: TR01

Ordered: 02/20/26  
 Sampled: 02/23/26  
 Completed: 03/01/26

**PASSED**



## Pesticide

PASSED

| ANALYTES         | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------|------|--------|--------|-------|-----------|--------|-----------|
| TOTAL PYRETHRINS | ppm  | 0.0010 | 0.5000 | 1     | PASS      | ND     |           |
| PYRIDABEN        | ppm  | 0.0040 | 0.1000 | 0.2   | PASS      | ND     |           |
| TOTAL SPINOSAD   | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| SPIROMESIFEN     | ppm  | 0.0080 | 0.1000 | 0.2   | PASS      | ND     |           |
| SPIROTETRAMAT    | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| SPIROXAMINE      | ppm  | 0.0040 | 0.2000 | 0.4   | PASS      | ND     |           |
| TEBUCONAZOLE     | ppm  | 0.0040 | 0.2000 | 0.4   | PASS      | ND     |           |
| THIACLOPRID      | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| THIAMETHOXAM     | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| TRIFLOXYSTROBIN  | ppm  | 0.0060 | 0.1000 | 0.2   | PASS      | ND     |           |
| CHLORFENAPYR     | ppm  | 0.0270 | 0.5000 | 1     | PASS      | ND     | L1        |
| CYFLUTHRIN       | ppm  | 0.0150 | 0.5000 | 1     | PASS      | ND     | V1, L1    |

Analyzed by: 410, 432, 545      Weight: 1.0016g      Extraction date: 02/24/26 09:27:19      Extracted by: 803

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ  
 Analytical Batch : TE012865PES  
 Instrument Used : TE-262 - "MS/MS PES/VOL/MYC 2", TE-117 LC - "PES/VOL/MYC 2"      Batch Date : 02/23/26 16:31:12  
 Analyzed Date : 02/28/26 22:37:31

Dilution : 50  
 Reagent : 012226.R04; 022326.R24; 012226.R03; 122925.R09; 022026.R14; 022026.R15; 120225.R17; 022026.R05  
 Consumables : 9479291.043; 8000038072; 060225CH01; 1010532262; 1010647793; GD250003  
 Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)


Pesticide screening is carried out using LC-MS/MS (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).

Analyzed by: 410, 432, 545      Weight: 1.0016g      Extraction date: 02/24/26 09:27:19      Extracted by: 803

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ  
 Analytical Batch : TE012881VOL  
 Instrument Used : TE-262 "MS/MS - Pest/Myco 2"      Batch Date : 02/24/26 14:09:22  
 Analyzed Date : 02/28/26 22:39:06

Dilution : 50  
 Reagent : 012226.R04; 022326.R24; 012226.R03; 122925.R09; 022026.R14; 022026.R15; 120225.R17; 022026.R05  
 Consumables : 9479291.043; 8000038072; 060225CH01; 1010532262; 1010647793; GD250003  
 Pipette : TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)

Chlorfenapyr and Cyfluthrin analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC)



## Residual Solvents

PASSED

| ANALYTES        | UNIT | LOD      | LOQ       | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------|------|----------|-----------|-------|-----------|--------|-----------|
| BUTANES         | ppm  | 168.2000 | 2400.0000 | 5000  | PASS      | ND     |           |
| METHANOL        | ppm  | 87.7000  | 1440.0000 | 3000  | PASS      | ND     |           |
| PENTANES        | ppm  | 163.9000 | 2400.0000 | 5000  | PASS      | ND     |           |
| ETHANOL         | ppm  | 142.2000 | 2400.0000 | 5000  | PASS      | ND     |           |
| ETHYL ETHER     | ppm  | 193.1000 | 2400.0000 | 5000  | PASS      | ND     | I1        |
| ACETONE         | ppm  | 37.6000  | 480.0000  | 1000  | PASS      | ND     | I1        |
| 2-PROPANOL      | ppm  | 156.2000 | 2400.0000 | 5000  | PASS      | ND     |           |
| ACETONITRILE    | ppm  | 12.2000  | 196.8000  | 410   | PASS      | ND     |           |
| DICHLOROMETHANE | ppm  | 22.7000  | 288.0000  | 600   | PASS      | ND     |           |
| HEXANES         | ppm  | 8.4000   | 139.2000  | 290   | PASS      | ND     |           |
| ETHYL ACETATE   | ppm  | 179.0000 | 2400.0000 | 5000  | PASS      | ND     |           |
| CHLOROFORM      | ppm  | 2.4100   | 28.8000   | 60    | PASS      | ND     |           |
| BENZENE         | ppm  | 0.1150   | 1.0000    | 2     | PASS      | ND     |           |
| HEPTANE         | ppm  | 152.8000 | 2400.0000 | 5000  | PASS      | ND     |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**

Lab Director

State License #  
 0000024LCMD66604568  
 ISO 17025 Accreditation #  
 97164



Signature  
 03/01/26



# Certificate of Analysis

**Smokiez Edibles**


2121 s 15th Ave  
phoenix, AZ, 85007, US  
License # : 00000121ESBM38825533

**Sample: TE60223003-003**

Batch #: TR01-1KSW2.19.26  
Harvest/Lot ID: TR01

Ordered: 02/20/26  
Sampled: 02/23/26  
Completed: 03/01/26

**PASSED**



## Residual Solvents

PASSED


| ANALYTES          | UNIT | LOD      | LOQ       | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------|------|----------|-----------|-------|-----------|--------|-----------|
| ISOPROPYL ACETATE | ppm  | 168.6000 | 2400.0000 | 5000  | PASS      | ND     |           |
| TOLUENE           | ppm  | 26.2000  | 427.2000  | 890   | PASS      | ND     |           |
| XYLENES           | ppm  | 53.2000  | 1041.6000 | 2170  | PASS      | ND     |           |

|                                           |                           |                                              |                             |
|-------------------------------------------|---------------------------|----------------------------------------------|-----------------------------|
| <b>Analyzed by:</b><br>445, 409, 602, 545 | <b>Weight:</b><br>0.0224g | <b>Extraction date:</b><br>02/23/26 15:03:38 | <b>Extracted by:</b><br>445 |
|-------------------------------------------|---------------------------|----------------------------------------------|-----------------------------|

**Analysis Method :** SOP.T.40.044.AZ  
**Analytical Batch :** TE012859SOL  
**Instrument Used :** TE-095 "MS - Solvents 1"  
**Analyzed Date :** 02/24/26 15:27:11  
**Batch Date :** 02/23/26 15:02:16

**Dilution :** N/A  
**Reagent :** N/A  
**Consumables :** N/A  
**Pipette :** N/A

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.



## Microbial

PASSED


| ANALYTES               | UNIT  | LOD     | LOQ     | LIMIT | PASS/FAIL | RESULT             | QUALIFIER |
|------------------------|-------|---------|---------|-------|-----------|--------------------|-----------|
| SALMONELLA SPP.        |       |         |         |       | PASS      | Not Detected in 1g |           |
| ESCHERICHIA COLI (REC) | CFU/g | 10.0000 | 10.0000 | 100   | PASS      | ND                 |           |

|                                      |                           |                                              |                                 |
|--------------------------------------|---------------------------|----------------------------------------------|---------------------------------|
| <b>Analyzed by:</b><br>331, 602, 545 | <b>Weight:</b><br>1.0655g | <b>Extraction date:</b><br>02/23/26 15:03:01 | <b>Extracted by:</b><br>331,545 |
|--------------------------------------|---------------------------|----------------------------------------------|---------------------------------|

**Analysis Method :** SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ  
**Analytical Batch :** TE012853MIC  
**Instrument Used :** TE-234 "bioMerieux GENE-UP",TE-342 "bioMerieux GENE-UP"  
**Analyzed Date :** 02/25/26 14:04:26  
**Batch Date :** 02/23/26 10:50:30

**Dilution :** 10  
**Reagent :** 020226.59; 090425.53; 022825.53; 080525.15; 090825.20; 012826.07; 021926.32; 021926.33; 021926.38; 011426.12; 011426.14; 020226.119  
**Consumables :** 346M6K; 1008855960; 1009817562; 3950911; 060225CH01; 1010532262; 1010435125; 540563  
**Pipette :** TE-075 SN:RU31709; TE-079 SN:SU08110; TE-053 SN:20E78952; TE-057 SN:21D58688; TE-058 SN:20C35427; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMérieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm.



## Mycotoxins

PASSED

| ANALYTES         | UNIT | LOD    | LOQ     | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------|------|--------|---------|-------|-----------|--------|-----------|
| TOTAL AFLATOXINS | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     |           |
| AFLATOXIN B1     | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     |           |
| AFLATOXIN B2     | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     |           |
| AFLATOXIN G1     | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     |           |
| AFLATOXIN G2     | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     |           |
| OCHRATOXIN A     | ppb  | 3.0300 | 10.0000 | 20    | PASS      | ND     | V1, L1    |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**

Lab Director



State License #  
00000024LCMD66604568  
ISO 17025 Accreditation #  
97164

Signature  
03/01/26



1231 W. Warner Road, Suite 105  
Tempe, AZ, 85284, US  
(833) 465-8378

Kaycha Labs  
1000mg 20pk Gummies - Watermelon(sour)  
Strain: Watermelon(sour)  
Matrix: Infused  
Classification: Hybrid  
Type: Soft Chew



# Certificate of Analysis

**Smokiez Edibles**

2121 s 15th Ave  
phoenix, AZ, 85007, US  
License # : 00000121ESBM38825533

**Sample: TE60223003-003**

Batch #: TR01-1KSW2.19.26  
Harvest/Lot ID: TR01

Ordered: 02/20/26  
Sampled: 02/23/26  
Completed: 03/01/26

**PASSED**

|  |                   |               |
|--|-------------------|---------------|
|  | <b>Mycotoxins</b> | <b>PASSED</b> |
|--|-------------------|---------------|

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|-----|-------|-----------|--------|-----------|
| <b>Analyzed by:</b> 410, 432, 545<br><b>Weight:</b> 1.0016g<br><b>Extraction date:</b> 02/24/26 09:27:19<br><b>Extracted by:</b> 803<br><b>Analysis Method :</b> SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ<br><b>Analytical Batch :</b> TE012882MYC<br><b>Instrument Used :</b> TE-262 "MS/MS - Pest/Myco 2,TE-117 UHPLC - Pest/Myco 2<br><b>Analyzed Date :</b> 02/28/26 22:36:51<br><b>Batch Date :</b> 02/24/26 14:09:45<br><b>Dilution :</b> 50<br><b>Reagent :</b> 012226.R04; 022326.R24; 012226.R03; 122925.R09; 022026.R14; 022026.R15; 120225.R17; 022026.R05<br><b>Consumables :</b> 9479291.043; 8000038072; 060225CH01; 1010532262; 1010647793; GD250003<br><b>Pipette :</b> TE-062 SN:20C50491; TE-064 SN:20B27672 (100-1000uL)<br>Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflatoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg. |      |     |     |       |           |        |           |

|  |                     |               |
|--|---------------------|---------------|
|  | <b>Heavy Metals</b> | <b>PASSED</b> |
|--|---------------------|---------------|

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|--------|-------|-----------|--------|-----------|
| ARSENIC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ppm  | 0.0660 | 0.2000 | 0.4   | PASS      | ND     |           |
| CADMIUM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ppm  | 0.0660 | 0.2000 | 0.4   | PASS      | ND     |           |
| LEAD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | ppm  | 0.1660 | 0.5000 | 1     | PASS      | ND     |           |
| MERCURY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ppm  | 0.0333 | 0.1000 | 1.2   | PASS      | ND     |           |
| <b>Analyzed by:</b> 398, 602, 545<br><b>Weight:</b> 0.2g<br><b>Extraction date:</b> 02/24/26 10:45:30<br><b>Extracted by:</b> 802,398<br><b>Analysis Method :</b> SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ<br><b>Analytical Batch :</b> TE012868HEA<br><b>Instrument Used :</b> TE-260 "Ludwig",TE-307 "Ted"<br><b>Analyzed Date :</b> 02/25/26 14:09:41<br><b>Batch Date :</b> 02/23/26 16:42:03<br><b>Dilution :</b> 50<br><b>Reagent :</b> 122624.32; 021926.R06; 022426.R05; 022326.R13; 111125.03; 012626.08; 090222.04<br><b>Consumables :</b> 060225CH01; 1010532262; 1010435125; GD240004<br><b>Pipette :</b> TE-063 SN:20C50490 (20-200uL); TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)<br>Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS). |      |        |        |       |           |        |           |

## CONFIDENT CANNABIS QR

\* Confident Cannabis sample ID: 2602KLAZ0227.1193



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

**Ariel Casey**  
Lab Director

State License #  
00000024LCMD66604568  
ISO 17025 Accreditation #  
97164

Signature  
03/01/26