

**SAMPLE NAME:** Kush Mints (Batch ID: 213KMT071923)

**SAMPLE ID:** A23H0061-08

**CCB ID:** 2308OPT2726.10740

**CULTIVATOR/MANUFACTURER**

**Business Name:** Sonoran Roots

**License:** 00000037DCDM00904008

**SAMPLE DETAIL**

**Date Collected:** 8/8/2023 4:14:15PM

**Matrix:** Flower - Cured


**Strain:** Kush Mints

**Ex. Lot ID:** N/A

**Batch#:** 213KMT071923

**Batch Size:** 13g

**Other Information:**



Scan QR code to verify authenticity of results.

**CANNABINOID ANALYSIS SUMMARY**

**Total THC: 26.845%**

d9-THC + (THCa \* 0.877)

**Total CBD: ND**

CBD + (CBDa \* 0.877)

**Total Cannabinoids: 31.653%**

CBD + CBG + CBN + CBDa + CBGa  
+ THCa + THCv + d8THC + d9THC

**SAFETY ANALYSIS SUMMARY**

**Microbials: PASS**

**Mycotoxins: NOT TESTED**

**Metals: PASS**

**Solvents: NOT TESTED**

**Pesticides: PASS**

Data Reviewed by Symone Whalin, Technical Laboratory Director



<b>26.845%</b>  <b>Total THC</b>	<b>31.653%</b>  <b>Total Cannabinoids</b> <small>*Q3 Informational use only</small>
<b>ND</b>  <b>Total CBD</b>	<b>N/A</b>  <b>Moisture</b> <small>*Q3 Informational use only</small>

### CANNABINOID TEST RESULTS

Date Analyzed: 08/09/23 17:54; Method: Agilent 1260 LC

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
delta 9-THC		0.030000	0.23160	2.32
THCA		0.030000	30.347	303.47
CBD		0.030000	ND	ND
CBDA		0.030000	ND	ND
CBN	Q3M2	0.030000	ND	ND
delta 8-THC	Q3	0.030000	ND	ND
CBG	Q3	0.030000	0.11050	1.11
CBGA	Q3	0.030000	0.96460	9.65
THCV	Q3	0.030000	ND	ND
Total CBD		0.030000	ND	ND
Total THC		0.030000	26.845	268.45
<b>Total</b>		0.030000	<b>31.653</b>	<b>316.53</b>

### HEAVY METALS TEST RESULTS

**Pass**

Date Analyzed: 08/10/23 10:30; Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Arsenic		200	400	ND	Pass
Cadmium		200	400	ND	Pass
Lead		500	1000	ND	Pass
Mercury		600	1200	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




**PESTICIDES TEST RESULTS**

**Pass**

Date Analyzed: 08/11/23 00:52; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status	Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm				ppm	ppm	ppm	
Avermectin B1a	L1	0.250	0.5	ND	Pass	Hexythiazox	M2	0.500	1	ND	Pass
Acephate	M2	0.200	0.4	ND	Pass	Imazalil	M2	0.100	0.2	ND	Pass
Acequinocyl	M2	1.00	2	ND	Pass	Imidacloprid	M2	0.200	0.4	ND	Pass
Acetamiprid	M2	0.100	0.2	ND	Pass	Kresoxim-methyl	M2	0.200	0.4	ND	Pass
Aldicarb	M2	0.200	0.4	ND	Pass	Malathion	M2	0.100	0.2	ND	Pass
Azoxystrobin	M2	0.100	0.2	ND	Pass	Metaxyl	M2	0.100	0.2	ND	Pass
Bifenazate	L1	0.100	0.2	ND	Pass	Methiocarb	M2	0.100	0.2	ND	Pass
Bifenthrin	M2	0.100	0.2	ND	Pass	Methomyl	M2	0.200	0.4	ND	Pass
Boscalid	M2	0.200	0.4	ND	Pass	Myclobutanil	M2	0.100	0.2	ND	Pass
Carbaryl	M2	0.100	0.2	ND	Pass	Naled	M2	0.250	0.5	ND	Pass
Carbofuran	M2	0.100	0.2	ND	Pass	Oxamyl	M2	0.500	1	ND	Pass
Chlorantraniliprole	M2	0.100	0.2	ND	Pass	Paclobutrazol	M2	0.200	0.4	ND	Pass
Chlorfenapyr	M2	0.500	1	ND	Pass	Permethrins	M2	0.100	0.2	ND	Pass
Chlorpyrifos	M2	0.100	0.2	ND	Pass	Phosmet	M2	0.100	0.2	ND	Pass
Clofentezine	M2	0.100	0.2	ND	Pass	Piperonyl Butoxide	M2	1.00	2	ND	Pass
Cyfluthrin	R1, M2	0.500	1	ND	Pass	Prallethrin	M2	0.100	0.2	ND	Pass
Cypermethrin	M2	0.500	1	ND	Pass	Propiconazole	M2	0.200	0.4	ND	Pass
Daminozide	M2	0.500	1	ND	Pass	Propoxur	M2	0.100	0.2	ND	Pass
DDVP (Dichlorvos)	M2	0.0500	0.1	ND	Pass	Pyrethrins	M2	0.500	1	ND	Pass
Diazinon	M2	0.100	0.2	ND	Pass	Pyridaben	M2	0.100	0.2	ND	Pass
Dimethoate	M2	0.100	0.2	ND	Pass	Spinosad	M2	0.100	0.2	ND	Pass
Ethoprop(hos)	M2	0.100	0.2	ND	Pass	Spiromesifen	M2	0.100	0.2	ND	Pass
Etofenprox	M2	0.200	0.4	ND	Pass	Spirotetramat	M2	0.100	0.2	ND	Pass
Etoxazole	M2	0.100	0.2	ND	Pass	Spiroxamine	M2	0.200	0.4	ND	Pass
Fenoxycarb	M2	0.100	0.2	ND	Pass	Tebuconazole	M2	0.200	0.4	ND	Pass
Fenpyroximate	M2	0.200	0.4	ND	Pass	Thiacloprid	M2	0.100	0.2	ND	Pass
Fipronil	M2	0.200	0.4	ND	Pass	Thiamethoxam	M2	0.100	0.2	ND	Pass
Flonicamid	M2	0.500	1	ND	Pass	Trifloxystrobin	M2	0.100	0.2	ND	Pass
Fludioxonil	M2	0.200	0.4	ND	Pass						

Data Reviewed by Symone Whalin, Technical Laboratory Director




**MICROBIALS TEST RESULTS**

**Pass**

Date Analyzed: 08/10/23 09:48; Method: 3M Petrifilm

Analyte	Qualifier	Limit	Result	Status
		cfu/g	cfu/g	
Escherichia coli		100	<40 CFU/g	Pass
Salmonella spp.		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus terreus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus niger		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus fumigatus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus flavus		Detectable in 1 gram	Not detected in 1 gram	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589  
 The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory to provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1 Q3 testing result is for information purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labelling requirements in R9-17-317-Q3.

