

SAMPLE NAME: Sour Diesel (Batch ID: 207SRD062823)

SAMPLE ID: A23G0031-01

CCB ID: 2307OPT2600.10170

CULTIVATOR/MANUFACTURER

Business Name: Sonoran Roots

License: 00000037DCDM00904008

Address: 550 W. McKellips Rd. Mesa AZ 85201, AZ 85201



SAMPLE DETAIL

Date Collected: 7/20/2023 10:45:49AM

Matrix: Flower - Cured

Strain: Sour Diesel

Ex. Lot ID: N/A

Batch#: 207SRD062823

Batch Size: 13g

Other Information:

CANNABINOID ANALYSIS SUMMARY

Total THC: 23.42%

d9-THC + (THCa * 0.877)

Total CBD: ND

CBD + (CBDa * 0.877)

Total Cannabinoids: 27.41%

CBD + CBG + CBN + CBDa + CBGa
+ THCa + THCv + d8THC + d9THC

SAFETY ANALYSIS SUMMARY

Microbials: PASS

Mycotoxins: NOT TESTED

Metals: PASS

Solvents: NOT TESTED

Pesticides: PASS

Data Reviewed by Symone Whalin, Technical Laboratory Director



| | |
|---------------------------------------|---|
| 23.42% Total THC | 27.41% Total Cannabinoids <small>*Q3 Informational use only</small> |
| ND Total CBD | N/A Moisture <small>*Q3 Informational use only</small> |

CANNABINOID TEST RESULTS

Date Analyzed: 07/21/23 22:06; Method: Agilent 1260 LC

| Analyte | Qualifier | LOQ | Result | Result |
|--------------|-----------|---------|--------------|---------------|
| | | % | % | mg/g |
| delta 9-THC | | 0.03000 | 0.2598 | 2.60 |
| THCA | | 0.03000 | 26.41 | 264.10 |
| CBD | | 0.03000 | ND | ND |
| CBDA | | 0.03000 | ND | ND |
| CBN | Q3M2 | 0.03000 | ND | ND |
| delta 8-THC | Q3 | 0.03000 | ND | ND |
| CBG | Q3 | 0.03000 | ND | ND |
| CBGA | Q3 | 0.03000 | 0.7407 | 7.41 |
| THCV | Q3 | 0.03000 | ND | ND |
| Total CBD | | 0.03000 | ND | ND |
| Total THC | | 0.03000 | 23.42 | 234.20 |
| Total | | 0.03000 | 27.41 | 274.10 |

HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 07/22/23 07:44; Method: Agilent 7800 ICP MS

| Analyte | Qualifier | LOQ | Limit | Result | Status |
|---------|-----------|-----|-------|--------|--------|
| | | ppb | ppb | ppb | |
| Arsenic | | 200 | 400 | ND | Pass |
| Cadmium | | 200 | 400 | ND | Pass |
| Lead | | 500 | 1000 | ND | Pass |
| Mercury | | 600 | 1200 | ND | Pass |

Data Reviewed by Symone Whalin, Technical Laboratory Director




PESTICIDES TEST RESULTS

Pass

Date Analyzed: 07/22/23 08:10; Method: Agilent 1260 LC 6470BMS

| Analyte | Qualifier | LOQ | Limit | Result | Status | Analyte | Qualifier | LOQ | Limit | Result | Status |
|---------------------|-----------|--------|-------|--------|--------|--------------------|-----------|-------|-------|--------|--------|
| | | ppm | ppm | ppm | | | | ppm | ppm | ppm | |
| Avermectin B1a | | 0.250 | 0.5 | ND | Pass | Hexythiazox | | 0.500 | 1 | ND | Pass |
| Acephate | | 0.200 | 0.4 | ND | Pass | Imazalil | | 0.100 | 0.2 | ND | Pass |
| Acequinocyl | | 1.00 | 2 | ND | Pass | Imidacloprid | | 0.200 | 0.4 | ND | Pass |
| Acetamiprid | | 0.100 | 0.2 | ND | Pass | Kresoxim-methyl | | 0.200 | 0.4 | ND | Pass |
| Aldicarb | | 0.200 | 0.4 | ND | Pass | Malathion | | 0.100 | 0.2 | ND | Pass |
| Azoxystrobin | | 0.100 | 0.2 | ND | Pass | Metaxyl | | 0.100 | 0.2 | ND | Pass |
| Bifenazate | | 0.100 | 0.2 | ND | Pass | Methiocarb | | 0.100 | 0.2 | ND | Pass |
| Bifenthrin | | 0.100 | 0.2 | ND | Pass | Methomyl | | 0.200 | 0.4 | ND | Pass |
| Boscalid | | 0.200 | 0.4 | ND | Pass | Myclobutanil | | 0.100 | 0.2 | ND | Pass |
| Carbaryl | | 0.100 | 0.2 | ND | Pass | Naled | | 0.250 | 0.5 | ND | Pass |
| Carbofuran | | 0.100 | 0.2 | ND | Pass | Oxamyl | | 0.500 | 1 | ND | Pass |
| Chlorantraniliprole | | 0.100 | 0.2 | ND | Pass | Paclobutrazol | | 0.200 | 0.4 | ND | Pass |
| Chlorfenapyr | | 0.500 | 1 | ND | Pass | Permethrins | | 0.100 | 0.2 | ND | Pass |
| Chlorpyrifos | | 0.100 | 0.2 | ND | Pass | Phosmet | | 0.100 | 0.2 | ND | Pass |
| Clofentezine | | 0.100 | 0.2 | ND | Pass | Piperonyl Butoxide | | 1.00 | 2 | ND | Pass |
| Cyfluthrin | | 0.500 | 1 | ND | Pass | Prallethrin | | 0.100 | 0.2 | ND | Pass |
| Cypermethrin | | 0.500 | 1 | ND | Pass | Propiconazole | | 0.200 | 0.4 | ND | Pass |
| Daminozide | | 0.500 | 1 | ND | Pass | Propoxur | | 0.100 | 0.2 | ND | Pass |
| DDVP (Dichlorvos) | | 0.0500 | 0.1 | ND | Pass | Pyrethrins | | 0.500 | 1 | ND | Pass |
| Diazinon | | 0.100 | 0.2 | ND | Pass | Pyridaben | | 0.100 | 0.2 | ND | Pass |
| Dimethoate | | 0.100 | 0.2 | ND | Pass | Spinosad | | 0.100 | 0.2 | ND | Pass |
| Ethoprop(hos) | | 0.100 | 0.2 | ND | Pass | Spiromesifen | | 0.100 | 0.2 | ND | Pass |
| Etofenprox | | 0.200 | 0.4 | ND | Pass | Spirotetramat | | 0.100 | 0.2 | ND | Pass |
| Etoxazole | | 0.100 | 0.2 | ND | Pass | Spiroxamine | | 0.200 | 0.4 | ND | Pass |
| Fenoxycarb | | 0.100 | 0.2 | ND | Pass | Tebuconazole | | 0.200 | 0.4 | ND | Pass |
| Fenpyroximate | | 0.200 | 0.4 | ND | Pass | Thiacloprid | | 0.100 | 0.2 | ND | Pass |
| Fipronil | | 0.200 | 0.4 | ND | Pass | Thiamethoxam | | 0.100 | 0.2 | ND | Pass |
| Fonicamid | | 0.500 | 1 | ND | Pass | Trifloxystrobin | | 0.100 | 0.2 | ND | Pass |
| Fludioxonil | | 0.200 | 0.4 | ND | Pass | | | | | | |

Symone Whalin

Data Reviewed by Symone Whalin, Technical Laboratory Director



MICROBIALS TEST RESULTS

Pass

Date Analyzed: 07/23/23 07:38; Method: 3M Petrifilm

| Analyte | Qualifier | Limit | Result | Status |
|-----------------------|-----------|----------------------|------------------------|--------|
| | | cfu/g | cfu/g | |
| Escherichia coli | | 100 | <40 CFU/g | Pass |
| Salmonella spp. | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus terreus | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus niger | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus fumigatus | | Detectable in 1 gram | Not detected in 1 gram | Pass |
| Aspergillus flavus | | Detectable in 1 gram | Not detected in 1 gram | Pass |

Data Reviewed by Symone Whalin, Technical Laboratory Director



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
 The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1 Q3 testing result is for information purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labelling requirements in R9-17-317-Q3.

