

AZDHS Certification # 00000005LCMI00301434



SROAZ LLC 125 S Rockford Tempe, AZ 85281 (440) 622-3519 Lic#: 00000109ESVM44878444

FINAL


CC ID#: 2408C4L0025.2378 Lot#: N/A Batch#: 080724-1 Batch Size: N/A Manufacture Date: 08/07/2024 Harvest Date: 06/04/2024

Sample: S408037-01

Sample Name: Space Rocks - P-Star Strain Name: P-Star Matrix: Caviar Amount Received: 134.3874 g

Sample Collected: 08/7/2024 9:00 Sample Received: 08/08/2024 14:23 Report Created: 08/14/2024 21:14





Cannabinoid Results

39.0%	34.2%	<loq< th=""><th>RATIO 1 : 0</th></loq<>	RATIO 1 : 0
Sum of Cannabinoids (Q3)	Total THC	Total CBD	THC CBD
	Total THC= THCA * 0.877 + d9- Total CBD= CBDA * 0.877 + CB		



Jillian Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.



AZDHS Certification # 00000005LCMI00301434



SROAZ LLC

125 S Rockford Tempe, AZ 85281 (440) 622-3519 Lic#: 00000109ESVM44878444

FINAL

CC ID#: 2408C4L0025.2378 Lot#: N/A Batch Size: N/A

Sample: S408037-01

Sample Name: Space Rocks - P-Star Strain Name: P-Star Matrix: Caviar Amount Received: 134.3874 g

Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 08/13/2024	Analyst Initials: DRF		SOP: SOP-CHE	EM-003	
Analyte	LOQ	Result	Result	Qualifier	
	%	%	mg/g		
THCA	0.623	38.3	383		
d9-THC	0.623	0.652	6.52		
d8-THC	0.623	<loq< th=""><th>< LOQ</th><th></th><th></th></loq<>	< LOQ		
CBDA	0.623	<loq< th=""><th>< LOQ</th><th></th><th></th></loq<>	< LOQ		
CBD	0.623	<loq< th=""><th>< LOQ</th><th></th><th></th></loq<>	< LOQ		
CBG	0.623	<loq< th=""><th>< LOQ</th><th></th><th></th></loq<>	< LOQ		
CBN	0.623	<loq< th=""><th>< LOQ</th><th></th><th></th></loq<>	< LOQ		
CBC	0.623	<loq< th=""><th>< LOQ</th><th></th><th></th></loq<>	< LOQ		
Sum of Cannabinoids	0.623	39.0	390	Q3	
Total THC	0.623	34.2	342		
Total CBD	0.623	<loq< th=""><th>< LOQ</th><th></th><th></th></loq<>	< LOQ		
Total Cannabinoids	0.623	34.2	342	Q3	

Total THC= THCA * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs

Batch#: 080724-1 Manufacture Date: 08/07/2024 Harvest Date: 06/04/2024

> Sample Collected: 08/7/2024 9:00 Sample Received: 08/08/2024 14:23 Report Created: 08/14/2024 21:14



AZDHS Certification # 00000005LCMI00301434



SROAZ LLC

125 S Rockford Tempe, AZ 85281 (440) 622-3519 Lic#: 00000109ESVM44878444

FINAL

Sample: S408037-01 CC ID#: 2408C4L0025.2378 Lot#: N/A Batch#: 080724-1 Batch Size: N/A Manufacture Date: 08/07/2024 Harvest Date: 06/04/2024

Space Rocks - P-Star Sample Name: Strain Name: P-Star Matrix: Caviar Amount Received: 134.3874 g

Pesticides by LC/MS/MS - Compliance

Analyte	LOQ	Limit	Result	Qualifier	Status	Analyte	LOQ	Limit	Result	Qualifier	Statue
				Quaimer	Status	Analyte				Quaimer	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.123	0.5	<loq< td=""><td>11</td><td>Pass</td><td>Imazalil</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	11	Pass	Imazalil	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acephate	0.102	0.4	<loq< td=""><td></td><td>Pass</td><td>Imidacloprid</td><td>0.102</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imidacloprid	0.102	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acetamiprid	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Kresoxim-methyl</td><td>0.102</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Kresoxim-methyl	0.102	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Aldicarb	0.102	0.4	<loq< td=""><td></td><td>Pass</td><td>Malathion</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Malathion	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Azoxystrobin	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Metalaxyl</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Metalaxyl	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenazate	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Methiocarb</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methiocarb	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenthrin	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Methomyl</td><td>0.102</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methomyl	0.102	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Boscalid	0.102	0.4	<loq< td=""><td></td><td>Pass</td><td>Myclobutanil</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Myclobutanil	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbaryl	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Naled</td><td>0.128</td><td>0.5</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Naled	0.128	0.5	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbofuran	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Oxamyl</td><td>0.256</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Oxamyl	0.256	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorantraniliprole	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Paclobutrazol</td><td>0.102</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Paclobutrazol	0.102	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorfenapyr	0.512	1.0	<loq< td=""><td>I1, L1, V1</td><td>Pass</td><td>Permethrins</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	I1, L1, V1	Pass	Permethrins	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorpyrifos	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Phosmet</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Phosmet	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Clofentezine	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Piperonyl butoxide</td><td>0.512</td><td>2.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Piperonyl butoxide	0.512	2.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cyfluthrin	0.512	1.0	<loq< td=""><td>V1</td><td>Pass</td><td>Prallethrin</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Prallethrin	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cypermethrin	0.256	1.0	<loq< td=""><td></td><td>Pass</td><td>Propiconazole</td><td>0.102</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propiconazole	0.102	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Daminozide	0.512	1.0	<loq< td=""><td></td><td>Pass</td><td>Propoxur</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propoxur	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diazinon	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Pyrethrins</td><td>0.143</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyrethrins	0.143	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dichlorvos	0.051	0.1	<loq< td=""><td></td><td>Pass</td><td>Pyridaben</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyridaben	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dimethoate	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Spinosad</td><td>0.051</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Spinosad	0.051	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Ethoprophos	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiromesifen</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiromesifen	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etofenprox	0.102	0.4	<loq< td=""><td></td><td>Pass</td><td>Spirotetramat</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spirotetramat	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etoxazole	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiroxamine</td><td>0.102</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiroxamine	0.102	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenoxycarb	0.051	0.2	<loq< td=""><td></td><td>Pass</td><td>Tebuconazole</td><td>0.102</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Tebuconazole	0.102	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenpyroximate	0.102	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiacloprid</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiacloprid	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fipronil	0.102	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiamethoxam</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiamethoxam	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Flonicamid	0.256	1.0	<loq< td=""><td></td><td>Pass</td><td>Trifloxystrobin</td><td>0.051</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Trifloxystrobin	0.051	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fludioxonil	0.102	0.4	<loq< td=""><td></td><td>Pass</td><td>2</td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass	2					
Hexythiazox	0.256	1.0	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass						



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs

Pass

Sample Collected: 08/7/2024 9:00 Sample Received: 08/08/2024 14:23

Report Created: 08/14/2024 21:14

3 of 7



AZDHS Certification # 00000005LCMI00301434

Pass

Pass



SROAZ LLC

125 S Rockford Tempe, AZ 85281 (440) 622-3519 Lic#: 00000109ESVM44878444

Strain Name: P-Star

Matrix: Caviar

FINAL

CC ID#: 2408C4L0025.2378 Lot#: N/A Batch#: 080724-1 Batch Size: N/A Manufacture Date: 08/07/2024 Harvest Date: 06/04/2024

Sample: S408037-01

Sample Collected: 08/7/2024 9:00 Sample Received: 08/08/2024 14:23 Report Created: 08/14/2024 21:14

Amount Received: 134.3874 g

Sample Name: Space Rocks - P-Star

Metals by ICP-MS - Compliance

Date Analyzed: 08/13/2024	Analyst Initial	s: JEK SOP:	C4-SOP-CHEM	N-008	
Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm		
Arsenic	0.099	0.4	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Cadmium	0.099	0.4	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Lead	0.398	1.0	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Mercury	0.040	0.2	<loq< th=""><th></th><th>Pass</th></loq<>		Pass

Mycotoxins by ELISA- Compliance

Date Analyzed: 08/14/2024 Analyst Initials: DHV SOP: SOP-MICRO-014

Analyte	LOQ	Limit	Result	Qualifier	Status
	ppb	ppb	ppb		
Aflatoxins Total	2.00	20	4.18		Pass
Ochratoxin A	4.00	20	<loq< th=""><th></th><th>Pass</th></loq<>		Pass

Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.



AZDHS Certification # 00000005LCMI00301434



SROAZ LLC 125 S Rockford Tempe, AZ 85281 (440) 622-3519 Lic#: 00000109ESVM44878444	FINAL	Sample: S408037-01 CC ID#: 2408C4L0025.2378 Lot#: N/A Batch#: 080724-1 Batch Size: N/A Manufacture Date: 08/07/2024 Harvest Date: 06/04/2024
Sample Name: Space Rocks - P-Star		
Strain Name: P-Star		Sample Collected: 08/7/2024 9:00
Matrix: Caviar		Sample Received: 08/08/2024 14:23
Amount Received: 134.3874 g		Report Created: 08/14/2024 21:14

Microbials

Pass

E. coli by 3M Petrifilm- Compliance

Date Analyzed: 08/13/2024 Analyst Initials: DHV SOP: SOP-MICRO-010

Analyte	LOQ	Limit	Result	Qualifier Status
	CFU/g	CFU/g	CFU/g	
E. coli	10	100	<10	Pass

Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 08/13/2024 Analyst Initials: DHV SOP: SOP-MICRO-013

Analyte	Result	Qualifier Status
	in one gram	
Salmonella spp.	Not Detected	Pass
Aspergillus flavus, Aspergillus fumigatus, Aspergillus niger, or Aspergillus terreus	Not Detected	Pass

Salmonella and Aspergillus by Medicinal Genomics.



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received. SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.



AZDHS Certification # 00000005LCMI00301434



SROAZ LLC

125 S Rockford Tempe, AZ 85281 (440) 622-3519 Lic#: 00000109ESVM44878444

FINAL

Sample: S408037-01 CC ID#: 2408C4L0025.2378 Lot#: N/A Batch#: 080724-1 Batch Size: N/A Manufacture Date: 08/07/2024 Harvest Date: 06/04/2024

Sample Collected: 08/7/2024 9:00

Sample Received: 08/08/2024 14:23 Report Created: 08/14/2024 21:14

Sample Name: Space Rocks - P-Star Strain Name: P-Star Matrix: Caviar Amount Received: 134.3874 g

Residual Solvents by Headspace GC/MS - Compliance

Date Analyzed: 08/13/2024 Analyst Initials: HSP_SOP: SOP-CHEM-005

Analyte	LOD	LOQ	Limit	Result	Qualifier	Status	Analyte	LOD	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm		ppm				ppm	ppm				
Acetone		127.6	1000	<loq< td=""><td></td><td>Pass</td><td>2,2-Dimethylbutane</td><td></td><td>40.82</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	2,2-Dimethylbutane		40.82		<loq< td=""><td></td><td></td></loq<>		
Acetonitrile		51.02	410	<loq< td=""><td></td><td>Pass</td><td>2-methylpentane/</td><td></td><td>81.63</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	2-methylpentane/		81.63		<loq< td=""><td></td><td></td></loq<>		
Benzene		1.020	2	<loq< td=""><td></td><td>Pass</td><td>2,3-dimethylbutane</td><td></td><td>637.8</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	2,3-dimethylbutane		637.8	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Butanes		637.8	5000	<loq< td=""><td></td><td>Pass</td><td>2-Propanol (IPA)</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass	2-Propanol (IPA)						
n-Butane		637.8		<loq< td=""><td></td><td></td><td>Isopropyl acetate</td><td></td><td>637.8</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>			Isopropyl acetate		637.8	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
iso-Butane		637.8		<loq< td=""><td></td><td></td><td>Methanol</td><td></td><td>382.7</td><td>3000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>			Methanol		382.7	3000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chloroform		15.31	60	<loq< td=""><td></td><td>Pass</td><td>Pentanes</td><td></td><td>637.8</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pentanes		637.8	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
							n-Pentane		637.8		<loq< td=""><td>V1</td><td></td></loq<>	V1	
Dichloromethane		76.53	600	<loq< td=""><td></td><td>Pass</td><td>iso-pentane</td><td></td><td>637.8</td><td></td><td><loq< td=""><td>V1</td><td></td></loq<></td></loq<>		Pass	iso-pentane		637.8		<loq< td=""><td>V1</td><td></td></loq<>	V1	
Ethanol		637.8	5000	<loq< td=""><td></td><td>Pass</td><td>neo-Pentane</td><td></td><td>637.8</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	neo-Pentane		637.8		<loq< td=""><td></td><td></td></loq<>		
Ethyl acetate		637.8	5000	<loq< td=""><td></td><td>Pass</td><td>Toluene</td><td></td><td>117.3</td><td>890</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Toluene		117.3	890	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diethyl Ether		637.8	5000	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass							
n-Heptane		637.8	5000	<loq< td=""><td></td><td>Pass</td><td>Xylenes</td><td></td><td>280.6</td><td>2170</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Xylenes		280.6	2170	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Hexanes		40.82	290	<loq< td=""><td></td><td>Pass</td><td>m/p-Xylene</td><td></td><td>561.2</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	m/p-Xylene		561.2		<loq< td=""><td></td><td></td></loq<>		
			290			F 855	o-Xylene		280.6		<loq< td=""><td></td><td></td></loq<>		
n-Hexane		40.82		<loq< td=""><td></td><td></td><td>Ethyl benzene</td><td></td><td>280.6</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>			Ethyl benzene		280.6		<loq< td=""><td></td><td></td></loq<>		
3-Methylpentane		40.82		<loq< td=""><td></td><td></td><td>.,</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>			.,						



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Pass



AZDHS Certification # 00000005LCMI00301434



SROAZ LLC

125 S Rockford Tempe, AZ 85281 (440) 622-3519 Lic#: 00000109ESVM44878444

FINAL

CC ID#: 2408C4L0025.2378 Lot#: N/A Batch#: 080724-1 Batch Size: N/A Manufacture Date: 08/07/2024 Harvest Date: 06/04/2024

Sample Collected: 08/7/2024 9:00

Report Created: 08/14/2024 21:14

Sample Received: 08/08/2024 14:23

Sample: S408037-01

Sample Name: Space Rocks - P-Star Strain Name: P-Star Matrix: Caviar Amount Received: 134.3874 g

Notes and Definitions

L1	Interference. Relative intensity of a characteristic ion in the sample analyte exceeded 30% of the relative intensity in the reference spectrum. The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
	Action Limit in Table 3.1.
	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
R1	The RPD for the LCS/LCSD pair exceeded 20% but recoveries were within control limits.
	The recovery from initial or continuing calibration verification standards is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample.
< LOQ	Results below the Limit of Quantification.
ND	Not Detected
Limit	Maximum allowable concentration as defined by Table 3.1 in Arizona Administrative code (A.A.C.) Title 9, Chapter 17
CFU/g	Colony forming units per gram
ppm	Parts per million
ppb	Parts per billion
NT	Not Tested
Sum of Canna	abinoids = THCA + d9-THC + CBDA + CBD + d8-THC + CBG + CBN + CBC
Total Cannabi	inoids = Total THC + Total CBD + d8-THC + CBG + CBN + CBC

CASE NARRATIVE

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. KEEP OUT OF REACH OF CHILDREN. Using Marijuauna during pregnancy could cause birth defects or other health issues to your unborn child.



fillion Blenney

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs

7 of 7