

SROAZ LLC

License #: 00000109ESVM44878444
125 S Rockford
Tempe, AZ 85281
14406223519

Additional Licenses:
Batch #: 032124-1; External Lot #:
Source Batch #: 34122723-EG-PG
Sample Batch Collection: 03/22/24 11:08
Sample Received: 3/22/2024; Report Created: 3/28/2024

Space Rocks - Plasma Gas

Laboratory Number: 2403112-03

Plasma Gas

Matrix: Concentrates

Metals PASS	Pesticides PASS	Residual Solvents PASS	E. coli PASS	Mycotoxins PASS	Aspergillus PASS	Salmonella PASS
-----------------------	---------------------------	----------------------------------	------------------------	---------------------------	----------------------------	---------------------------

Sample Image



Residual Solvents (GC-MS) Analyzed: 03/27/24 By: VAM

SOP: 004	RL	ppm	Q
Butanes	589.62	ND	
Pentanes	136.79	ND	
Acetonitrile	193.40	ND	
Dichloromethane	283.02	ND	
Hexanes	136.79	ND	
Chloroform	28.30	ND	
n-Heptane	2358.5	ND	
Methanol	1415.1	ND	
Ethanol	2358.5	ND	
Diethyl Ether	2358.5	ND	
Acetone	471.70	ND	
Isopropanol	2358.5	ND	
Ethyl acetate	2358.5	ND	
Isopropyl acetate	2358.5	ND	
Benzene	0.94	ND	
Toluene	419.81	ND	
Xylenes	94.34	ND	

Cannabinoid (HPLC-DAD) Analyzed: 03/27/24 By: MLC

SOP: 003	LOQ %	%	mg/g	Q
THC-A	1.43	46.73	467.3	D1
delta 9-THC	1.43	24.00	240	D1
delta 8-THC	0.05	ND	ND	
THC-V	0.05	0.07	0.7	
CBG-A	0.05	0.51	5.1	
CBD-A	0.05	0.06	0.6	
CBD	0.05	ND	ND	
CBD-V	0.05	ND	ND	
CBN	0.05	0.11	1.1	
CBG	0.05	0.09	0.9	
CBC	0.05	ND	ND	
delta 8 THC-V	0.05	ND	ND	

Metals (ICP-MS) Analyzed: 03/28/24 By: ZEN

SOP: 035	RL	ppm	Q
Arsenic	0.102	ND	
Cadmium	0.102	ND	
Lead	0.254	ND	
Mercury	0.010	ND	

Microbials (Petrifilm) Analyzed: 3/27/2024 By: VAM

SOP : 023	RL	Result	Units	Q
E. coli	10	<10	cfu/g	

Microbials (PCR) Analyzed: 3/28/2024 By: TAM

SOP: 024	RL	Result	Units	Q
Aspergillus flavus	1.00	Not Detected	per gram	
Aspergillus fumigatus	1.00	Not Detected	per gram	
Aspergillus terreus	1.00	Not Detected	per gram	
Aspergillus niger	1.00	Not Detected	per gram	

Microbials (PCR) Analyzed: 3/27/2024 By: TAM

SOP: 028	RL	Result	Units	Q
Salmonella	1.00	Not Detected	per gram	

64.98 % 649.82 mg/g Total THC	0.05 % 0.53 mg/g Total CBD	71.57 % 715.70 mg/g Total Cannabinoids ^{Q3}
--	---	---

Total THC = THCa * 0.877 + delta 9-THC; Total CBD = CBDA * 0.877 + CBD

Mycotoxins (LC-MS/MS) Analyzed: 03/27/24 By: EGP

SOP: 011	RL	ppb	Q
Aflatoxins	10.0	ND	
Ochratoxins	10.0	ND	L1, R1

RL = Reporting Limit
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantitation



Erin Polly
Technical Laboratory Director



Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Any variances from these requirements, and the reason for the variance, will be documented in the case narrative. Values reported only relate to the sample as received. Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full without the written approval of Desert Valley Testing.



3520 N 7th St.
Phoenix, AZ 85014
(480) 788-6644
www.desertvalleytesting.com

Certificate of Analysis
ISO/IEC 17025:2017 Certificate #: AT-2837
License #: 0000031LRCHX78341676

SROAZ LLC

License #: 00000109ESVM44878444
125 S Rockford
Tempe, AZ 85281
14406223519

Additional Licenses:
Batch #: 032124-1; External Lot #:
Source Batch #: 34122723-EG-PG
Sample Batch Collection: 03/22/24 11:08
Sample Received: 3/22/2024; Report Created: 3/28/2024

Space Rocks - Plasma Gas
Plasma Gas

Laboratory Number: 2403112-03
Matrix: Concentrates

Pesticides (LC-MS/MS) Analyzed: 03/27/24 By: EGP							
SOP: 011	RL	ppm	Q		RL	ppm	Q
Acephate	0.201	ND		Acequinocyl	NT	NT	
Acetamiprid	0.100	ND		Aldicarb	0.201	ND	
Azoxystrobin	0.100	ND		Bifenthrin	0.100	ND	
Boscalid	0.201	ND		Carbaryl	0.100	ND	
Carbofuran	0.100	ND		Chlorpyrifos	0.100	ND	
Diazinon	0.100	ND		Dimethoate	0.100	ND	
Ethoprophos	0.100	ND		Etofenprox	0.201	ND	
Etoxazole	0.100	ND		Fenoxycarb	0.100	ND	
Fenpyroximate E	0.201	ND		Fonicamid	0.502	ND	
Fludioxonil	0.201	ND		Hexythiazox	0.502	ND	
Imazalil	0.100	ND		Imidacloprid	0.201	ND	
Kresoxim-methyl	0.201	ND		Malathion	0.100	ND	
Metalaxyl	0.100	ND		Methiocarb	0.100	ND	
Methomyl	0.201	ND		Myclobutanil	0.100	ND	
Naled	0.251	ND		Oxamyl	0.502	ND	
Piperonyl butoxide	1.00	ND		Propiconazole	0.201	ND	
Propoxure	0.100	ND		Spiromesifen	0.100	ND	
Spirotetramat	0.100	ND		Spiroxamine	0.201	ND	
Tebuconazole	0.201	ND		Thiacloprid	0.100	ND	
Thiamethoxam	0.100	ND		Trifloxystrobin	0.100	ND	
Abamectin	0.251	ND		Bifenazate	0.100	ND	
Chlorantraniliprole	0.100	ND		Clofentezine	0.100	ND	
Cyfluthrin	1.00	ND		Cypermethrin	0.502	ND	
Daminozide	0.502	ND		DDVP (Dichlorvos)	0.050	ND	
Fipronil	0.201	ND	R1	Paclobutrazol	0.201	ND	
Permethrins	0.100	ND		Phosmet	0.100	ND	
Prallethrin	0.100	ND		Pyrethrins	0.502	ND	
Pyridaben	0.100	ND		Spinosad	0.100	ND	
Chlorfenapyr	1.00	ND					

RL = Reporting Limit
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantitation

Erin Polly
Technical Laboratory Director



Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Any variances from these requirements, and the reason for the variance, will be documented in the case narrative. Values reported only relate to the sample as received. Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full without the written approval of Desert Valley Testing.

SROAZ LLC

License #: 00000109ESVM44878444
125 S Rockford
Tempe, AZ 85281
14406223519

Additional Licenses:
Batch #: 032124-1; External Lot #:
Source Batch #: 34122723-EG-PG
Sample Batch Collection: 03/22/24 11:08
Sample Received: 3/22/2024; Report Created: 3/28/2024

Space Rocks - Plasma Gas

Laboratory Number: 2403112-03

Plasma Gas

Matrix: Concentrates

Microbials (Petrifilm) Analyzed: By:				
SOP: 006	RL	Result	Units	Q
Total Coliform	NT	NT	cfu/g	Q3
Yeast	NT	NT	cfu/g	Q3
Mold	NT	NT	cfu/g	Q3
Aerobic Bacteria	NT	NT	cfu/g	Q3

Terpenes (GC-MS) Analyzed: By:			
SOP: 005	mg/g	%	Q
alpha-Bisabolol	NT	NT	Q3
(-)-Borneol and (+)-Borneol	NT	NT	Q3
Camphene	NT	NT	Q3
Camphor	NT	NT	Q3
beta-Caryophyllene	NT	NT	Q3
trans-Caryophyllene	NT	NT	Q3
Caryophyllene Oxide	NT	NT	Q3
alpha-Cedrene	NT	NT	Q3
Cedrol	NT	NT	Q3
Endo-fenchyl Alcohol	NT	NT	Q3
Eucalyptol	NT	NT	Q3
Fenchone	NT	NT	Q3
Geraniol	NT	NT	Q3
Geranyl acetate	NT	NT	Q3
Guaial	NT	NT	Q3
Hexahydrothymol	NT	NT	Q3
alpha-Humulene	NT	NT	Q3
Isoborneol	NT	NT	Q3
Isopulegol	NT	NT	Q3
Limonene	NT	NT	Q3
Linalool	NT	NT	Q3
p-Mentha-1,5-diene	NT	NT	Q3
beta-Myrcene	NT	NT	Q3
trans-Nerolidol	NT	NT	Q3
Ocimene	NT	NT	Q3
alpha-Pinene	NT	NT	Q3
beta-Pinene	NT	NT	Q3
Pulegone	NT	NT	Q3
Sabinene	NT	NT	Q3
Sabinene Hydrate	NT	NT	Q3
gamma-Terpinene	NT	NT	Q3
alpha-Terpinene	NT	NT	Q3
3-Carene	NT	NT	Q3
Terpineol	NT	NT	Q3
Terpinolene	NT	NT	Q3
Valencene	NT	NT	Q3
Nerol	NT	NT	Q3
cis-Nerolidol	NT	NT	Q3
Total Terpenes	NT	NT	Q3

Water Activity (Water Activity Meter) Analyzed: By:			
SOP: 007	AW, 25 °C		Q
Water Activity	NT		Q3

Moisture (Moisture Analyzer) Analyzed: By:			
SOP: 008	%		Q
Percent Moisture	NT		Q3

pH Test (pH Meter) Analyzed: By:			
SOP: 022	NA		Q
pH	NT		Q3

RL = Reporting Limit
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantitation



Erin Polly
Technical Laboratory Director



Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Any variances from these requirements, and the reason for the variance, will be documented in the case narrative. Values reported only relate to the sample as received. Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full without the written approval of Desert Valley Testing.



3520 N 7th St.
 Phoenix, AZ 85014
 (480) 788-6644
 www.desertvalleytesting.com

Certificate of Analysis
 ISO/IEC 17025:2017 Certificate #: AT-2837
 License #: 000031LRCHX78341676

SROAZ LLC

License #: 00000109ESVM44878444
 125 S Rockford
 Tempe, AZ 85281
 14406223519

Additional Licenses:
 Batch #: 032124-1; External Lot #:
 Source Batch #: 34122723-EG-PG
 Sample Batch Collection: 03/22/24 11:08
 Sample Received: 3/22/2024; Report Created: 3/28/2024

Space Rocks - Plasma Gas
 Plasma Gas

Laboratory Number: 2403112-03
 Matrix: Concentrates

QUALIFIER DEFINITIONS

- Q3 Testing results is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R 9-17-317.01(A) or labeling requirements in R9-17-317.
- D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- L1 The percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes are not detected above the maximum allowable concentrations for the analytes in the sample.
- R1 The relative percent difference (RPD) for the laboratory control sample and duplicate is more than 20%, but the percent recovery for the laboratory control sample and duplicate is within acceptance criteria.

CASE NARRATIVE

RL = Reporting Limit
 NT = Not Tested
 ND = Non Detected
 LOQ = Limit of Quantitation

Erin Polly
 Technical Laboratory Director



Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Any variances from these requirements, and the reason for the variance, will be documented in the case narrative. Values reported only relate to the sample as received. Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full without the written approval of Desert Valley Testing.