

## CMS Ventures - GSI

13454 N. Black Canyon Hwy  
Phoenix, AZ 85029  
nate@sublimeaz.com  
(480) 457-0860  
Lic. #00000014ESNA15249640

Sample: 2310DEL1145.4930

Strain: Slaughter Melon  
Lot#: ; Batch#: 0925F3SLM; Batch Size: g


Sample Received: 10/16/2023; Report Created: 10/25/2023  
Testing Completed: 10/24/2023

## Slaughter Melon

Plant, Flower - Cured, Indoor  
Reference:



<b>Complete</b> Potency	<b>Pass</b> Microbials	<b>Not Tested</b> Residual Solvents	<b>Pass</b> Pesticides, Fungicides, Growth Regulators	<b>Not Tested</b> Herbicides	<b>Not Tested</b> Mycotoxins	<b>Pass</b> Heavy Metals
----------------------------	---------------------------	--	--	---------------------------------	---------------------------------	-----------------------------



**23.95%**  
THC Max

**ND**  
CBD Max

**27.31%**  
Regulatory Cannabinoids

**28.88%**  
Total Cannabinoids Q3

## Cannabinoids

Cannabinoid	LOQ	Concentration	Concentration	Qualifiers
	%	%	mg/g	
CBC	1.00	ND	ND	
CBD	1.00	ND	ND	
CBDa	1.00	ND	ND	
CBG	1.00	ND	ND	
CBGa	1.00	1.57	15.7	■
CBN	1.00	ND	ND	
Δ8-THC	1.00	ND	ND	
Δ9-THC	1.00	<LOQ	<LOQ	
THCa	1.00	27.31	273.1	■
THCV	1.00	ND	ND	
<b>Total</b>		<b>28.88</b>	<b>288.8</b>	

Qualifiers: D1

Date Tested: 10/18/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (D1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021. SOP-134; THC Max = THCa \* 0.877 + Δ9-THC; CBD Max = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

## CMS Ventures - GSI

13454 N. Black Canyon Hwy  
Phoenix, AZ 85029  
nate@sublimeaz.com  
(480) 457-0860  
Lic. #00000014ESNA15249640

## Sample: 2310DEL1145.4930

Strain: Slaughter Melon  
Lot#: ; Batch#: 0925F3SLM; Batch Size: g

Sample Received: 10/16/2023; Report Created: 10/25/2023  
Testing Completed: 10/24/2023

## Slaughter Melon




Plant, Flower - Cured, Indoor  
Reference:



## Terpenes

Analyte	LOQ	Mass	Mass
	PPM	PPM	%
α-Pinene	315	620	0.06
Camphene	315	ND	ND
β-Myrcene	315	1810	0.18
β-Pinene	315	638	0.06
δ-3-Carene	315	ND	ND
α-Terpinene	315	ND	ND
trans-Ocimene	315	ND	ND
δ-Limonene	315	2487	0.25
p-Cymene	315	ND	ND
cis-Ocimene	315	ND	ND
Eucalyptol	315	ND	ND
γ-Terpinene	315	ND	ND
Terpinolene	315	ND	ND
Linalool	315	663	0.07
Isopulegol	315	ND	ND
Geraniol	315	ND	ND
β-Caryophyllene	315	2196	0.22
α-Humulene	315	811	0.08
cis-Nerolidol	315	ND	ND
trans-Nerolidol	315	ND	ND
Guaiol	315	ND	ND
α-Bisabolol	315	428	0.04
Caryophyllene Oxide	315	ND	ND

## Primary Aromas



**0.97%**  
**9,653 PPM**  
Total Terpenes

Qualifiers: Q3

Date Tested: 10/24/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (Q3), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

**CMS Ventures - GSI**

13454 N. Black Canyon Hwy  
Phoenix, AZ 85029  
nate@sublimeaz.com  
(480) 457-0860  
Lic. #00000014ESNA15249640

**Sample: 2310DEL1145.4930**

Strain: Slaughter Melon  
Lot#: ; Batch#: 0925F3SLM; Batch Size: g  
Sample Received: 10/16/2023; Report Created: 10/25/2023  
Testing Completed: 10/24/2023

**Slaughter Melon**

Plant, Flower - Cured, Indoor  
Reference:



**Microbials**

**Pass**

Analyte	Limit	Results	Status
Salmonella	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus (flavus, fumigatus, niger, and terreus)	Not Detected in 1g	Not Detected in 1g	Pass

Analyte	Limit	Results	Status
E. Coli	CFU/g 100	CFU/g < 10 CFU/g	Pass



Date Tested: 10/18/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
MTD-134, PRD-111; LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only.  
Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

## CMS Ventures - GSI

13454 N. Black Canyon Hwy  
Phoenix, AZ 85029  
nate@sublimeaz.com  
(480) 457-0860  
Lic. #00000014ESNA15249640

## Sample: 2310DEL1145.4930

Strain: Slaughter Melon  
Lot#: ; Batch#: 0925F3SLM; Batch Size: g

Sample Received: 10/16/2023; Report Created: 10/25/2023  
Testing Completed: 10/24/2023

## Slaughter Melon

Plant, Flower - Cured, Indoor  
Reference:



## Pesticides

Pass

Analyte	LOQ	Limit	Units	Qualifiers	Status	Analyte	LOQ	Limit	Units	Qualifiers	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.01	0.50	ND	R1	Pass	Hexythiazox	0.03	1.00	ND	V1	Pass
Acephate	0.01	0.40	ND	L1 V1	Pass	Imazalil	0.01	0.20	ND		Pass
Acetamiprid	0.01	0.20	ND	M2	Pass	Imidacloprid	0.01	0.40	ND		Pass
Aldicarb	0.01	0.40	ND	L1	Pass	Kresoxim Methyl	0.01	0.40	ND		Pass
Azoxystrobin	0.01	0.20	ND		Pass	Malathion	0.01	0.20	ND		Pass
Bifenazate	0.01	0.20	ND		Pass	Metalaxyl	0.01	0.20	ND		Pass
Bifenthrin	0.01	0.20	ND	M2	Pass	Methiocarb	0.01	0.20	ND	V1	Pass
Boscalid	0.01	0.40	ND		Pass	Methomyl	0.01	0.40	ND	L1 V1	Pass
Carbaryl	0.01	0.20	ND	L1	Pass	Myclobutanil	0.01	0.20	ND		Pass
Carbofuran	0.01	0.20	ND	L1	Pass	Naled	0.01	0.50	ND		Pass
Chlorantraniliprole	0.01	0.20	ND		Pass	Oxamyl	0.03	1.00	ND		Pass
Chlorfenapyr	0.03	1.00	ND	M2	Pass	Paclobutrazol	0.01	0.40	ND	L1 V1	Pass
Chlorpyrifos	0.01	0.20	ND		Pass	Permethrins (cis- and trans-isomers)	0.01	0.20	ND	M2	Pass
Clofentezine	0.01	0.20	ND		Pass	Phosmet	0.01	0.20	ND		Pass
Cyfluthrin	0.03	1.00	ND	M2	Pass	Piperonyl Butoxide	0.05	2.00	ND		Pass
Cypermethrin	0.03	1.00	ND	M2	Pass	Prallethrin	0.01	0.20	ND		Pass
Daminozide	0.03	1.00	ND		Pass	Propiconazole	0.01	0.40	ND		Pass
DDVP	0.00	0.10	ND	L1 V1	Pass	Propoxur	0.01	0.20	ND	R1	Pass
Diazinon	0.01	0.20	ND		Pass	Pyrethrins (Pyrethrin I, Cinerin I, and Jasmolin I)	0.03	1.00	ND	M2	Pass
Dimethoate	0.01	0.20	ND	M2	Pass	Pyridaben	0.01	0.20	ND		Pass
Ethoprophos	0.01	0.20	ND	M2	Pass	Spinosad (A and D)	0.01	0.20	ND	V1	Pass
Etofenprox	0.01	0.40	ND	M2	Pass	Spiromesifen	0.01	0.20	ND		Pass
Etoxazole	0.01	0.20	ND		Pass	Spirotetramat	0.01	0.20	ND	V1	Pass
Fenoxycarb	0.01	0.20	ND		Pass	Spiroxamine	0.01	0.40	ND		Pass
Fenpyroximate	0.01	0.40	ND		Pass	Tebuconazole	0.01	0.40	ND		Pass
Fipronil	0.01	0.40	ND	L1 V1	Pass	Thiacloprid	0.01	0.20	ND	M2	Pass
Fonicamid	0.03	1.00	ND		Pass	Thiamethoxam	0.01	0.20	ND	V1	Pass
Fludioxonil	0.01	0.40	ND	R1	Pass	Trifloxystrobin	0.01	0.20	ND	M2	Pass

## Herbicides

Not Tested

Analyte	LOQ	Limit	Units	Qualifiers	Status
---------	-----	-------	-------	------------	--------

Qualifiers: L1 R1 M2 V1

Date Tested: 10/18/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 R1 M2 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

**CMS Ventures - GSI**

13454 N. Black Canyon Hwy  
Phoenix, AZ 85029  
nate@sublimeaz.com  
(480) 457-0860  
Lic. #00000014ESNA15249640

**Sample: 2310DEL1145.4930**

Strain: Slaughter Melon  
Lot#: ; Batch#: 0925F3SLM; Batch Size: g  
Sample Received: 10/16/2023; Report Created: 10/25/2023  
Testing Completed: 10/24/2023

**Slaughter Melon**

Plant, Flower - Cured, Indoor  
Reference:



**Heavy Metals**

**Pass**

Analyte	LOQ	Limit	Mass	Qualifiers	Status
	PPM	PPM	PPM		
Arsenic	0.20	0.40	ND	L1	Pass
Cadmium	0.20	0.40	ND		Pass
Mercury	0.10	0.20	ND		Pass
Lead	0.50	1.00	ND	M2	Pass

Qualifiers: L1 M2  
Date Tested: 10/20/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 M2), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

