



**Timeless Select LLC**  
00000048ESNO41782628  
**Product Testing Cover Page**

<b>Strain Name:</b>	Cactus Chiller
<b>Batch ID:</b>	032024TUS
<b>Manufacture Date:</b>	03/20/24

<b>Cultivated By:</b>	<b>Product Form:</b>	<b>Harvest Date(s):</b>	<b>Extraction Method:</b>	<b>Extracted By</b>	<b>Extraction Date:</b>
Fort Consulting, LLC - 00000105DCOU00194638	Flower for Distillate	01/17/24	Ethanol	Fort Consulting, LLC - 00000105DCOU00194638	01/17/24

"ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING: Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. KEEP OUT OF REACH OF CHILDREN"

"Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child."

**Prepared for sale by:** Kannaboost Technology Inc - 00000048ESNO41782628 - 2424 W. University Dr.,  
Tempe, AZ 85281

**Intended Point of Sale:**

The Giving Tree Wellness Center of Mesa, Inc. dba Arizona Natural Selections Mesa - 00000084DXCM00601985 - 938 E Juanita Ave Mesa AZ 85204

AD, LLC dba Harvest of Phoenix/Urban Greenhouse - 00000092DCEG00124317 - 2630 W Indian School Rd. Phoenix AZ 85017

Harvest of Avondale - 00000007DCWH00607422 - 3828 S Vermeersch Rd Avondale AZ 85323

Harvest Of Baseline - 00000018DCST00941489 - 1821 W. Baseline Rd. STE#101 Guadalupe AZ 85283

Harvest of Chandler - 00000005DCMV00766195 - 13433 E Chandler Blvd Chandler AZ 85255

Harvest of Cottonwood - 000000124DCKQ00697385 - 2400 Arizona 89A Cottonwood AZ 86326

Harvest of Scottsdale - 00000054DCOV00321891 - 15190 N Hayden Rd Scottsdale AZ 85260

Hana Meds Green Valley - 00000096DCXQ00231932 - 1732 W. Duval Commerce Pt. Green Valley AZ 85614

Devine Desert Healing, Inc DBA Curaleaf Bell Road - 00000026ESRZ88769978 - 17201 N. 19th Ave. Phoenix AZ 85023

Healing Healthcare 3 Inc DBA Curaleaf Camelback - 00000020ESEN67630727 - 1040 E. Camelback Rd. Ste. A Phoenix AZ 85014

Natural Herbal Remedies Inc DBA Curaleaf Central - 00000058ESFA63267513 - 3333 S Central Ave Phoenix AZ 85040

K Group Partners LLC DBA Curaleaf Youngtown - 00000029ESAA16670843 - 11200 W. Michigan Ave. Ste 5, Youngtown AZ 85363

Catalina Hills Botanical Care, Inc. DBA Curaleaf Midtown - 00000016DCCC00020807 - 2918 N. Central Ave Phoenix AZ 85012

Absolute Health Care Inc DBA Curaleaf Gilbert - 00000027ESMP88938972 - 175 S. Hamilton Place Bldg 4 Ste 110 Gilbert AZ 85233

All Rebel Rockers Inc - 00000131ESYX97720376 - 4730 S 48th St. Phoenix, AZ 85040

Zonacare - 00000024ESUV84524312 - 14 S. 41st Pl, Phoenix, AZ 85034

PP Wellness Center - 00000050ESTO08528992 - 8160 W Union Hills Dr Glendale AZ 85308

Phytotherapeutics of Tuscon - 00000049ESUK39624376 - 2175 N 83rd Ave, Phoenix, AZ 85035

Pinal County Wellness Center - 00000059ESZW76539792 - 8970 N. 91st Ave Peoria AZ 85623

Natural Remedy Patient Center - 00000125ESMC92036121 - 16277 N Greenway Hayden Loop 1st Floor Scottsdale AZ 85260

Arizona Natures Wellness - 00000030ESDG72791381 - 465 Jordan Rd. Sedona AZ 86336

AZCL1 - 00000054ESDU93884651 - 4695 N. Oracle Rd. Tucson AZ 85705

The Kind Relief Inc - 00000053ESYR15319850 - 18423 E San Tan Blvd Ste #1, Queen Creek, AZ 85142

Whoa Qc Inc - 00000069ESPV40435704 - 5558 W. Bell Rd., Glendale, AZ 85308

Border Health, Inc. dba Sticky Saguaro - 00000108DCVB00423429 - 12338 E Riggs Rd Chandler AZ 85249





**Timeless Select LLC**  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1270  
 Batch #: 032024TUS




**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5082

## Cactus Chiller

Batch #: 032024TUS  
 Strain: Cactus Chiller  
 Parent Batch #:  
 Production Method: Alcohol  
 Harvest Date: 01/17/2024  
 Received: 03/22/2024

Sample ID: 2403SMAZ0407.1270  
 Amount Received: 10 g  
 Sample Type: Distillate  
 Sample Collected: 03/22/2024 12:30:00  
 Manufacture Date: 03/20/2024  
 Published: 03/27/2024



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

<b>87.286%</b> Total THC
<b>0.226%</b> Total CBD
<b>0.299%</b> CBN
<b>2.555%</b> CBG
<b>91.810%</b> Total Cannabinoids (Q3)

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



**Timeless Select LLC**  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1270  
 Batch #: 032024TUS



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5082

**Cannabinoid Profile**

HPLC Tested

**Sample Prep**

Batch Date: 03/25/2024  
 SOP: 418.AZ  
 Batch Number: 1100

**Sample Analysis**

Date: 03/26/2024  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.043 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.300	0.909	1	0.899	8.986	
CBD	0.300	0.909	1	0.226	2.257	
CBDA	0.300	0.909	1	ND	ND	
CBDV	0.300	0.909	1	ND	ND	
CBG	0.300	0.909	1	2.555	25.548	
CBGA	0.300	0.909	1	ND	ND	
CBN	0.300	0.909	1	0.299	2.986	
d8-THC	0.300	0.909	1	ND	ND	
d9-THC	0.300	0.909	1	87.286	872.858	
THCA	0.300	0.909	1	ND	ND	
THCV	0.300	0.909	1	0.546	5.462	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	87.286	872.858	
Total CBD	0.226	2.257	
Total Cannabinoids	91.810	918.097	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



**Timeless Select LLC**  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1270  
 Batch #: 032024TUS



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5082

## Microbial Analysis

Pass

### Sample Prep

Batch Date: 03/25/2024  
 SOP: 431.AZ  
 Batch Number: 1102

### Sample Analysis

Date: 03/26/2024  
 SOP: 431.AZ - TEMPO (MPN)  
 Sample Weight: 1.093 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

### Sample Prep

Batch Date: 03/25/2024  
 SOP: 406.AZ  
 Batch Number: 1101

### Sample Analysis

Date: 03/26/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.024 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

### Sample Prep

Batch Date: 03/25/2024  
 SOP: 406.AZ  
 Batch Number: 1101

### Sample Analysis


Date: 03/26/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.024 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



**Timeless Select LLC**  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1270  
 Batch #: 032024TUS



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5082

**Residual Solvents**

HS-GC-MS **Pass**

**Sample Prep**

Batch Date: 03/25/2024  
 SOP: 405.AZ  
 Batch Number: 1096

**Sample Analysis**

Date: 03/26/2024  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	ND		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



Timeless Select LLC  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1270  
 Batch #: 032024TUS



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5082

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**

Batch Date: 03/26/2024  
 SOP: 428.AZ  
 Batch Number: 1107

**Sample Analysis**

Date: 03/26/2024  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.234 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.017	0.171	10	0.4	ND	
Cadmium	0.017	0.171	10	0.4	ND	
Lead	0.017	0.427	10	1	ND	
Mercury	0.017	0.085	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 03/25/2024  
 SOP: 432.AZ  
 Batch Number: 1098

**Sample Analysis**

Date: 03/26/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.582 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.44	0.71	1	20	ND	L1 M2
Aflatoxin B1	3.44	8.59	1		ND	M2
Aflatoxin B2	3.44	8.59	1		ND	I1, M2
Aflatoxin G1	3.44	8.59	1		ND	L1 M2
Aflatoxin G2	3.44	4.30	1		ND	
Ochratoxin A	8.59	8.59	1	20	ND	I1, L1

Ahmed Munshi  
 Technical Laboratory Director

*AM Munshi*

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104





**Timeless Select LLC**  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1270  
 Batch #: 032024TUS



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5082

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 03/25/2024  
 SOP: 432.AZ  
 Batch Number: 1098

**Sample Analysis**

Date: 03/26/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.582 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.071 / 0.215	1	0.5	ND	M2	Hexythiazox	0.143 / 0.430	1	1	ND	M2
Acephate	0.058 / 0.172	1	0.4	ND		Imazalil	0.028 / 0.086	1	0.2	ND	
Acetamiprid	0.028 / 0.086	1	0.2	ND		Imidacloprid	0.058 / 0.172	1	0.4	ND	
Aldicarb	0.058 / 0.172	1	0.4	ND		Kresoxim-methyl	0.058 / 0.172	1	0.4	ND	M2
Azoxystrobin	0.028 / 0.086	1	0.2	ND		Malathion	0.028 / 0.086	1	0.2	ND	V1
Bifenazate	0.028 / 0.086	1	0.2	ND		Metalaxyl	0.028 / 0.086	1	0.2	ND	
Bifenthrin	0.028 / 0.086	1	0.2	ND	M2	Methiocarb	0.028 / 0.086	1	0.2	ND	
Boscalid	0.058 / 0.172	1	0.4	ND	M2	Methomyl	0.058 / 0.172	1	0.4	ND	
Carbaryl	0.028 / 0.086	1	0.2	ND		Myclobutanil	0.028 / 0.086	1	0.2	ND	M2
Carbofuran	0.028 / 0.086	1	0.2	ND		Naled	0.071 / 0.215	1	0.5	ND	M2
Chlorantraniliprole	0.028 / 0.086	1	0.2	ND	V1	Oxamyl	0.143 / 0.430	1	1	ND	
Chlorfenapyr	0.143 / 0.430	1	1	ND	I1, M2 R1	Paclobutrazol	0.058 / 0.172	1	0.4	ND	M2
Chlorpyrifos	0.028 / 0.086	1	0.2	ND		Permethrins	0.028 / 0.086	1	0.2	ND	M2 V1
Clofentezine	0.028 / 0.086	1	0.2	ND	M2	Phosmet	0.028 / 0.086	1	0.2	ND	
Cyfluthrin	0.143 / 0.430	1	1	ND	M2 V1	Piperonyl Butoxide	0.286 / 0.859	1	2	ND	M2
Cypermethrin	0.143 / 0.430	1	1	ND	M2	Prallethrin	0.028 / 0.086	1	0.2	ND	
Daminozide	0.143 / 0.430	1	1	ND		Propiconazole	0.058 / 0.172	1	0.4	ND	M2
Diazinon	0.028 / 0.086	1	0.2	ND	M2	Propoxur	0.028 / 0.086	1	0.2	ND	
Dichlorvos	0.015 / 0.043	1	0.1	ND	I1	Pyrethrins	0.120 / 0.360	1	1	ND	I1
Dimethoate	0.028 / 0.086	1	0.2	ND		Pyridaben	0.028 / 0.086	1	0.2	ND	M2
Ethoprophos	0.028 / 0.086	1	0.2	ND		Spinosad	0.028 / 0.086	1	0.2	ND	M2
Etofenprox	0.058 / 0.172	1	0.4	ND	M2	Spiromesifen	0.028 / 0.086	1	0.2	ND	M2
Etoxazole	0.028 / 0.086	1	0.2	ND	M2	Spirotetramat	0.028 / 0.086	1	0.2	ND	
Fenoxycarb	0.028 / 0.086	1	0.2	ND	M2 V1	Spiroxamine	0.058 / 0.172	1	0.4	ND	
Fenpyroximate	0.058 / 0.172	1	0.4	ND	M2 V1	Tebuconazole	0.058 / 0.172	1	0.4	ND	M2
Fipronil	0.058 / 0.172	1	0.4	ND		Thiacloprid	0.028 / 0.086	1	0.2	ND	
Fonicamid	0.143 / 0.430	1	1	ND		Thiamethoxam	0.028 / 0.086	1	0.2	ND	
Fludioxonil	0.058 / 0.172	1	0.4	ND	M2	Trifloxystrobin	0.028 / 0.086	1	0.2	ND	M2

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



Timeless Select LLC  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1270  
 Batch #: 032024TUS



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5082

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:** Verano (Fort Consulting LLC) 00000105DCOU00194638

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



**Timeless Select LLC**  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1270  
 Batch #: 032024TUS



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 5082

**Notes:** Distribution Chain: From: Kannaboost Technology Inc 00000048ESNO41782628




**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104