



**Timeless Select LLC**  
00000048ESNO41782628  
**Product Testing Cover Page**

<b>Strain Name:</b>	Lemon Faderade
<b>Batch ID:</b>	032024LF
<b>Manufacture Date:</b>	03/20/24

<b>Cultivated By:</b>	<b>Product Form:</b>	<b>Harvest Date(s):</b>	<b>Extraction Method:</b>	<b>Extracted By</b>	<b>Extraction Date:</b>
Fort Consulting, LLC - 00000105DCOU00194638	Flower for Distillate	01/17/24	Ethanol	Fort Consulting, LLC - 00000105DCOU00194638	01/17/24

"ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING: Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. KEEP OUT OF REACH OF CHILDREN"

"Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child."

**Prepared for sale by:** Kannaboost Technology Inc - 00000048ESNO41782628 - 2424 W. University Dr.,  
Tempe, AZ 85281

**Intended Point of Sale:**

Border Health, Inc. dba Sticky Saguaro - 00000108DCVB00423429 - 12338 E Riggs Rd Chandler AZ 85249





**Timeless Select LLC**  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1267  
 Batch #: 032024LF




**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5079

## Lemon Faderade

Batch #: 032024LF  
 Strain: Lemon Faderade  
 Parent Batch #:  
 Production Method: Alcohol  
 Harvest Date: 01/17/2024  
 Received: 03/22/2024

Sample ID: 2403SMAZ0407.1267  
 Amount Received: 10.2 g  
 Sample Type: Distillate  
 Sample Collected: 03/22/2024 12:30:00  
 Manufacture Date: 03/20/2024  
 Published: 03/27/2024



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

<b>86.986%</b> Total THC
<b>0.230%</b> Total CBD
<b>0.359%</b> CBN
<b>2.638%</b> CBG
<b>91.671%</b> Total Cannabinoids (Q3)

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



Timeless Select LLC  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1267  
 Batch #: 032024LF



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5079

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 03/25/2024  
 SOP: 418.AZ  
 Batch Number: 1100

**Sample Analysis**

Date: 03/26/2024  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.040 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.322	0.977	1	0.903	9.029	
CBD	0.322	0.977	1	0.230	2.302	
CBDA	0.322	0.977	1	ND	ND	
CBDV	0.322	0.977	1	ND	ND	
CBG	0.322	0.977	1	2.638	26.377	
CBGA	0.322	0.977	1	ND	ND	
CBN	0.322	0.977	1	0.359	3.588	
d8-THC	0.322	0.977	1	ND	ND	
d9-THC	0.322	0.977	1	86.986	869.862	
THCA	0.322	0.977	1	ND	ND	
THCV	0.322	0.977	1	0.555	5.550	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	86.986	869.862	
Total CBD	0.230	2.302	
Total Cannabinoids	91.671	916.708	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



**Timeless Select LLC**  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1267  
 Batch #: 032024LF



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5079

## Microbial Analysis

Pass

### Sample Prep

Batch Date: 03/25/2024  
 SOP: 431.AZ  
 Batch Number: 1103

### Sample Analysis

Date: 03/26/2024  
 SOP: 431.AZ - TEMPO (MPN)  
 Sample Weight: 1.090 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

### Sample Prep

Batch Date: 03/25/2024  
 SOP: 406.AZ  
 Batch Number: 1101

### Sample Analysis

Date: 03/26/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.003 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

### Sample Prep

Batch Date: 03/25/2024  
 SOP: 406.AZ  
 Batch Number: 1101

### Sample Analysis

Date: 03/26/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.003 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



**Timeless Select LLC**  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1267  
 Batch #: 032024LF



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5079

**Residual Solvents**

HS-GC-MS **Pass**

**Sample Prep**

Batch Date: 03/25/2024  
 SOP: 405.AZ  
 Batch Number: 1096

**Sample Analysis**

Date: 03/26/2024  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.055 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	60 / 182	1	1000	ND		Heptane	304 / 909	1	5000	ND	
Acetonitrile	25 / 75	1	410	ND		Hexanes	44 / 132	1	290	ND	
Benzene	0.13 / 0.36	1	2	ND		Isopropyl acetate	304 / 909	1	5000	ND	
Butanes	151 / 455	1	5000	ND		Methanol	182 / 545	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	304 / 909	1	5000	ND	
Dichloromethane	36 / 109	1	600	ND		2-Propanol (IPA)	304 / 909	1	5000	ND	
Ethanol	304 / 909	1	5000	ND		Toluene	55 / 162	1	890	ND	
Ethyl acetate	304 / 909	1	5000	ND		Xylenes	264 / 789	1	2170	ND	
Ethyl ether	304 / 909	1	5000	ND							

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



Timeless Select LLC  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1267  
 Batch #: 032024LF



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5079

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**

Batch Date: 03/26/2024  
 SOP: 428.AZ  
 Batch Number: 1109

**Sample Analysis**

Date: 03/26/2024  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.213 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.019	0.188	10	0.4	ND	
Cadmium	0.019	0.188	10	0.4	ND	
Lead	0.019	0.470	10	1	ND	
Mercury	0.019	0.094	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 03/25/2024  
 SOP: 432.AZ  
 Batch Number: 1098

**Sample Analysis**

Date: 03/26/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.581 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.44	0.71	1	20	ND	L1 M2
Aflatoxin B1	3.44	8.61	1		ND	M2
Aflatoxin B2	3.44	8.61	1		ND	I1, M2
Aflatoxin G1	3.44	8.61	1		ND	L1 M2
Aflatoxin G2	3.44	4.30	1		ND	
Ochratoxin A	8.61	8.61	1	20	ND	I1, L1

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104





**Timeless Select LLC**  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1267  
 Batch #: 032024LF



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5079

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 03/25/2024  
 SOP: 432.AZ  
 Batch Number: 1098

**Sample Analysis**

Date: 03/26/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.581 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.071 / 0.215	1	0.5	ND	M2	Hexythiazox	0.144 / 0.430	1	1	ND	M2
Acephate	0.058 / 0.172	1	0.4	ND		Imazalil	0.028 / 0.086	1	0.2	ND	
Acetamiprid	0.028 / 0.086	1	0.2	ND		Imidacloprid	0.058 / 0.172	1	0.4	ND	
Aldicarb	0.058 / 0.172	1	0.4	ND		Kresoxim-methyl	0.058 / 0.172	1	0.4	ND	M2
Azoxystrobin	0.028 / 0.086	1	0.2	ND		Malathion	0.028 / 0.086	1	0.2	ND	V1
Bifenazate	0.028 / 0.086	1	0.2	ND		Metalaxyl	0.028 / 0.086	1	0.2	ND	
Bifenthrin	0.028 / 0.086	1	0.2	ND	M2	Methiocarb	0.028 / 0.086	1	0.2	ND	
Boscalid	0.058 / 0.172	1	0.4	ND	M2	Methomyl	0.058 / 0.172	1	0.4	ND	
Carbaryl	0.028 / 0.086	1	0.2	ND		Myclobutanil	0.028 / 0.086	1	0.2	ND	M2
Carbofuran	0.028 / 0.086	1	0.2	ND		Naled	0.071 / 0.215	1	0.5	ND	M2
Chlorantraniliprole	0.028 / 0.086	1	0.2	ND	V1	Oxamyl	0.144 / 0.430	1	1	ND	
Chlorfenapyr	0.144 / 0.430	1	1	ND	I1, M2 R1	Paclobutrazol	0.058 / 0.172	1	0.4	ND	M2
Chlorpyrifos	0.028 / 0.086	1	0.2	ND		Permethrins	0.028 / 0.086	1	0.2	ND	M2 V1
Clofentezine	0.028 / 0.086	1	0.2	ND	M2	Phosmet	0.028 / 0.086	1	0.2	ND	
Cyfluthrin	0.144 / 0.430	1	1	ND	M2 V1	Piperonyl Butoxide	0.287 / 0.861	1	2	ND	M2
Cypermethrin	0.144 / 0.430	1	1	ND	M2	Prallethrin	0.028 / 0.086	1	0.2	ND	
Daminozide	0.144 / 0.430	1	1	ND		Propiconazole	0.058 / 0.172	1	0.4	ND	M2
Diazinon	0.028 / 0.086	1	0.2	ND	M2	Propoxur	0.028 / 0.086	1	0.2	ND	
Dichlorvos	0.015 / 0.043	1	0.1	ND	I1	Pyrethrins	0.120 / 0.361	1	1	ND	I1
Dimethoate	0.028 / 0.086	1	0.2	ND		Pyridaben	0.028 / 0.086	1	0.2	ND	M2
Ethoprophos	0.028 / 0.086	1	0.2	ND		Spinosad	0.028 / 0.086	1	0.2	ND	M2
Etofenprox	0.058 / 0.172	1	0.4	ND	M2	Spiromesifen	0.028 / 0.086	1	0.2	ND	M2
Etoxazole	0.028 / 0.086	1	0.2	ND	M2	Spirotetramat	0.028 / 0.086	1	0.2	ND	
Fenoxycarb	0.028 / 0.086	1	0.2	ND	M2 V1	Spiroxamine	0.058 / 0.172	1	0.4	ND	
Fenpyroximate	0.058 / 0.172	1	0.4	ND	M2 V1	Tebuconazole	0.058 / 0.172	1	0.4	ND	M2
Fipronil	0.058 / 0.172	1	0.4	ND		Thiacloprid	0.028 / 0.086	1	0.2	ND	
Fonicamid	0.144 / 0.430	1	1	ND		Thiamethoxam	0.028 / 0.086	1	0.2	ND	
Fludioxonil	0.058 / 0.172	1	0.4	ND	M2	Trifloxystrobin	0.028 / 0.086	1	0.2	ND	M2

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



Timeless Select LLC  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1267  
 Batch #: 032024LF



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5079

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:** Verano (Fort Consulting LLC) 00000105DCOU00194638

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104



**Timeless Select LLC**  
 2424 West University Drive  
 Tempe, AZ 85281  
 License #: 00000118DCKD00426097  
 Sample ID: 2403SMAZ0407.1267  
 Batch #: 032024LF



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 5079

**Notes:** Distribution Chain: From: Kannaboost Technology Inc 00000048ESNO41782628



**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104