



Timeless Select LLC
00000048ESNO41782628
Product Testing Cover Page

Product Name:	Alaskan Thunder F**k
Batch ID:	011224ATF
Manufacture Date:	01/12/24

Distillate Harvest Date:	12/05/23
Extraction Method:	Alcohol
THCA Diamond Harvest Date:	N/A
Extraction Method:	Alcohol
Flower Harvest Date:	N/A

"ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING: Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. KEEP OUT OF REACH OF CHILDREN"

"Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child."

Distribution Chain:

Prepared for sale by: Kannaboost Technology Inc - 00000048ESNO41782628 - 2424 W. University Dr., Tempe, AZ 85281

Cultivated by: Jars/Dreem Green - 00000078ESQG10647381 - 2424 S 24th St, Phoenix, AZ 85034

Intended Point of Sale:



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2401SMAZ0062.0191
 Batch #: 011224ATF



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3510

Alaskan Thunder F*ck

Batch #: 011224ATF
 Strain: Alaskan Thunder F*ck
 Parent Batch #:
 Production Method: Alcohol
 Harvest Date: 12/05/2023
 Received: 01/16/2024

Sample ID: 2401SMAZ0062.0191
 Amount Received: 10.5 g
 Sample Type: Distillate
 Sample Collected: 01/16/2024 12:05:00
 Manufacture Date: 01/12/2024
 Published: 01/18/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

85.476% Total THC
0.198% Total CBD
1.645% CBN
3.000% CBG
91.171% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2401SMAZ0062.0191
 Batch #: 011224ATF



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3510

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/16/2024
 SOP: 418.AZ
 Batch Number: 732

Sample Analysis

Date: 01/17/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 0.041 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.314	0.953	1	0.482	4.819	
CBD	0.314	0.953	1	0.198	1.975	
CBDA	0.314	0.953	1	ND	ND	
CBDV	0.314	0.953	1	ND	ND	
CBG	0.314	0.953	1	3.000	29.998	
CBGA	0.314	0.953	1	ND	ND	
CBN	0.314	0.953	1	1.645	16.454	
d8-THC	0.314	0.953	1	ND	ND	
d9-THC	0.314	0.953	1	85.476	854.761	
THCA	0.314	0.953	1	<LOQ	<LOQ	
THCV	0.314	0.953	1	0.370	3.700	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	85.476	854.761	
Total CBD	0.198	1.975	
Total Cannabinoids	91.171	911.705	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2401SMAZ0062.0191
 Batch #: 011224ATF



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3510

Microbial Analysis
 Pass

Sample Prep

Batch Date: 01/16/2024
 SOP: 431.AZ
 Batch Number: 735

Sample Analysis

Date: 01/18/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.020 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 01/16/2024
 SOP: 406.AZ
 Batch Number: 734

Sample Analysis

Date: 01/18/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.026 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 01/16/2024
 SOP: 406.AZ
 Batch Number: 734

Sample Analysis

Date: 01/18/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.026 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2401SMAZ0062.0191
 Batch #: 011224ATF



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3510

Residual Solvents

HS-GC-MS **Pass**

Sample Prep
 Batch Date: 01/17/2024
 SOP: 405.AZ
 Batch Number: 740

Sample Analysis
 Date: 01/18/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.052 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 192	1	1000	ND		Heptane	321 / 962	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 139	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	321 / 962	1	5000	ND	
Butanes	160 / 481	1	5000	ND		Methanol	192 / 577	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	321 / 962	1	5000	ND	
Dichloromethane	38 / 115	1	600	ND		2-Propanol (IPA)	321 / 962	1	5000	ND	
Ethanol	321 / 962	1	5000	ND		Toluene	58 / 171	1	890	ND	
Ethyl acetate	321 / 962	1	5000	ND		Xylenes	279 / 835	1	2170	ND	
Ethyl ether	321 / 962	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2401SMAZ0062.0191
 Batch #: 011224ATF



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3510

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 01/17/2024
 SOP: 428.AZ
 Batch Number: 741

Sample Analysis
 Date: 01/17/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.206 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.019	0.187	10	0.4	ND	
Cadmium	0.019	0.187	10	0.4	ND	
Lead	0.019	0.467	10	1	ND	
Mercury	0.019	0.093	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 01/17/2024
 SOP: 432.AZ
 Batch Number: 737

Sample Analysis
 Date: 01/18/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.526 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.80	9.51	1	20	ND	L1 R1 V1
Aflatoxin B1	3.80	9.24	1		ND	I1, V1
Aflatoxin B2	3.80	9.24	1		ND	I1, R1 V1
Aflatoxin G1	3.80	9.24	1		ND	L1
Aflatoxin G2	3.80	4.62	1		ND	
Ochratoxin A	9.51	9.24	1	20	ND	I1, L1 V1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2401SMAZ0062.0191
 Batch #: 011224ATF



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3510

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 01/17/2024
 SOP: 432.AZ
 Batch Number: 737

Sample Analysis

Date: 01/18/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.526 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.079 / 0.238	1	0.5	ND	M2	Hexythiazox	0.159 / 0.475	1	1	ND	M2
Acephate	0.064 / 0.190	1	0.4	ND		Imazalil	0.031 / 0.095	1	0.2	ND	
Acetamiprid	0.031 / 0.095	1	0.2	ND		Imidacloprid	0.064 / 0.190	1	0.4	ND	
Aldicarb	0.064 / 0.190	1	0.4	ND		Kresoxim-methyl	0.064 / 0.190	1	0.4	ND	V1
Azoxystrobin	0.031 / 0.095	1	0.2	ND	V1	Malathion	0.031 / 0.095	1	0.2	ND	V1
Bifenazate	0.031 / 0.095	1	0.2	ND	M1	Metalaxyl	0.031 / 0.095	1	0.2	ND	
Bifenthrin	0.031 / 0.095	1	0.2	ND	M2	Methiocarb	0.031 / 0.095	1	0.2	ND	M2 V1
Boscalid	0.064 / 0.190	1	0.4	ND	M2	Methomyl	0.064 / 0.190	1	0.4	ND	
Carbaryl	0.031 / 0.095	1	0.2	ND		Myclobutanil	0.031 / 0.095	1	0.2	ND	
Carbofuran	0.031 / 0.095	1	0.2	ND		Naled	0.079 / 0.238	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.095	1	0.2	ND	M2	Oxamyl	0.159 / 0.475	1	1	ND	V1
Chlorfenapyr	0.159 / 0.475	1	1	ND	I1, M2	Paclobutrazol	0.064 / 0.190	1	0.4	ND	M2
Chlorpyrifos	0.031 / 0.095	1	0.2	ND	M2	Permethrins	0.031 / 0.095	1	0.2	ND	
Clofentezine	0.031 / 0.095	1	0.2	ND	M2	Phosmet	0.031 / 0.095	1	0.2	ND	V1
Cyfluthrin	0.159 / 0.475	1	1	ND	M2	Piperonyl Butoxide	0.317 / 0.951	1	2	ND	
Cypermethrin	0.159 / 0.475	1	1	ND	M2	Prallethrin	0.031 / 0.095	1	0.2	ND	
Daminozide	0.159 / 0.475	1	1	ND		Propiconazole	0.064 / 0.190	1	0.4	ND	M2
Diazinon	0.031 / 0.095	1	0.2	ND	M2	Propoxur	0.031 / 0.095	1	0.2	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND	I1	Pyrethrins	0.133 / 0.398	1	1	ND	
Dimethoate	0.031 / 0.095	1	0.2	ND	V1	Pyridaben	0.031 / 0.095	1	0.2	ND	V1
Ethoprophos	0.031 / 0.095	1	0.2	ND		Spinosad	0.031 / 0.095	1	0.2	ND	
Etofenprox	0.064 / 0.190	1	0.4	ND	M2 V1	Spiromesifen	0.031 / 0.095	1	0.2	ND	M2 V1
Etoxazole	0.031 / 0.095	1	0.2	ND		Spirotetramat	0.031 / 0.095	1	0.2	ND	
Fenoxycarb	0.031 / 0.095	1	0.2	ND	M2 V1	Spiroxamine	0.064 / 0.190	1	0.4	ND	
Fenpyroximate	0.064 / 0.190	1	0.4	ND	I1, M2	Tebuconazole	0.064 / 0.190	1	0.4	ND	M2
Fipronil	0.064 / 0.190	1	0.4	ND	M1 V1	Thiacloprid	0.031 / 0.095	1	0.2	ND	
Fonicamid	0.159 / 0.475	1	1	ND		Thiamethoxam	0.031 / 0.095	1	0.2	ND	
Fludioxonil	0.064 / 0.190	1	0.4	ND	M2	Trifloxystrobin	0.031 / 0.095	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2401SMAZ0062.0191
 Batch #: 011224ATF



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3510

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By: JARS/Dreem Green 00000078ESQG10647381

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2401SMAZ0062.0191
 Batch #: 011224ATF



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 3510

Notes: "Distribution Chain: : From Kannaboost Technology Inc 00000048ESNO41782628"



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>