



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2407SMAZ0878.2624
 Batch #: 070224CMT




CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6957

Chemistree

Batch #: 070224CMT
 Strain: Chemistree
 Parent Batch #:
 Production Method: Alcohol
 Harvest Date: 05/22/2024
 Received: 07/03/2024

Sample ID: 2407SMAZ0878.2624
 Amount Received: 11.4 g
 Sample Type: Distillate
 Sample Collected: 07/03/2024 09:57:00
 Manufacture Date: 07/02/2024
 Published: 07/10/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

90.577% Total THC
0.250% Total CBD
0.273% CBN
2.866% CBG
95.408% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2407SMAZ0878.2624
 Batch #: 070224CMT



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6957

Cannabinoid Profile

HPLC Tested

Sample Prep
 Batch Date: 07/03/2024
 SOP: 418.AZ
 Batch Number: 1603

Sample Analysis
 Date: 07/08/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 0.041 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.314	0.953	1	0.893	8.933	
CBD	0.314	0.953	1	0.250	2.500	
CBDA	0.314	0.953	1	<LOQ	<LOQ	
CBDV	0.314	0.953	1	ND	ND	
CBG	0.314	0.953	1	2.866	28.660	
CBGA	0.314	0.953	1	ND	ND	
CBN	0.314	0.953	1	0.273	2.725	
d8-THC	0.314	0.953	1	ND	ND	
d9-THC	0.314	0.953	1	90.577	905.771	
THCA	0.314	0.953	1	ND	ND	
THCV	0.314	0.953	1	0.549	5.489	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	90.577	905.771	
Total CBD	0.250	2.500	
Total Cannabinoids	95.408	954.077	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2407SMAZ0878.2624
 Batch #: 070224CMT



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6957

Microbial Analysis
 Pass

Sample Prep

Batch Date: 07/08/2024
 SOP: 431.AZ
 Batch Number: 1607

Sample Analysis

Date: 07/09/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.051 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 07/08/2024
 SOP: 406.AZ
 Batch Number: 1605

Sample Analysis

Date: 07/09/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.029 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 07/08/2024
 SOP: 406.AZ
 Batch Number: 1605

Sample Analysis

Date: 07/09/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.029 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2407SMAZ0878.2624
 Batch #: 070224CMT



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6957

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 07/08/2024
 SOP: 405.AZ
 Batch Number: 1604

Sample Analysis


Date: 07/09/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.055 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	60 / 182	1	1000	ND		Heptane	304 / 909	1	5000	ND	
Acetonitrile	25 / 75	1	410	ND		Hexanes	44 / 132	1	290	ND	
Benzene	0.13 / 0.36	1	2	ND		Isopropyl acetate	304 / 909	1	5000	ND	
Butanes	151 / 455	1	5000	ND		Methanol	182 / 545	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	304 / 909	1	5000	ND	
Dichloromethane	36 / 109	1	600	ND		2-Propanol (IPA)	304 / 909	1	5000	ND	
Ethanol	304 / 909	1	5000	ND		Toluene	55 / 162	1	890	ND	
Ethyl acetate	304 / 909	1	5000	ND		Xylenes	264 / 789	1	2170	ND	
Ethyl ether	304 / 909	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2407SMAZ0878.2624
 Batch #: 070224CMT



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6957

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 07/09/2024
 SOP: 428.AZ
 Batch Number: 1618

Sample Analysis
 Date: 07/09/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.239 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.017	0.167	10	0.4	ND	
Cadmium	0.017	0.167	10	0.4	ND	
Lead	0.017	0.418	10	1	ND	L1
Mercury	0.017	0.084	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 07/09/2024
 SOP: 432.AZ
 Batch Number: 1613

Sample Analysis
 Date: 07/10/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.528 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.79	9.47	1	20	ND	L1
Aflatoxin B1	3.79	9.47	1		ND	
Aflatoxin B2	3.79	9.47	1		ND	
Aflatoxin G1	3.79	9.47	1		ND	
Aflatoxin G2	3.79	4.73	1		ND	I1, L1
Ochratoxin A	9.47	9.47	1	20	ND	I1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2407SMAZ0878.2624
 Batch #: 070224CMT



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6957

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 07/09/2024
 SOP: 432.AZ
 Batch Number: 1613

Sample Analysis

Date: 07/10/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.528 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.079 / 0.237	1	0.5	ND	M2	Hexythiazox	0.158 / 0.473	1	1	ND	M2
Acephate	0.063 / 0.189	1	0.4	ND		Imazalil	0.031 / 0.095	1	0.2	ND	
Acetamiprid	0.031 / 0.095	1	0.2	ND		Imidacloprid	0.063 / 0.189	1	0.4	ND	
Aldicarb	0.063 / 0.189	1	0.4	ND		Kresoxim-methyl	0.063 / 0.189	1	0.4	ND	
Azoxystrobin	0.031 / 0.095	1	0.2	ND		Malathion	0.031 / 0.095	1	0.2	ND	
Bifenazate	0.031 / 0.095	1	0.2	ND	M1 V1	Metaxyl	0.031 / 0.095	1	0.2	ND	
Bifenthrin	0.031 / 0.095	1	0.2	ND		Methiocarb	0.031 / 0.095	1	0.2	ND	
Boscalid	0.063 / 0.189	1	0.4	ND	M2	Methomyl	0.063 / 0.189	1	0.4	ND	
Carbaryl	0.031 / 0.095	1	0.2	ND		Myclobutanil	0.031 / 0.095	1	0.2	ND	
Carbofuran	0.031 / 0.095	1	0.2	ND		Naled	0.079 / 0.237	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.095	1	0.2	ND		Oxamyl	0.158 / 0.473	1	1	ND	M1
Chlorfenapyr	0.158 / 0.473	1	1	ND	I1, M2 V1	Paclobutrazol	0.063 / 0.189	1	0.4	ND	
Chlorpyrifos	0.031 / 0.095	1	0.2	ND	M2	Permethrins	0.031 / 0.095	1	0.2	ND	
Clofentezine	0.031 / 0.095	1	0.2	ND	M2	Phosmet	0.031 / 0.095	1	0.2	ND	
Cyfluthrin	0.158 / 0.473	1	1	ND	M2	Piperonyl Butoxide	0.315 / 0.947	1	2	ND	
Cypermethrin	0.158 / 0.473	1	1	ND	I1, M2	Prallethrin	0.031 / 0.095	1	0.2	ND	
Daminozide	0.158 / 0.473	1	1	ND		Propiconazole	0.063 / 0.189	1	0.4	ND	
Diazinon	0.031 / 0.095	1	0.2	ND		Propoxur	0.031 / 0.095	1	0.2	ND	
Dichlorvos	0.016 / 0.047	1	0.1	ND		Pyrethrins	0.132 / 0.397	1	1	ND	
Dimethoate	0.031 / 0.095	1	0.2	ND		Pyridaben	0.031 / 0.095	1	0.2	ND	
Ethoprophos	0.031 / 0.095	1	0.2	ND		Spinosad	0.031 / 0.095	1	0.2	ND	
Etofenprox	0.063 / 0.189	1	0.4	ND		Spiromesifen	0.031 / 0.095	1	0.2	ND	
Etoxazole	0.031 / 0.095	1	0.2	ND		Spirotetramat	0.031 / 0.095	1	0.2	ND	
Fenoxycarb	0.031 / 0.095	1	0.2	ND		Spiroxamine	0.063 / 0.189	1	0.4	ND	
Fenpyroximate	0.063 / 0.189	1	0.4	ND		Tebuconazole	0.063 / 0.189	1	0.4	ND	
Fipronil	0.063 / 0.189	1	0.4	ND		Thiacloprid	0.031 / 0.095	1	0.2	ND	
Fonicamid	0.158 / 0.473	1	1	ND		Thiamethoxam	0.031 / 0.095	1	0.2	ND	
Fludioxonil	0.063 / 0.189	1	0.4	ND	M2	Trifloxystrobin	0.031 / 0.095	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2407SMAZ0878.2624
 Batch #: 070224CMT



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6957

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By: Fort Consulting LLC, 00000105DCOU00194638

Manufactured By: Timeless Select LLC

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2407SMAZ0878.2624
 Batch #: 070224CMT



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 6957

Notes: Chemistree Harvest Date: 05/22/2024 Manufacture Date: 07/02/2024 Distribution Chain: From: Kannaboost Technology Inc 00000048ESNO41782628 Cultivated by: Fort Consulting LLC, 00000105DCOU00194638 Extracted using alcohol. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>