



Timeless Select LLC
00000048ESNO41782628
Product Testing Cover Page

Strain Name:	Cherry Frost
Batch ID:	021924CFR
Manufacture Date:	02/19/24

Cultivated By:	Product Form:	Harvest Date(s):	Extraction Method:	Extracted By	Extraction Date:
Holistic Patient Wellness Group (Grow) - 00000019DCGM00234427	Flower for Distillate	10/30/23	Ethanol	Holistic Patient Wellness Group (Grow) - 00000019DCGM00234427	10/30/23

"ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING: Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. KEEP OUT OF REACH OF CHILDREN"

"Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child."

Prepared for sale by: Kannaboost Technology Inc - 00000048ESNO41782628 - 2424 W. University Dr., Tempe, AZ 85281

Intended Point of Sale:

Salubrious Wellness Clinic, Inc. dba Cannabist Tempe - 00000097DCGK00454998 - 520 South Price RD. Tempe AZ 85281

The Medicine Room LLC dba Zen Leaf - Mesa - 00000037DCDM00904008 - 550 W. McKellips Rd. Mesa AZ 85201

Zen Leaf - Cave Creek - 00000064ESAK09838873 - 12401 N Cave Creek Rd Phoenix AZ 85022

Sea of Green, LLC dba TruBLISS Organics - 00000113DCUX00454549 - 6844 East Parkway Norte Mesa AZ 85212

Green Sky Patient Center of Scottsdale North, Inc. - 00000081ESLT56066782 - 2512 East Magnolia Phoenix AZ 85034

The Giving Tree Wellness Center of Mesa, Inc. dba Arizona Natural Selections Mesa - 00000084DXCM00601985 - 938 E Juanita Ave Mesa AZ 85204

AD, LLC dba Harvest of Phoenix/Urban Greenhouse - 00000092DCEG00124317 - 2630 W Indian School Rd. Phoenix AZ 85017

Harvest of Avondale - 00000007DCWH00607422 - 3828 S Vermeersch Rd Avondale AZ 85323

Harvest Of Baseline - 00000018DCST00941489 - 1821 W. Baseline Rd. STE#101 Guadalupe AZ 85283

Harvest of Chandler - 00000005DCMV00766195 - 13433 E Chandler Blvd Chandler AZ 85255

Harvest of Cottonwood - 000000124DCKQ00697385 - 2400 Arizona 89A Cottonwood AZ 86326

Harvest of Scottsdale - 00000054DCOV00321891 - 15190 N Hayden Rd Scottsdale AZ 85260

Border Health, Inc. dba Sticky Saguaro - 00000108DCVB00423429 - 12338 E Riggs Rd Chandler AZ 85249



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2402SMAZ0251.0798
 Batch #: 021924CFR




CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 4399

Cherry Frost

Batch #: 021924CFR
 Strain: Cherry Frost
 Parent Batch #:
 Production Method: Alcohol
 Harvest Date: 10/30/2023
 Received: 02/20/2024

Sample ID: 2402SMAZ0251.0798
 Amount Received: 11.6 g
 Sample Type: Distillate
 Sample Collected: 02/20/2024 09:16:00
 Manufacture Date: 02/19/2024
 Published: 02/26/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

83.680% Total THC
0.258% Total CBD
0.661% CBN
2.219% CBG
87.929% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2402SMAZ0251.0798
 Batch #: 021924CFR



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 4399

Cannabinoid Profile

HPLC **Tested**

Sample Prep
 Batch Date: 02/21/2024
 SOP: 418.AZ
 Batch Number: 941

Sample Analysis
 Date: 02/22/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 0.044 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.293	0.888	1	0.600	5.997	
CBD	0.293	0.888	1	0.258	2.575	
CBDA	0.293	0.888	1	ND	ND	
CBDV	0.293	0.888	1	ND	ND	
CBG	0.293	0.888	1	2.219	22.188	
CBGA	0.293	0.888	1	ND	ND	
CBN	0.293	0.888	1	0.661	6.610	
d8-THC	0.293	0.888	1	ND	ND	
d9-THC	0.293	0.888	1	83.680	836.805	
THCA	0.293	0.888	1	ND	ND	
THCV	0.293	0.888	1	0.512	5.121	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	83.680	836.805	
Total CBD	0.258	2.575	
Total Cannabinoids	87.929	879.295	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2402SMAZ0251.0798
 Batch #: 021924CFR



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 4399

Microbial Analysis
 Pass

Sample Prep

Batch Date: 02/22/2024
 SOP: 431.AZ
 Batch Number: 949

Sample Analysis

Date: 02/23/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.023 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 02/22/2024
 SOP: 406.AZ
 Batch Number: 945

Sample Analysis

Date: 02/23/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.003 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 02/22/2024
 SOP: 406.AZ
 Batch Number: 945

Sample Analysis

Date: 02/23/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.003 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2402SMAZ0251.0798
 Batch #: 021924CFR



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 4399

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 02/21/2024
 SOP: 405.AZ
 Batch Number: 933

Sample Analysis

Date: 02/22/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.050 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	ND		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2402SMAZ0251.0798
 Batch #: 021924CFR



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 4399

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 02/26/2024
 SOP: 428.AZ
 Batch Number: 960

Sample Analysis
 Date: 02/26/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.230 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.019	0.191	10	0.4	ND	
Cadmium	0.019	0.191	10	0.4	ND	
Lead	0.019	0.479	10	1	ND	
Mercury	0.019	0.096	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 02/20/2024
 SOP: 432.AZ
 Batch Number: 930

Sample Analysis
 Date: 02/21/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.577 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.47	0.70	1	20	ND	
Aflatoxin B1	3.47	8.67	1		ND	
Aflatoxin B2	3.47	8.67	1		ND	
Aflatoxin G1	3.47	8.67	1		ND	I1 V1
Aflatoxin G2	3.47	4.33	1		ND	I1
Ochratoxin A	8.67	8.67	1	20	ND	I1 V1, R1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2402SMAZ0251.0798
 Batch #: 021924CFR



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 4399

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 02/20/2024
 SOP: 432.AZ
 Batch Number: 930

Sample Analysis

Date: 02/21/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.577 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.072 / 0.217	1	0.5	ND	M2	Hexythiazox	0.145 / 0.433	1	1	ND	M2
Acephate	0.058 / 0.173	1	0.4	ND		Imazalil	0.029 / 0.087	1	0.2	ND	M2
Acetamiprid	0.029 / 0.087	1	0.2	ND		Imidacloprid	0.058 / 0.173	1	0.4	ND	
Aldicarb	0.058 / 0.173	1	0.4	ND		Kresoxim-methyl	0.058 / 0.173	1	0.4	ND	
Azoxystrobin	0.029 / 0.087	1	0.2	ND		Malathion	0.029 / 0.087	1	0.2	ND	
Bifenazate	0.029 / 0.087	1	0.2	ND	M1	Metaxalyl	0.029 / 0.087	1	0.2	ND	
Bifenthrin	0.029 / 0.087	1	0.2	ND	M2	Methiocarb	0.029 / 0.087	1	0.2	ND	
Boscalid	0.058 / 0.173	1	0.4	ND	M2	Methomyl	0.058 / 0.173	1	0.4	ND	
Carbaryl	0.029 / 0.087	1	0.2	ND		Myclobutanil	0.029 / 0.087	1	0.2	ND	
Carbofuran	0.029 / 0.087	1	0.2	ND		Naled	0.072 / 0.217	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.087	1	0.2	ND		Oxamyl	0.145 / 0.433	1	1	ND	
Chlorfenapyr	0.145 / 0.433	1	1	ND	I1	Pacllobutrazol	0.058 / 0.173	1	0.4	ND	
Chlorpyrifos	0.029 / 0.087	1	0.2	ND		Permethrins	0.029 / 0.087	1	0.2	ND	
Clofentezine	0.029 / 0.087	1	0.2	ND	M2	Phosmet	0.029 / 0.087	1	0.2	ND	
Cyfluthrin	0.145 / 0.433	1	1	ND	M2	Piperonyl Butoxide	0.289 / 0.867	1	2	ND	
Cypermethrin	0.145 / 0.433	1	1	ND	M2	Prallethrin	0.029 / 0.087	1	0.2	ND	
Daminozide	0.145 / 0.433	1	1	ND		Propiconazole	0.058 / 0.173	1	0.4	ND	
Diazinon	0.029 / 0.087	1	0.2	ND		Propoxur	0.029 / 0.087	1	0.2	ND	
Dichlorvos	0.015 / 0.043	1	0.1	ND		Pyrethrins	0.121 / 0.363	1	1	ND	
Dimethoate	0.029 / 0.087	1	0.2	ND		Pyridaben	0.029 / 0.087	1	0.2	ND	
Ethoprophos	0.029 / 0.087	1	0.2	ND		Spinosad	0.029 / 0.087	1	0.2	ND	
Etofenprox	0.058 / 0.173	1	0.4	ND		Spiromesifen	0.029 / 0.087	1	0.2	ND	
Etoxazole	0.029 / 0.087	1	0.2	ND		Spirotetramat	0.029 / 0.087	1	0.2	ND	
Fenoxycarb	0.029 / 0.087	1	0.2	ND		Spiroxamine	0.058 / 0.173	1	0.4	ND	
Fenpyroximate	0.058 / 0.173	1	0.4	ND		Tebuconazole	0.058 / 0.173	1	0.4	ND	
Fipronil	0.058 / 0.173	1	0.4	ND		Thiacloprid	0.029 / 0.087	1	0.2	ND	
Fonicamid	0.145 / 0.433	1	1	ND		Thiamethoxam	0.029 / 0.087	1	0.2	ND	
Fludioxonil	0.058 / 0.173	1	0.4	ND	M2	Trifloxystrobin	0.029 / 0.087	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2402SMAZ0251.0798
 Batch #: 021924CFR



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 4399

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By: Holistic Patient Wellness Group (GROW) 00000019DCGM00234427

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Timeless Select LLC
 2424 West University Drive
 Tempe, AZ 85281
 License #: 00000118DCKD00426097
 Sample ID: 2402SMAZ0251.0798
 Batch #: 021924CFR



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 4399

Notes: Distribution Chain: From: Kannaboost Technology Inc 00000048ESNO41782628



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>