

Timeless Select LLC

00000048ESNO41782628

Product Testing Cover Page

Strain Name:	Stripez
Batch ID:	022824STP
Manufacture Date:	02/28/24

Cultivated By:	Product Form:	Harvest Date(s):	Extraction Method:	Extracted By	Extraction Date:
Cardinal Square, Inc - 00000114DCPD00232092	Flower for Distillate	12/05/23; 12/04/23; 10/03/23; 12/11/23; 10/11/23;11/08/23; 11/07/23; 10/05/23; 10/4/23; 11/29/23; 11/30/23; 11/29/23; 11/20/23; 11/09/23; 11/08/23; 11/06/23; 12/14/23; 12/12/23; 11/13/23; 12/26/23; 12/27/23; 12/19/23; 12/18/23; 12/13/23; 11/14/23; 11/01/23; 01/24/24	Ethanol	Dreem Green - 00000078ESQG10647381	01/24/24

"ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING: Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. KEEP OUT OF REACH OF CHILDREN"

"Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child."

Prepared for sale by: Kannaboost Technology Inc - 00000048ESNO41782628 - 2424 W. University Dr., Tempe, AZ 85281

Intended Point of Sale:

Devine Desert Healing, Inc DBA Curaleaf Bell Road - 00000026ESRZ88769978 - 17201 N. 19th Ave. Phoenix AZ 85023 Healing Healthcare 3 Inc DBA Curaleaf Camelback - 00000020ESEN67630727 - 1040 E. Camelback Rd. Ste. A Phoenix AZ 85014 Natural Herbal Remedies Inc DBA Curaleaf Central - 00000058ESFA63267513 - 3333 S Central Ave Phoenix AZ 85040 K Group Partners LLC DBA Curaleaf Youngtown - 00000029ESAA16670843 - 11200 W. Michigan Ave. Ste 5, Youngtown AZ 85363 Catalina Hills Botanical Care, Inc. DBA Curaleaf Midtown - 00000016DCCC00020807 - 2918 N. Central Ave Phoenix AZ 85012 Absolute Health Care Inc DBA Curaleaf Gilbert - 00000027ESMP88938972 - 175 S. Hamilton Place Bldg 4 Ste 110 Gilbert AZ 85233 All Rebel Rockers Inc - 00000131ESYX97720376 - 4730 S 48th St. Phoenix, AZ 85040 Zonacare - 00000024ESUV84524312 - 14 S. 41st PI, Phoenix, AZ 85034 PP Wellness Center - 00000050ESTO08528992 - 8160 W Union Hills Dr Glendale AZ 85308 Phytotherapeutics of Tuscon - 00000049ESUK39624376 - 2175 N 83rd Ave, Phoenix, AZ 85035 Pinal County Wellness Center - 00000059ESZW76539792 - 8970 N. 91st Ave Peoria AZ 85623 Natural Remedy Patient Center - 00000125ESMC92036121 - 16277 N Greenway Hayden Loop 1st Floor Scottsdale AZ 85260 Arizona Natures Wellness - 00000030ESDG72791381 - 465 Jordan Rd. Sedona AZ 86336 AZCL1 - 00000054ESDU93884651 - 4695 N. Oracle Rd. Tucson AZ 85705 The Kind Relief Inc - 00000053ESYR15319850 - 18423 E San Tan Blvd Ste #1, Queen Creek, AZ 85142 Whoa Qc Inc - 00000069ESPV40435704 - 5558 W. Bell Rd., Glendale, AZ 85308 Vending Logistics, LLC dba Zen Leaf - Gilbert - 000000112DCLK00614860 - 5409 S Power Rd Mesa AZ 85212 AZGM 3, Inc. dba Zen Leaf - Chandler - 000000126DCSO00060479 - 7200 w chandler ave Chandler AZ 85202 The Medicine Room LLC dba Zen Leaf - Mesa - 00000037DCDM00904008 - 550 W. McKellips Rd. Mesa AZ 85201 Zen Leaf - Cave Creek - 00000064ESAK09838873 - 12401 N Cave Creek Rd Phoenix AZ 85022 Total Health & Wellness Inc (Oasis/Story North) - 000000100DCWU00857159 - 17006 S Weber Drive Chandler AZ 85226 Green Sky Patient Center of Scottsdale North, Inc. - 00000081ESLT56066782 - 00000003ESPF54627423 - 2512 East Magnolia Phoenix AZ 85034 The Giving Tree Wellness Center of Mesa, Inc. dba Harvest of South Mesa - 00000084DCXM00601985 - 00000008ESJT20615662 - 938 E Juanita Ave Mesa AZ 85204 AD, LLC dba Harvest of Phoenix Alhambra - 00000092DCEG00124317 - 00000006ESWX56565424 - 2630 W Indian School Rd. Phoenix AZ 85017 Harvest of Avondale - 00000007DCWH00607422 - 00000014ESNA15249640 - 3828 S Vermeersch Rd Avondale AZ 85323 Harvest Of Baseline - 00000018DCST00941489 - 00000056ESPE92908314 - 1821 W. Baseline Rd. STE#101 Guadalupe AZ 85283 Harvest of Chandler - 00000005DCMV00766195 - 00000007ESWD35270682 - 13433 E Chandler Blvd Chandler AZ 85255 Harvest of Cottonwood - 000000124DCKQ00697385 - 00000055ESFL28376770 - 2400 Arizona 89A Cottonwood AZ 86326 Harvest of Scottsdale - 00000054DCOV00321891 - 00000003ESPF54627423 - 15190 N Hayden Rd Scottsdale AZ 85260 Harvest of Apache Junction - 00000011ESVC04035599 - 1985 Apache Trail #4, Apache Junction, AZ 85120 Trulieve Casa Grande - 00000044DCCJ00900645 - 00000010ESIR42914838 - 1860 N Salk Dr Suite B1, Casa Grande, AZ 85122 Trulieve Glendale - 00000129DCKL00602472 - 00000018ESKD27426528 - 13631 N 59th Ave, Glendale, AZ 85304 Harvest of North Mesa - 00000013ESHH20255089 - 1150 W McLellan Road, Mesa, AZ 85201 Harvest of Peoria - 00000023DCAK00675039 - 00000082ESUB29429633 - 9275 W Peoria Ave #3, Peoria, AZ 85345 Harvest of Phoenix North Mountain - 00000125DCWD00787544 - 00000005ESIN89499585 - 2017 W Peoria Ave. Phoenix. AZ 85029 Trulieve Phoenix Roosevelt Row - 00000121DCLW00319285 - 00000017ESMI32133238 - 1007 N 7th Street, Phoenix, AZ 85006 Trulieve Phoenix Tatum - 00000052ESLX15969554 - 16635 N. Tatum Boulevard, Phoenix, AZ 85032 Trulieve Scottsdale Butherus - 00000022DCRX00190936 - 00000081ESLT56066782 - 7320 E Butherus Dr Suite 100, Scottsdale, AZ 85260 Trulieve Sierra Vista - 00000135ESGE19332725 - 1633 S. Highway 92 Suite 7, Sierra Vista, AZ 85635 Higher than High I LLC (Story/Oasis South) - 0000151ESTVN87881223 - 26427 S. Arizona Ave. Chandler AZ 85248 Cannabis Research Group Inc (Oasis/Story - Tolleson) - 00000104ESDH57805022 - 9897 W McDowell RD Tolleson AZ 85353

Harvest of Tempe - 00000120DCEQ00578528 - 0000009ESJA48286920 - 710 W Elliot Rd #102, Tempe, AZ 85284 Trulieve Tucson on Swan - 00000134DCUJ00307958 - 00000016ESBY46918805 - 4659 22nd St., Tucson, AZ 85711 Harvest of Tucson Blenman Elm - 000000127DCSS00185167 - 00000004ESAN63639048 - 2734 E Grant Rd, Tucson, AZ 85716 Harvest of Tucson Menlo Park - 00000056DCLD00291476 - 00000130ESFL12611544 - 1010 South Freeway #130, Tucson, AZ 85745 White Mountain Health Center - 00000103DCDR00369521 - 9420 W Bell Rd Suite 108 Sun City AZ 85351 Border Health, Inc. dba Sticky Saguaro - 00000108DCVB00423429 - 12338 E Riggs Rd Chandler AZ 85249 Ponderosa Dispensary - Chandler - 00000066DCB000410690 / 00000062DCAY00861940 - 318 South Bracken Ln Chandler AZ 85224





CERTIFICATE OF ANALYSIS

License #: 0000020LCVT89602592

Certificate: 4716


Stripez

Batch #: 022824STP Strain: Stripez Parent Batch #: Production Method: Alcohol Harvest Date: 01/24/2024 Received: 02/29/2024 Sample ID: 2402SMAZ0304.0954 Amount Received: 11.9 g Sample Type: Distillate Sample Collected: 02/29/2024 10:15:00 Manufacture Date: 02/28/2024 Published: 03/07/2024



COMPLIANCE FOR RETAIL

Regulated Analytes



Ahmed Munshi

Technical Laboratory Director

AMunshi

Smithers CTS Arizona LLC 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930





Certificate: 4716



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Batch Date: 02/29/2024	Date: 03/01/2024
SOP: 418.AZ	SOP: 417.AZ - HPLC
Batch Number: 987	Sample Weight: 0.0432 g Volume: 40 mL
	SOP: 418.AZ

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.298	0.905	1	0.799	7.993	
CBD	0.298	0.905	1	0.448	4.482	
CBDA	0.298	0.905	1	ND	ND	
CBDV	0.298	0.905	1	ND	ND	
CBG	0.298	0.905	1	1.547	15.471	
CBGA	0.298	0.905	1	ND	ND	
CBN	0.298	0.905	1	0.326	3.264	
d8-THC	0.298	0.905	1	ND	ND	
d9-THC	0.298	0.905	1	86.665	866.654	
THCA	0.298	0.905	1	ND	ND	
THCV	0.298	0.905	1	0.702	7.018	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	86.665	866.654	
Total CBD	0.448	4.482	
Total Cannabinoids	90.488	904.881	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA) ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

AMMunshi

Smithers CTS Arizona LLC 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930









CERTIFICATE OF ANALYSIS

License #: 0000020LCVT89602592

Analyte Allowable Criteria Actual Result Pass/Fail Qualifier E. coli < 100 CFU/g < 10 CFU/g Pass Sample Prep Sample Analysis Batch Date: 03/04/2024 Date: 03/05/2024 KOP: 406.AZ SOP: 431.AZ - TEMPO (MPN)	Microbial An	alysis Pass			
Analyte Allowable Criteria Actual Result Pass/Fail Qualifier Coli < 100 CFU/g < 100 CFU/g Pass Sample Weight: 1.008 g Sample Prep Calculation of the sample Weight: 1.008 g Sample Prep Calculation of the sample Weight: 1.008 g Sample Prep Sample Analysis Sample Prep Sample Analysis Sample Prep Sample Prep Analyte Allowable Criteria Actual Result Pess/Fail Qualifier Sample Prep Sample Prep Sample Prep Sample Analysis Sample Analysis Sample Prep Sample Analysis Sample Analysis Sample P)			
OP: 431.A2 SOP: 431.A2 TEMPO (MPN) Sample Weight: 1.008 g Analyte Allowable Criteria Actual Result Pass/Fail Qualifier E. coli < 100 CFU/g < 10 CFU/g Pass Sample Prep Sample Analysis Date: 03/05/2024 SOP: 406.A2 - qPCR (MG) Sample Weight: 1.012 g Date: 03/05/2024 SOP: 406.A2 - qPCR (MG) Sample Weight: 1.012 g Qualifier Analyte Allowable Criteria Actual Result Pass/Fail Qualifier Salmonella Not Detected in One Gram Not Detected in One Gram Pass Latch Date: 03/04/2024 OP: 406.A2 atch Number: 978 Date: 03/05/2024 SOP: 406.A2 - qPCR (MG) Sample Weight: 1.012 g Qualifier Salmonella Not Detected in One Gram Not Detected in One Gram Pass/Fail Qualifier Math Date: 03/04/2024 OP: 406.A2 atch Number: 978 Date: 03/05/2024 SOP: 406.A2 - qPCR (MG) Sample Weight: 1.012 g Qualifier Analyte Allowable Criteria Actual Result Pass/Fail Qualifier Analyte Allowable Criteria Not Detected in One Gram Pass Analyte Allowable Criteria Not Detected in One Gram Pass Appergillus flavus Not Detected in One Gram Not Detected in One Gram Pass Aspergillus flavus Not Detected in One Gram Not Detected in One Gram <		Sample Prep		Sample Analysis	
E. coli < 100 CFU/g < 100 CFU/g Pass Sample Prep Sample Analysis Sample Analyte Allowable Criteria Actual Result Pass/Fail Qualifier Salmonella Not Detected in One Gram Not Detected in One Gram Pass Sample Veight: 1.012 g Sample Analyte Allowable Criteria Actual Result Pass/Fail Qualifier Salmonella Not Detected in One Gram Pass Sample Analyte Allowable Criteria Actual Result Pass/Fail Qualifier Sample Prep Date: 03/05/2024 SOP: 406.AZ - qPCR (MG) Sample Analyte Qualifier Sample Prep Not Detected in One Gram Pass Sample Meight: 1.012 g Sample Meight: 1.012 g Sample Analyte Qualifier Not Detected in One Gram Pass Aspergillus flavus Not Detected in One Gram Pass Aspergillus flavus Not Detected in One Gram Pass Aspergillus funigatus Not Detected in One Gram Pass Aspergillus niger Not Detected in One Gram Pass	Batch Date: 03/04/2024 GOP: 431.AZ Batch Number: 1000		SOP: 431.AZ - TEMPO (N		
Sample Prep Sample Analysis Batch Date: 03/04/2024: OP: 406.AZ iatch Number: 998 Date: 03/05/2024 SOP: 406.AZ - qPCR (MG) Sample Weight: 1.012 g Analyte Allowable Criteria Actual Result Pass/Fail Qualifier Salmonella Not Detected in One Gram Not Detected in One Gram Pass Sample Prep Date: 03/05/2024 Sop: 406.AZ - qPCR (MG) Somple Analysis Sample Analysis Latch Date: 03/04/2024: OP: 406.AZ iatch Number: 998 Date: 03/05/2024 Sop: 406.AZ - qPCR (MG) Sample Weight: 1.012 g Date: 03/05/2024 Sop: 406.AZ - qPCR (MG) Sample Weight: 1.012 g Not Detected in One Gram Actual Result Pass/Fail Qualifier Analyte Allowable Criteria Actual Result Pass/Fail Qualifier Aspergillus flavus Not Detected in One Gram Not Detected in One Gram Pass Aspergillus flavus Not Detected in One Gram Not Detected in One Gram Pass Aspergillus fungatus Not Detected in One Gram Not Detected in One Gram Pass Aspergillus niger Not Detected in One Gram Not Detected in One Gram Pass	Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Batch Date: 03/04/2024 OP: 406.AZ satch Number: 998Allowable CriteriaDate: 03/05/2024 SOP: 406.AZ - qPCR (MG) Sample Weight: 1.012 gQualifierAnalyteAllowable CriteriaActual ResultPass/FailQualifierSalmonellaNot Detected in One GramPassDate: 03/05/2024 SOP: 406.AZ - qPCR (MG) Sample AnalysisQualifierSample PrepDate: 03/04/2024 SOP: 406.AZ GP: 406.AZ GP: 406.AZ Sop: 406.AZ GP: 406.AZ 	E. coli	< 100 CFU/g	< 10 CFU/g	Pass	
Salmonella Not Detected in One Gram Pass Salmonella Not Detected in One Gram Pass Sample Prep Sample Analysis Batch Date: 03/04/2024 OP: 406.AZ Date: 03/05/2024 SOP: 406.AZ - qPCR (MG) Sample Weight: 1.012g Qualifier Analyte Allowable Criteria Actual Result Pass/Fail Qualifier Aspergillus flavus Not Detected in One Gram Not Detected in One Gram Pass Aspergillus fumigatus Not Detected in One Gram Not Detected in One Gram Pass Aspergillus niger Not Detected in One Gram Not Detected in One Gram Pass	Batch Date: 03/04/2024 iOP: 406.AZ Batch Number: 998	Sample Prep	SOP: 406.AZ - qPCR (MC	6)	
Sample PrepSample AnalysisBatch Date: 03/04/2024 OP: 406.AZ Batch Number: 998Date: 03/05/2024 SOP: 406.AZ - qPCR (MG) Sample Weight: 1.012gAnalyteAllowable CriteriaActual ResultPass/FailQualifierAspergillus flavusNot Detected in One GramNot Detected in One GramPassAspergillus flavusNot Detected in One GramNot Detected in One GramPassAspergillus funigatusNot Detected in One GramNot Detected in One GramPassAspergillus nigerNot Detected in One GramPassVot Detected in One Gram		Allowable Criteria	Actual Result		Qualifier
Aspergillus flavusNot Detected in One GramNot Detected in One GramPassAspergillus fumigatusNot Detected in One GramNot Detected in One GramPassAspergillus nigerNot Detected in One GramNot Detected in One GramPass	OP: 406.AZ		Date: 03/05/2024 SOP: 406.AZ - qPCR (MC	Sample Analysis	
Aspergillus fumigatusNot Detected in One GramNot Detected in One GramPassAspergillus nigerNot Detected in One GramNot Detected in One GramPass		Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus niger Not Detected in One Gram Not Detected in One Gram Pass					

Ahmed Munshi

Technical Laboratory Director

AMMunshi

Smithers CTS Arizona LLC 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930





Limit

(ppm)

1000

410

2

5000

60

600

5000

5000

5000

1

1

1

1

1

1

1

1

1

(ppm)

ND

ND

ND

ND

ND

ND

ND

ND

ND

LOD / LOQ (ppm)

64 / 194

27 / 79

0.14 / 0.39

161/484

4/12

39/116

324 / 969

324 / 969

324/969

Certificate: 4716

Analyte

Acetone

Benzene

Butanes

Ethanol

Ethyl acetate

Ethyl ether

Chloroform

Dichloromethane

Acetonitrile



LOD / LOQ (ppm)

324 / 969

47/141

324 / 969

194 / 581

324 / 969

324 / 969

58 / 172

281/841

CERTIFICATE OF ANALYSIS

Qualifier

License #: 00000020LCVT89602592

Limit

(ppm)

5000

290

5000

3000

5000

5000

890

2170

1

1

1

1

1

1

1

1

(ppm)

ND

ND

ND

ND

ND

ND

ND

ND

Residual Solvents				Sample Prep		Sample Analysis					
Residual S				Batch Date: 02/29/2024 SOP: 405.AZ			Date: 03/01/2024 SOP: 405.AZ - HS-GC-MS				
HS-GC-MS	Pass		Batch Number: 9		Batch Number: 980		SampleV	Veight: ().0516 g		
		_									
		- "	Action	Results	- 114			- "	Action	Results	- 10

Analyte

Heptane

Hexanes

Methanol

Pentanes

Toluene

Xylenes

Isopropyl acetate

2-Propanol (IPA)

Qualifier

Technical Laboratory Director

AMMunshi

Smithers CTS Arizona LLC 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930





Certificate: 4716



CERTIFICATE OF ANALYSIS

License #: 0000020LCVT89602592

Heavy Metals		Sample Prep	Sample Analysis
Theory Metal		Batch Date: 03/01/2024	Date: 03/01/2024
		SOP: 428.AZ	SOP: 428.AZ - ICP-MS
ICP-MS	Pass	Batch Number: 992	Sample Weight: 0.237 g
	1 4 3 5		Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.017	0.169	10	0.4	ND	
Cadmium	0.017	0.169	10	0.4	ND	
Lead	0.017	0.422	10	1	ND	
Mercury	0.017	0.084	10	0.2	ND	

Mycotoxin A	nalysis
LC-MS/MS	Pass

Sample Prep Batch Date: 03/01/2024 SOP: 432.AZ Batch Number: 995

Sample Analysis

Date: 03/04/2024 SOP: 424.AZ - LC-MS/MS Sample Weight: 0.523 g Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.82	0.75	1	20	ND	M2 R1
Aflatoxin B1	3.82	9.56	1		ND	M2 R1
Aflatoxin B2	3.82	9.56	1		ND	I1, M2
Aflatoxin G1	3.82	9.56	1		ND	M2
Aflatoxin G2	3.82	4.78	1		ND	M2
Ochratoxin A	9.56	9.56	1	20	ND	I1, M2

Ahmed Munshi

Technical Laboratory Director

AMMunshi

Smithers CTS Arizona LLC 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930







SMITHERS

CERTIFICATE OF ANALYSIS

License #: 0000020LCVT89602592

Pesticides, Fungicides, and **Growth Regulators** Pass

LC-MS/MS

Sample Prep Batch Date: 03/01/2024 SOP: 432.AZ Batch Number: 995

Sample Analysis

Date: 03/04/2024 SOP: 424.AZ - LC-MS/MS Sample Weight: 0.523 g Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.079 / 0.239	1	0.5	ND	M2	Hexythiazox	0.160 / 0.478	1	1	ND	M2
Acephate	0.064 / 0.191	1	0.4	ND		Imazalil	0.032 / 0.096	1	0.2	ND	M2
Acetamiprid	0.032 / 0.096	1	0.2	ND	M2	Imidacloprid	0.064 / 0.191	1	0.4	ND	
Aldicarb	0.064 / 0.191	1	0.4	ND		Kresoxim-methyl	0.064 / 0.191	1	0.4	ND	M2
Azoxystrobin	0.032 / 0.096	1	0.2	ND		Malathion	0.032 / 0.096	1	0.2	ND	11
Bifenazate	0.032 / 0.096	1	0.2	ND	M1	Metalaxyl	0.032 / 0.096	1	0.2	ND	
Bifenthrin	0.032 / 0.096	1	0.2	ND	M2	Methiocarb	0.032 / 0.096	1	0.2	ND	M2
Boscalid	0.064 / 0.191	1	0.4	ND	M2	Methomyl	0.064 / 0.191	1	0.4	ND	
Carbaryl	0.032 / 0.096	1	0.2	ND	M2	Myclobutanil	0.032 / 0.096	1	0.2	ND	M2
Carbofuran	0.032 / 0.096	1	0.2	ND	M2	Naled	0.079 / 0.239	1	0.5	ND	M2
Chlorantraniliprole	0.032 / 0.096	1	0.2	ND	M2	Oxamyl	0.160 / 0.478	1	1	ND	
					I1 V1, M2	Paclobutrazol	0.064 / 0.191	1	0.4	ND	M2
Chlorfenapyr	0.160 / 0.478	1	1	ND	R1	Permethrins	0.032 / 0.096	1	0.2	ND	M2
Chlorpyrifos	0.032 / 0.096	1	0.2	ND	M2	Phosmet	0.032 / 0.096	1	0.2	ND	M2
Clofentezine	0.032 / 0.096	1	0.2	ND	M2	Piperonyl Butoxide	0.318 / 0.956	1	2	ND	
Cyfluthrin	0.160 / 0.478	1	1	ND	M2	Prallethrin	0.032 / 0.096	1	0.2	ND	M1
Cypermethrin	0.160 / 0.478	1	1	ND	M2	Propiconazole	0.064 / 0.191	1	0.4	ND	M2
Daminozide	0.160 / 0.478	1	1	ND	M2	Propoxur	0.032 / 0.096	1	0.2	ND	M2
Diazinon	0.032 / 0.096	1	0.2	ND	M2	Pyrethrins	0.134 / 0.401	1	1	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND	l1, M2	Pyridaben	0.032 / 0.096	1	0.2	ND	
Dimethoate	0.032 / 0.096	1	0.2	ND		Spinosad	0.032 / 0.096	1	0.2	ND	M2
Ethoprophos	0.032 / 0.096	1	0.2	ND	M2	Spiromesifen	0.032 / 0.096	1	0.2	ND	M2
Etofenprox	0.064 / 0.191	1	0.4	ND	M2	Spirotetramat	0.032 / 0.096	1	0.2	ND	
Etoxazole	0.032 / 0.096	1	0.2	ND		Spiroxamine	0.064 / 0.191	1	0.4	ND	
Fenoxycarb	0.032 / 0.096	1	0.2	ND	M2	Tebuconazole	0.064 / 0.191	1	0.4	ND	M2
Fenpyroximate	0.064 / 0.191	1	0.4	ND	l1, M2	Thiacloprid	0.032 / 0.096	1	0.2	ND	M2
Fipronil	0.064 / 0.191	1	0.4	ND		Thiamethoxam	0.032 / 0.096	1	0.2	ND	
Flonicamid	0.160 / 0.478	1	1	ND	M2	Trifloxystrobin	0.032 / 0.096	1	0.2	ND	M2
Fludioxonil	0.064 / 0.191	1	0.4	ND	M2						

Ahmed Munshi

Technical Laboratory Director

AMMunshi

Smithers CTS Arizona LLC 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930







CERTIFICATE OF ANALYSIS

License #: 0000020LCVT89602592

Certificate: 4716

Qualifier Legend

- B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- 1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- **Q1** Sample integrity was not maintained.
- Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirem
- R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2 The relative percent difference for a sample and duplicate exceeded the limit.
- V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By: JARS/Dreem Green 00000078ESQG10647381 Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

AMMunshi

Smithers CTS Arizona LLC 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930







CERTIFICATE OF ANALYSIS License #: 00000020LCVT89602592

Certificate: 4716

Notes: 3/7/2024 Revisions: Strain and Sample Name revised from "Stripes" to "Stripez"

Distribution Chain: From: Kannaboost Technology Inc 00000048ESNO41782628

Ahmed Munshi

Technical Laboratory Director

AMMunshi

Smithers CTS Arizona LLC 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930

