

SAMPLE NAME: Live Hash Rosin - Purple Ice Water

SAMPLE ID: A23G0042-03

CCB ID: 2307OPT2604.10197

CULTIVATOR/MANUFACTURER

Business Name: CMS Ventures - GSI

License: 00000014ESNA15249640

Address: 13454 N. Black Canyon Hwy. Phoenix, AZ 85029



SAMPLE DETAIL

Date Collected: 7/21/2023 10:14:06AM

Matrix: Live Rosin

Strain: Purple Ice Water

Ex. Lot ID: N/A

Batch#: 0719PIWLHR

Batch Size: N/A

Other Information:

CANNABINOID ANALYSIS SUMMARY

Total THC: 76.60%

d9-THC + (THCa * 0.877)

Total CBD: ND

CBD + (CBDa * 0.877)

Total Cannabinoids: 81.05%

CBD + CBG + CBN + CBDa + CBGa
+ THCa + THCv + d8THC + d9THC

SAFETY ANALYSIS SUMMARY

Microbials: PASS

Mycotoxins: PASS

Metals: PASS

Solvents: PASS

Pesticides: PASS

TERPENE ANALYSIS SUMMARY

*Q3 Informational use only

d-Limonene: 1.155%

Caryophyllene: 0.9373%

Farnesene: 0.6378%

Data Reviewed by Symone Whalin, Technical Laboratory Director



76.60%	81.05%
Total THC	Total Cannabinoids <small>*Q3 Informational use only</small>
ND	N/A
Total CBD	Moisture <small>*Q3 Informational use only</small>

CANNABINOID TEST RESULTS

Date Analyzed: 07/22/23 18:15; Method: Agilent 1260 LC

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
delta 9-THC		0.03000	76.60	766.00
THCA		0.03000	ND	ND
CBD		0.02000	ND	ND
CBDA		0.02000	ND	ND
CBN	Q3M2	0.004000	ND	ND
delta 8-THC	Q3	0.03000	ND	ND
CBG	Q3	0.004000	3.399	33.99
CBGA	Q3	0.004000	0.5093	5.09
THCV	Q3	0.004000	0.5379	5.38
Total CBD		0.03000	ND	ND
Total THC		0.03000	76.60	766.00
Total		0.004000	81.05	810.50

HEAVY METALS TEST RESULTS

Pass

Date Analyzed: 07/23/23 08:18; Method: Agilent 7800 ICP MS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Arsenic		200	400	ND	Pass
Cadmium		200	400	ND	Pass
Lead		500	1000	ND	Pass
Mercury		600	1200	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




TERPENE TEST RESULTS

***Q3- Terpene results are for informational use only.**

Date Analyzed:07/23/23 18:28; Method: Agilent Intuvo 9000 GC 5977BMS

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
d-Limonene	Q3	0.004000	1.155	11.55
Caryophyllene	Q3	0.004000	0.9373	9.37
Farnesene	Q3	0.004000	0.6378	6.38
Linalool	Q3	0.004000	0.6215	6.22
Guaiol	Q3	0.004000	0.4220	4.22
Humulene	Q3	0.004000	0.3188	3.19
alpha-Terpineol	Q3	0.004000	0.1818	1.82
Fenchol	Q3	0.004000	0.1796	1.80
alpha-Bisabolol	Q3	0.004000	0.1424	1.42
beta-Pinene	Q3	0.004000	0.1107	1.11
Valencene	Q3	0.004000	0.1094	1.09
alpha-Pinene	Q3	0.004000	0.1030	1.03
beta-Myrcene	Q3	0.004000	0.03800	0.38
endo-Borneol	Q3	0.004000	0.01760	0.18
Camphene	Q3	0.004000	0.01750	0.18
alpha-Cedrene	Q3	0.004000	ND	ND
alpha-Phellandrene	Q3	0.004000	ND	ND
alpha-Terpinene	Q3	0.004000	ND	ND
gamma-Terpinene	Q3	0.004000	ND	ND
gamma-Terpineol	Q3	0.004000	ND	ND
3-Carene	Q3	0.004000	ND	ND
Camphor	Q3	0.004000	ND	ND
Caryophyllene Oxide	Q3	0.004000	ND	ND
Cedrol	Q3	0.004000	ND	ND
Eucalyptol	Q3	0.004000	ND	ND
Fenchone	Q3	0.004000	ND	ND
Geraniol	Q3	0.004000	ND	ND
Geranyl acetate	Q3	0.004000	ND	ND
Isoborneol	Q3	0.004000	ND	ND
Isopulegol	Q3	0.004000	ND	ND
Menthol	Q3	0.004000	ND	ND
Nerol	Q3	0.004000	ND	ND
Nerolidol	Q3	0.004000	ND	ND
Pulegone	Q3	0.004000	ND	ND
Sabinene	Q3	0.004000	ND	ND
Sabinene Acetate	Q3	0.004000	ND	ND
Terpinolene	Q3	0.004000	ND	ND
trans-beta-Ocimene	Q3	0.004000	ND	ND
cis-beta-Ocimene	Q3	0.004000	ND	ND

5.448%
Total Terpenes

Data Reviewed by Symone Whalin, Technical Laboratory Director



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1 Q3 testing result is for information purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labelling requirements in R9-17-317-Q3.



PESTICIDES TEST RESULTS

Pass

Date Analyzed: 07/23/23 00:11; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status	Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm				ppm	ppm	ppm	
Acephate		0.200	0.4	ND	Pass	Imazalil		0.100	0.2	ND	Pass
Acequinocyl		1.00	2	ND	Pass	Imidacloprid		0.200	0.4	ND	Pass
Acetamiprid		0.100	0.2	ND	Pass	Kresoxim-methyl		0.200	0.4	ND	Pass
Aldicarb		0.200	0.4	ND	Pass	Malathion		0.100	0.2	ND	Pass
Azoxystrobin		0.100	0.2	ND	Pass	Metalaxyl		0.100	0.2	ND	Pass
Bifenazate	M1	0.100	0.2	ND	Pass	Methiocarb		0.100	0.2	ND	Pass
Bifenthrin		0.100	0.2	ND	Pass	Methomyl		0.200	0.4	ND	Pass
Boscalid	V1	0.200	0.4	ND	Pass	Myclobutanil	V1	0.100	0.2	ND	Pass
Carbaryl		0.100	0.2	ND	Pass	Naled		0.250	0.5	ND	Pass
Carbofuran		0.100	0.2	ND	Pass	Oxamyl		0.500	1	ND	Pass
Chlorantraniliprole		0.100	0.2	ND	Pass	Paclobutrazol	V1	0.200	0.4	ND	Pass
Chlorfenapyr	M2, V1	0.500	1	ND	Pass	Permethrins	M2	0.100	0.2	ND	Pass
Chlorpyrifos		0.100	0.2	ND	Pass	Phosmet		0.100	0.2	ND	Pass
Clofentezine		0.100	0.2	ND	Pass	Piperonyl Butoxide		1.00	2	ND	Pass
Cyfluthrin		0.500	1	ND	Pass	Prallethrin	M1, V1	0.100	0.2	ND	Pass
Cypermethrin	M1, V1	0.500	1	ND	Pass	Propiconazole	V1	0.200	0.4	ND	Pass
Daminozide	V1	0.500	1	ND	Pass	Propoxur		0.100	0.2	ND	Pass
DDVP (Dichlorvos)		0.0500	0.1	ND	Pass	Pyrethrins		0.500	1	ND	Pass
Diazinon		0.100	0.2	ND	Pass	Pyridaben		0.100	0.2	ND	Pass
Dimethoate		0.100	0.2	ND	Pass	Spinosad		0.100	0.2	ND	Pass
Ethoprop(hos)		0.100	0.2	ND	Pass	Spiromesifen		0.100	0.2	ND	Pass
Etofenprox		0.200	0.4	ND	Pass	Spirotetramat		0.100	0.2	ND	Pass
Etoxazole		0.100	0.2	ND	Pass	Spiroxamine		0.200	0.4	ND	Pass
Fenoxycarb		0.100	0.2	ND	Pass	Tebuconazole	L1, V1	0.200	0.4	ND	Pass
Fenpyroximate		0.200	0.4	ND	Pass	Thiacloprid		0.100	0.2	ND	Pass
Fipronil		0.200	0.4	ND	Pass	Thiamethoxam		0.100	0.2	ND	Pass
Flonicamid	L1, V1	0.500	1	ND	Pass	Trifloxystrobin	M2	0.100	0.2	ND	Pass
Fludioxonil		0.200	0.4	ND	Pass						
Hexythiazox	M2	0.500	1	ND	Pass						

MYCOTOXINS TEST RESULTS

Pass

Date Analyzed: 07/23/23 00:11; Method: Agilent 1260 LC 6470BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppb	ppb	ppb	
Aflatoxin B1	V1	10.0		ND	
Aflatoxin B2		10.0		ND	
Aflatoxin G1		10.0		ND	
Aflatoxin G2	V1	10.0		ND	
Ochratoxin A	R1	10.0	20	ND	Pass
Total Aflatoxins		10.0	20	ND	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director




RESIDUAL SOLVENTS TEST RESULTS

Pass

Date Analyzed: 07/23/23 21:40; Method: Agilent Intuvo 9000 GC 5977BMS

Analyte	Qualifier	LOQ	Limit	Result	Status
		ppm	ppm	ppm	
Acetone	M1	500.0	1000	ND	Pass
Acetonitrile		205.0	410	ND	Pass
Benzene		1,000	2	ND	Pass
Butanes		2,500	5000	ND	Pass
Chloroform		30.00	60	ND	Pass
Dichloromethane		300.0	600	ND	Pass
Ethanol		2,500	5000	ND	Pass
Ethyl acetate		2,500	5000	ND	Pass
Ethyl ether		2,500	5000	ND	Pass
Heptane		2,500	5000	ND	Pass
Hexanes		145.0	290	ND	Pass
Isopropyl acetate		2,500	5000	ND	Pass
Methanol		1,500	3000	ND	Pass
Pentanes		2,500	5000	ND	Pass
2-Propanol (IPA)		2,500	5000	ND	Pass
Propane	L1, M1, V1	2,500	5000	ND	Pass
Toluene		445.0	890	ND	Pass
Xylenes		1,085	2170	ND	Pass

MICROBIALS TEST RESULTS

Pass

Date Analyzed: 07/23/23 11:23; Method: 3M Petrifilm

Analyte	Qualifier	Limit	Result	Status
		cfu/g	cfu/g	
Escherichia coli		100	<40 CFU/g	Pass
Salmonella spp.		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus terreus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus niger		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus fumigatus		Detectable in 1 gram	Not detected in 1 gram	Pass
Aspergillus flavus		Detectable in 1 gram	Not detected in 1 gram	Pass

Data Reviewed by Symone Whalin, Technical Laboratory Director


