

Mellowz 0331R41MEL

Sample ID: 2604FSL0182.0661	Harvest Date: 03/31/2026	Client: TRU Infusion/Natures Wonder	Lab Sample Collection Date/Time: 04/02/2026 11:19
Strain: Mellowz	Manufacture Date:	Lic. # 00000035DCCB00049778	Production Method: Indoor
Matrix: Plant	Received: 04/02/2026	Batch: 0331R41MEL	Pickup for 4/2/26 in AM
Type: Flower - Cured	Completed: 04/08/2026	External Lot#:	Source Batch: Nature's Wonder Inc
Sample Size: ; Batch:		AZ 85022	00000035DCCB00049778



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	04/03/2026	Complete
Terpenes	04/02/2026	Complete
Microbials	04/03/2026	Pass
Pesticides	04/06/2026	Pass
Heavy Metals	04/03/2026	Pass

Cannabinoids

Complete

26.10% Total THC	ND Total CBD	30.89% Total Cannabinoids (Q3)
----------------------------	------------------------	--

Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCa	0.10	29.17	291.7	
Δ9-THC	0.10	0.52	5.2	
Δ8-THC	0.10	ND	ND	
THCV	0.10	ND	ND	
CBDa	0.10	ND	ND	
CBD	0.10	ND	ND	
CBDV	0.10	ND	ND	
CBN	0.10	ND	ND	
CBGa	0.10	1.00	10.0	
CBG	0.10	0.20	2.0	
CBC	0.10	ND	ND	
Total		30.89	308.9	

Date Tested: 04/03/2026

Total THC = THCa * 0.877 + Δ9-THC Total CBD = CBDa * 0.877 + CBD Instrument: HPLC-DAD ; Method: FSL-SOP-401



Ernest Jimenez

Ernest Jimenez
Technical Laboratory Director
04/08/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Ernest Jimenez


Mellowz 0331R41MEL

Sample ID: 2604FSL0182.0661	Harvest Date: 03/31/2026	Client	Lab Sample Collection Date/Time: 04/02/2026 11:19
Strain: Mellowz	Manufacture Date:	TRU Infusion/Natures Wonder	
Matrix: Plant	Received: 04/02/2026	Lic. # 0000035DCCB00049778	Production Method: Indoor
Type: Flower - Cured	Completed: 04/08/2026		Pickup for 4/2/26 in AM
Sample Size: ; Batch:	Batch#: 0331R41MEL	, AZ 85022	Source Batch: Nature's Wonder Inc
	External Lot#:		0000035DCCB00049778

Terpenes

Analyte	LOQ	Result	Qualifier	Analyte	LOQ	Result	Qualifier
	%	%			%	%	
β-Myrcene	0.00	0.96	Q3	δ-3-Carene	0.00	ND	Q3
β-Caryophyllene	0.00	0.26	Q3	Endo-Fenchyl Alcohol	0.02	<LOQ	Q3
Linalool	0.01	0.18	Q3	Eucalyptol	0.00	ND	Q3
trans-Ocimene	0.01	0.12	Q3	Fenchone	0.01	ND	Q3
α-Humulene	0.02	0.07	Q3	γ-Terpinene	0.00	ND	Q3
δ-Limonene	0.02	0.06	Q3	γ-Terpeneol	0.00	ND	Q3
α-Bisabolol	0.01	0.01	Q3	Geraniol	0.02	ND	Q3
Caryophyllene Oxide	0.00	0.01	Q3	Geranyl Acetate	0.00	ND	Q3
α-Pinene	0.01	0.01	Q3	Guaiol	0.02	ND	Q3
α-Cedrene	0.01	ND	Q3	Isoborneol	0.01	ND	Q3
α-Phellandrene	0.00	ND	Q3	Isopulegol	0.01	ND	Q3
α-Terpinene	0.00	ND	Q3	Menthhol	0.01	ND	Q3
α-Terpeneol	0.01	<LOQ	Q3	Nerol	0.01	ND	Q3
β-Pinene	0.00	ND	Q3	Pulegone	0.02	ND	Q3
Borneol	0.03	ND	Q3	Sabinene	0.01	ND	Q3
Camphene	0.01	ND	Q3	Sabinene Hydrate	0.02	ND	Q3
Camphor	0.05	ND	Q3	Terpinolene	0.00	ND	Q3
Cedrol	0.01	ND	Q3	trans-Nerolidol	0.01	ND	Q3
cis-Nerolidol	0.01	ND	Q3	Valencene	0.02	ND	Q3
cis-Ocimene	0.01	ND	Q3	Total		1.69	

Primary Aromas



Date Tested: 04/02/2026
 Instrument: ALS-GC-MS ; Method: FSL-SOP-405




Ernest Jimenez
 Technical Laboratory Director
 04/08/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Ernest Jimenez

Mellowz 0331R41MEL

Sample ID: 2604FSL0182.0661	Harvest Date: 03/31/2026	Client:	Lab Sample Collection Date/Time: 04/02/2026 11:19
Strain: Mellowz	Manufacture Date:	TRU Infusion/Natures Wonder	
Matrix: Plant	Received: 04/02/2026	Lic. # 0000035DCCB00049778	Production Method: Indoor
Type: Flower - Cured	Completed: 04/08/2026		Pickup for 4/2/26 in AM
Sample Size: ; Batch:	Batch#: 0331R41MEL	, AZ 85022	Source Batch: Nature's Wonder Inc
	External Lot#:		0000035DCCB00049778

Pesticides

Pass

Analyte	LOQ	Limit	Result	Status	Qualifier	Analyte	LOQ	Limit	Result	Status	Qualifier
	µg/g	µg/g	µg/g				µg/g	µg/g	µg/g		
Abamectin	0.25	0.5	ND	Pass		Hexythiazox	0.5	1	ND	Pass	
Acephate	0.25	0.5	ND	Pass		Imazalil	0.1	0.2	ND	Pass	
Acetamiprid	0.1	0.2	ND	Pass		Imidacloprid	0.2	0.4	ND	Pass	
Aldicarb	0.2	0.4	ND	Pass		Kresoxim Methyl	0.2	0.4	ND	Pass	
Azoxystrobin	0.1	0.2	ND	Pass		Malathion	0.1	0.2	ND	Pass	
Bifenazate	0.1	0.2	ND	Pass		Metaxyl	0.1	0.2	ND	Pass	
Bifenthrin	0.1	0.2	ND	Pass		Methiocarb	0.1	0.2	ND	Pass	
Boscalid	0.2	0.4	ND	Pass		Methomyl	0.2	0.4	ND	Pass	
Carbaryl	0.1	0.2	ND	Pass		Myclobutanil	0.1	0.2	ND	Pass	
Carbofuran	0.1	0.2	ND	Pass		Naled	0.25	0.5	ND	Pass	
Chlorantraniliprole	0.1	0.2	ND	Pass		Oxamyl	0.5	1	ND	Pass	
Chlorfenapyr	0.5	1	ND	Pass		Paclobutrazol	0.2	0.4	ND	Pass	
Chlorpyrifos	0.1	0.2	ND	Pass		Permethrins	0.1	0.2	ND	Pass	
Clofentezine	0.1	0.2	ND	Pass		Phosmet	0.1	0.2	ND	Pass	
Cyfluthrin	0.5	1	ND	Pass		Piperonyl		2	ND	Pass	
Cypermethrin	0.5	1	ND	Pass		Butoxide	1				
Daminozide	0.5	1	ND	Pass		Prallethrin	0.1	0.2	ND	Pass	
Diazinon	0.1	0.2	ND	Pass		Propiconazole	0.2	0.4	ND	Pass	
Dichlorvos	0.05	0.1	ND	Pass		Propoxur	0.1	0.2	ND	Pass	
Dimethoate	0.1	0.2	ND	Pass		Pyrethrins	0.5	1	ND	Pass	
Ethoprophos	0.1	0.2	ND	Pass		Pyridaben	0.1	0.2	ND	Pass	
Etofenprox	0.2	0.4	ND	Pass		Spinosad	0.1	0.2	ND	Pass	
Etoxazole	0.1	0.2	ND	Pass		Spiromesifen	0.1	0.2	ND	Pass	
Fenoxycarb	0.1	0.2	ND	Pass		Spirotetramat	0.1	0.2	ND	Pass	
Fenpyroximate	0.2	0.4	ND	Pass		Spiroxamine	0.2	0.4	ND	Pass	
Fipronil	0.2	0.4	ND	Pass		Tebuconazole	0.2	0.4	ND	Pass	
Flonicamid	0.5	1	ND	Pass		Thiacloprid	0.1	0.2	ND	Pass	
Fludioxonil	0.2	0.4	ND	Pass		Thiamethoxam	0.1	0.2	ND	Pass	
						Trifloxystrobin	0.1	0.2	ND	Pass	

 Date Tested: 04/06/2026
 Instrument: LC-MS/MS ; Method: FSL-SOP-411


 Ernest Jimenez
 Technical Laboratory Director
 04/08/2026

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Ernest Jimenez

Mellowz 0331R41MEL

Sample ID: 2604FSL0182.0661	Harvest Date: 03/31/2026	Client	Lab Sample Collection Date/Time: 04/02/2026 11:19
Strain: Mellowz	Manufacture Date:	TRU Infusion/Natures Wonder	
Matrix: Plant	Received: 04/02/2026	Lic. # 00000035DCCB00049778	Production Method: Indoor
Type: Flower - Cured	Completed: 04/08/2026		Pickup for 4/2/26 in AM
Sample Size: ; Batch:	Batch#: 0331R41MEL	, AZ 85022	Source Batch: Nature's Wonder Inc
	External Lot#:		00000035DCCB00049778

Microbials

Pass

Analyte	Result	Status	Qualifier
Aspergillus flavus	Not Detected in 1g	Pass	
Aspergillus fumigatus	Not Detected in 1g	Pass	
Aspergillus niger	Not Detected in 1g	Pass	
Aspergillus terreus	Not Detected in 1g	Pass	
Salmonella SPP	Not Detected in 1g	Pass	
E. Coli	< 10 CFU/g	Pass	

Date Tested: 04/03/2026
 Instrument: qPCR & 3M PetriFilm ; Method: FSL-SOP-301, FSL-SOP-302, FSL-SOP-303

Mycotoxins

Not Tested

Analyte	LOQ	Limit	Result	Status	Qualifier
---------	-----	-------	--------	--------	-----------

Date Tested:

Heavy Metals

Pass

Analyte	LOQ	Limit	Result	Status	Qualifier
	PPM	PPM	PPM		
Arsenic	0.2	0.4	ND	Pass	
Cadmium	0.2	0.4	ND	Pass	
Lead	0.5	1	ND	Pass	
Mercury	0.1	0.2	ND	Pass	

Date Tested: 04/03/2026
 Instrument: ICP-MS ; Method: FSL-SOP-404



Ernest Jimenez
 Technical Laboratory Director
 04/08/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Full Spectrum Lab using ISO 17025 accredited testing methodologies and quality system as required by state law and in accordance with the requirements in R9-17-404.03, R9-17-404.04, and R9-17-404.05. Values reported relate only to the product tested and batched under the batch number identified above. Full Spectrum Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of the technical lab director: Ernest Jimenez