

Sample ID: 2511EAZ0825.3979

Strain: Dulce De Fresa Matrix: Concentrates & Extracts

Type: Live Rosin

Batch#: 10142025F2R7DFROS

Collected: 11/13/2025 08:20 AM

Received: 11/13/2025 Completed: 11/17/2025

Sample Size: 66.92 g;

Harvest Date: 10/14/2025 Manufacture Date: 11/02/2025

External Lot ID#: 10142025F2R7DFROS

Production Method: Pressing

Client

The Prime Leaf

Lic. # 00000039DCVR00320237

4220 E Speedway, Tucson, AZ, 85712



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	11/13/2025	LC-UV VIS	Complete
Terpenes	11/14/2025	GC-MS	Complete
Pesticides	11/14/2025	LC-MS	Pass
Mycotoxins	11/14/2025	ELISA	Pass
Residual Solvents	11/17/2025	HS-GC-MS	Pass
Microbial Impurities	11/14/2025	3M Plating & qPCR	Pass
Heavy Metals	11/17/2025	ICP-MS	Pass

Cannabinoids

Method: SOPAZ_M-CANNABINOIDS

73.764 %

Total THC

0.118 %

Total CBD

78.400 %

Total Cannabinoids Q3

Analytes	LOQ	Result	Result	Q
	mg/g	%	mg/g	
THCA	0.755	83.615	836.15	
Δ9 ΤΗС	0.755	0.434	4.34 ▮	
Δ8 ΤΗС	0.755	ND	ND	
THCVA	0.755	0.220	2.20 ▮	
THCV	0.755	ND	ND	
CBDA	0.755	0.135	1.35 ▮	
CBD	0.755	ND	ND	
CBN	0.755	ND	ND	
CBGA	0.755	3.039	30.39 ■	
CBG	0.755	0.842	8.42 ▮	
CBCA	0.755	0.932	9.32 ▮	
CBC	0.755	ND	ND	
Total THC		73.764	737.64	
Total CBD		0.118	1.18	
Total Cannabinoids		78.400	784.00	Q3
Sum of Cannabinoids		89.217	892.17	Q3

Date Tested: 11/13/2025

Total THC = THCa * 0.877 + Δ 9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected Moisture Method: SOP AZ _M-MOISTURE



Kevin Nolan

Laboratory Technical Director | 11/17/2025





Sample ID: 2511EAZ0825.3979

Strain: Dulce De Fresa Matrix: Concentrates & Extracts

Type: Live Rosin

Batch#: 10142025F2R7DFROS

Collected: 11/13/2025 08:20 AM

Received: 11/13/2025 Completed: 11/17/2025 Sample Size: 66.92 g; Harvest Date: 10/14/2025 Manufacture Date: 11/02/2025

External Lot ID#: 10142025F2R7DFROS

Production Method: Pressing

Client

The Prime Leaf

Lic. # 00000039DCVR00320237

4220 E Speedway, Tucson, AZ, 85712

Terpenes

Method: SOPAZ_M-TERPENES

Analytes	LOQ	Result	Result	Q
	mg/g	mg/g	%	
δ-Limonene	0.192	11.734	1.173	Q3
β-Myrcene	0.192	10.719	1.072	Q3
Linalool	0.192	9.970	0.997	Q3
β-Caryophyllene	0.192	9.584	0.958	Q3
Guaiol	0.958	5.723	0.572	Q3
α-Humulene	0.192	3.374	0.337	Q3
β-Pinene	0.192	1.840	0.184	Q3
α-Bisabolol	0.958	1.688	0.169	Q3
α-Pinene	0.192	1.089	0.109	Q3
Caryophyllene Oxide	0.958	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
Camphene	0.192	0.347	0.035 ■	Q3
Geraniol	0.958	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
Terpinolene	0.192	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
trans-B-ocimene	0.192	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
δ-3-Carene	0.192	ND	ND	Q3
α-Terpinene	0.192	ND	ND	Q3
p-Cymene	0.192	ND	ND	Q3
Eucalyptol	0.192	ND	ND	Q3
cis-B-ocimene	0.192	ND	ND	Q3
y-Terpinene	0.192	ND	ND	Q3
Isopulegol	0.958	ND	ND	Q3
cis-Nerolidol	0.383	ND	ND	Q3
trans-Nerolidol	0.230	ND	ND	Q3
Total		56.068	5.607	03

Date Tested: 11/14/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.

Primary Aromas













Kevin Nolan Laboratory Technical Director | 11/17/2025







Sample ID: 2511EAZ0825.3979

Strain: Dulce De Fresa Matrix: Concentrates & Extracts

Type: Live Rosin Batch#: 10142025F2R7DFROS Collected: 11/13/2025 08:20 AM

Received: 11/13/2025 Completed: 11/17/2025 Sample Size: 66.92 g; Harvest Date: 10/14/2025 Manufacture Date: 11/02/2025

External Lot ID#: 10142025F2R7DFROS

Production Method: Pressing

Client

The Prime Leaf

Lic. # 00000039DCVR00320237

4220 E Speedway, Tucson, AZ, 85712

Pesticides

Method: SOPAZ_M-PESTICIDES

Analytes	LOQ	Limit	Result	Status	Q	Analytes	LOQ	Limit	Result	Status	Q
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin B1a	0.115	0.500	ND	Pass	L1	Imidacloprid	0.190	0.400	ND	Pass	
Acephate	0.190	0.400	ND	Pass		Kresoxim-methyl	0.190	0.400	ND	Pass	
Acetamiprid	0.095	0.200	ND	Pass		Malathion	0.095	0.200	ND	Pass	
Aldicarb	0.190	0.400	ND	Pass		Metalaxyl	0.095	0.200	ND	Pass	
Azoxystrobin	0.095	0.200	ND	Pass		Methiocarb	0.095	0.200	ND	Pass	
Bifenazate	0.095	0.200	ND	Pass		Methomyl	0.190	0.400	ND	Pass	
Bifenthrin	0.047	0.200	ND	Pass		Myclobutanil	0.095	0.200	ND	Pass	
Boscalid	0.190	0.400	ND	Pass		Naled	0.237	0.500	ND	Pass	
Carbaryl	0.095	0.200	ND	Pass	R1	Oxamyl	0.474	1.000	ND	Pass	
Carbofuran	0.095	0.200	ND	Pass		Paclobutrazol	0.190	0.400	ND	Pass	
Chlorantraniliprole	0.095	0.200	ND	Pass		Permethrins	0.047	0.200	ND	Pass	
Chlorpyrifos	0.047	0.200	ND	Pass		Phosmet	0.095	0.200	ND	Pass	
Clofentezine	0.095	0.200	ND	Pass		Piperonyl Butoxide	0.474	2.000	ND	Pass	
Cypermethrin	0.474	1.000	ND	Pass		Prallethrin	0.095	0.200	ND	Pass	
Daminozide	0.474	1.000	ND	Pass		Propiconazole	0.190	0.400	ND	Pass	
Diazinon	0.095	0.200	ND	Pass		Propoxur	0.095	0.200	ND	Pass	
Dichlorvos	0.047	0.100	ND	Pass		Pyrethrins	0.432	1.000	ND	Pass	
Dimethoate	0.095	0.200	ND	Pass		Pyridaben	0.047	0.200	ND	Pass	
Ethoprophos	0.095	0.200	ND	Pass		Spinosad	0.095	0.200	ND	Pass	
Etofenprox	0.095	0.400	ND	Pass		Spiromesifen	0.095	0.200	ND	Pass	
Etoxazole	0.095	0.200	ND	Pass		Spirotetramat	0.095	0.200	ND	Pass	
Fenoxycarb	0.095	0.200	ND	Pass		Spiroxamine	0.190	0.200	ND	Pass	
Fenpyroximate	0.190	0.400	ND	Pass		Tebuconazole	0.190	0.400	ND	Pass	
Fipronil	0.190	0.400	ND	Pass		Thiacloprid	0.095	0.200	ND	Pass	
Flonicamid	0.474	1.000	ND	Pass		Thiamethoxam	0.095	0.200	ND	Pass	
Fludioxonil	0.190	0.400	ND	Pass		Trifloxystrobin	0.095	0.200	ND	Pass	
Hexythiazox	0.237	1.000	ND	Pass		Chlorfenapyr	0.474	1.000	ND	Pass	
Imazalil	0.095	0.200	ND	Pass		Cyfluthrin	0.474	1.000	ND	Pass	

Date Tested: 11/14/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.

Mycotoxins

Method: SOPAZ_M-MYCOTOXINS

Analytes	LOQ	Limit	Result	Status Q
	μg/kg	μg/kg	μg/kg	
Total Aflatoxins	9.78	20.00	ND	Pass
Ochratoxin A	9.78	20.00	ND	Pass

Date Tested: 11/14/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.



Kevin Nolan
Laboratory Technical Director | 11/17/2025



Encore Labs Arizona 16624 N 90th St, Suite 101 Scottsdale, AZ 85260

10142025F2R7DFROS

Sample ID: 2511EAZ0825.3979

Strain: Dulce De Fresa Matrix: Concentrates & Extracts

Type: Live Rosin

Batch#: 10142025F2R7DFROS

Collected: 11/13/2025 08:20 AM

Received: 11/13/2025 Completed: 11/17/2025

Sample Size: 66.92 g;

Harvest Date: 10/14/2025 Manufacture Date: 11/02/2025

External Lot ID#: 10142025F2R7DFROS

Production Method: Pressing

Client

The Prime Leaf

Lic. # 00000039DCVR00320237

4220 E Speedway, Tucson, AZ, 85712

Residual Solvents

Method: SOPAZ M-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status	Q
	ppm	ppm	ppm	ppm		
Methanol	52.43	616.90	3000.00	ND	Pass	
Ethanol	105.14	1047.43	5000.00	ND	Pass	
Ethyl ether	98.67	1032.90	5000.00	ND	Pass	
Acetone	18.48	203.68	1000.00	ND	Pass	
2-Propanol (IPA)	102.19	997.90	5000.00	<loq< td=""><td>Pass</td><td></td></loq<>	Pass	
Acetonitrile	23.76	93.79	410.00	ND	Pass	V1
Dichloromethane	10.38	125.05	600.00	ND	Pass	
Ethyl acetate	91.33	1025.81	5000.00	ND	Pass	
Chloroform	1.52	12.65	60.00	ND	Pass	
Benzene	0.14	0.38	2.00	ND	Pass	
Isopropyl acetate	91.00	1022.00	5000.00	ND	Pass	
Heptane	89.00	1012.43	5000.00	ND	Pass	
Toluene	17.38	176.19	890.00	ND	Pass	
Butanes	595.24	979.14	5000.00	ND	Pass	
Hexanes	34.81	59.24	290.00	ND	Pass	
Pentanes	595.24	988.57	5000.00	ND	Pass	
Xylenes	518.43	852.71	2170.00	ND	Pass	

Date Tested: 11/17/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.

Microbial Impurities

Method: SOPAZ_M-ECOLI				
Analytes	Result	Limit	Status	Q
Escherichia coli	<10 CFU/g	100 CFU/g	Pass	

Date Tested: 11/14/2025

Method: SOPAZ M-MICROBIALS

Wethou. SOF AZ_W-WICKOBIALS				
Analytes	Result	Limit	Status	Q
Salmonella spp	Not Detected	Not Detected in One Gram	Pass	
Aspergillus flavus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected	Not Detected in One Gram	Pass	

Date Tested: 11/14/2025



Kevin Nolan

Laboratory Technical Director | 11/17/2025





Sample ID: 2511EAZ0825.3979

Strain: Dulce De Fresa Matrix: Concentrates & Extracts

Batch#: 10142025F2R7DFROS

Collected: 11/13/2025 08:20 AM

Received: 11/13/2025 Completed: 11/17/2025 Sample Size: 66.92 g;

Harvest Date: 10/14/2025 Manufacture Date: 11/02/2025

External Lot ID#: 10142025F2R7DFROS

Production Method: Pressing

Client

The Prime Leaf

Lic. # 00000039DCVR00320237

4220 E Speedway, Tucson, AZ, 85712

Heavy Metals

Type: Live Rosin

Method: SOPAZ M-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status Q
	ppm	ppm	ppm	ppm	
Arsenic	0.034	0.100	0.400	ND	Pass
Cadmium	0.035	0.100	0.400	ND	Pass
Mercury	0.026	0.075	0.200	ND	Pass
Lead	0.141	0.425	1.000	ND	Pass

Date Tested: 11/17/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.









Sample ID: 2511EAZ0825.3979

Strain: Dulce De Fresa Matrix: Concentrates & Extracts

Type: Live Rosin Batch#: 10142025F2R7DFROS Collected: 11/13/2025 08:20 AM

Received: 11/13/2025 Completed: 11/17/2025 Sample Size: 66.92 g;

Harvest Date: 10/14/2025 Manufacture Date: 11/02/2025 External Lot ID#: 10142025F2R7DFROS

Production Method: Pressing

Client

The Prime Leaf

Lic. # 00000039DCVR00320237

4220 E Speedway, Tucson, AZ, 85712

Qualifier Legend

- The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result for В1 potency testing, is below the limit of quantitation.
- The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result when **B2** testing for pesticides, fungicides, growth regulators, mycotoxins, heavy metals, or residual solvents, is below the maximum allowable concentration.
- D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating 11 interference.
- When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control L1 sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the
- The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria. M1
- **M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from М3 the laboratory control sample was within acceptance criteria.
- The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from **M4** the associated laboratory control sample was within acceptance criteria.
- The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed **M5**
- A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii) N1
- Q1 Sample integrity was not maintained.
- Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling Q3 requirements in R9-17-317.
- R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2 The relative percent difference between values obtained according to subsection N is more than 40%.
- The recovery from initial or continuing calibration verification standards is greater than the acceptance limits, but the sample's target analytes were V1 not detected above the maximum allowable concentrations for the analytes in the sample.

Report Notes



Kevin Nolan

Laboratory Technical Director | 11/17/2025

