



AZDHS Certification # 00000005LCMI00301434

Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

Sample: S310049-03 CC ID#: 2310C4L0040.3233 Lot#: N/A Batch#: DIJES1010 Batch Size: N/A


Sample Name: Jesus Juice Distillate-H Strain Name: Jesus Juice Matrix: Concentrates Extracts

Amount Received: 18.0644 g

Sample Collected: 10/10/2023 9:00 Sample Received: 10/11/2023 12:43 Report Created: 10/20/2023 17:21

THC

CBD



Total CBD

Sum of Cannabinoids (Q3)

Total THC= THCA * 0.877 + d9-THC Total CBD= CBDA * 0.877 + CBD

Total THC



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Lillian Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received. SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs. 1 of 7



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

Sample: S310049-03 CC ID#: 2310C4L0040.3233 Lot#: N/A Batch#: DIJES1010 Batch Size: N/A

Sample Name: Jesus Juice Distillate-H

Strain Name: Jesus Juice

Matrix: Concentrates Extracts

Amount Received: 18.0644 g

Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 10/16/2023	Analyst Initials: DRF		SOP: C4-SOP-	CHEM-003
Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCA	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
d9-THC	1.50	84.0	840	
d8-THC	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBDA	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBD	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBG	1.50	3.05	30.5	
CBN	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBC	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Sum of Cannabinoids	1.50	87.1	871	Q3
Total THC	1.50	84.0	840	
Total CBD	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Total Cannabinoids	1.50	87.1	871	Q3

d9-THC. Total CBD al THC= THCA * 0.877



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Sample Collected: 10/10/2023 9:00 Sample Received: 10/11/2023 12:43 Report Created: 10/20/2023 17:21



AZDHS Certification # 00000005LCMI00301434



Pass

Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

Sample Name: Jesus Juice Distillate-H

Strain Name: Jesus Juice

Matrix: Concentrates Extracts

Amount Received: 18.0644 g

Pesticides by LC/MS/MS - Compliance

Sample Collected: 10/10/2023 9:00 Sample Received: 10/11/2023 12:43

Batch#: DIJES1010

Batch Size: N/A

Sample: S310049-03

CC ID#: 2310C4L0040.3233

Lot#: N/A

Report Created: 10/20/2023 17:21

Analyte	LOQ	Limit	Result	Qualifier	Status	Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.120	0.5	<loq< td=""><td></td><td>Pass</td><td>Imazalil</td><td>0.100</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imazalil	0.100	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acephate	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Imidacloprid</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imidacloprid	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acetamiprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Kresoxim-methyl</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Kresoxim-methyl	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Aldicarb	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Malathion</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Malathion	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Azoxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Metalaxyl</td><td>0.100</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Metalaxyl	0.100	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenazate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methiocarb</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Methiocarb	0.050	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Bifenthrin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methomyl</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methomyl	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Boscalid	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Myclobutanil</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Myclobutanil	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbaryl	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Naled</td><td>0.125</td><td>0.5</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Naled	0.125	0.5	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbofuran	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Oxamyl</td><td>0.249</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Oxamyl	0.249	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorantraniliprole	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Paclobutrazol</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Paclobutrazol	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorfenapyr	0.499	1.0	<loq< td=""><td>11</td><td>Pass</td><td>Permethrins</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	11	Pass	Permethrins	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorpyrifos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Phosmet</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Phosmet	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Clofentezine	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Piperonyl butoxide</td><td>0.499</td><td>2.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Piperonyl butoxide	0.499	2.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cyfluthrin	0.499	1.0	<loq< td=""><td></td><td>Pass</td><td>Prallethrin</td><td>0.100</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Prallethrin	0.100	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cypermethrin	0.249	1.0	<loq< td=""><td></td><td>Pass</td><td>Propiconazole</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propiconazole	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Daminozide	0.499	1.0	<loq< td=""><td></td><td>Pass</td><td>Propoxur</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propoxur	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diazinon	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Pyrethrins</td><td>0.321</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyrethrins	0.321	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dichlorvos	0.050	0.1	<loq< td=""><td></td><td>Pass</td><td>Pyridaben</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyridaben	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dimethoate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spinosad</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spinosad	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Ethoprophos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiromesifen</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiromesifen	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etofenprox	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Spirotetramat</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spirotetramat	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etoxazole	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiroxamine</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiroxamine	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenoxycarb	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Tebuconazole</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Tebuconazole	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenpyroximate	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiacloprid</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiacloprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fipronil	0.100	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Thiamethoxam</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Thiamethoxam	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Flonicamid	0.249	1.0	<loq< td=""><td>V1</td><td>Pass</td><td>Trifloxystrobin</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Trifloxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fludioxonil	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass						
Hexythiazox	0.249	1.0	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass						



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.



AZDHS Certification # 00000005LCMI00301434

Pass

Pass



Catalina Hills / Venom

2046 W Ironwood Dr CC ID#: 2310C4L0040.3233 Phoenix, AZ 85021 Lot#: N/A 19289654611 Batch#: DIJES1010 FINAL Lic#: 00000016DCCC00020807 Batch Size: N/A Sample Name: Jesus Juice Distillate-H Strain Name: Jesus Juice

Amount Received: 18.0644 g

Matrix: Concentrates Extracts

Metals by ICP-MS - Compliance

Date Analyzed: 10/18/2023	Analyst Initial	s: RSS SOP:	C4-SOP-CHE	M-008	
Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm		
Arsenic	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cadmium	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Lead	0.401	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Mercury	0.401	1.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass

Mycotoxins by ELISA- Compliance

Date Analyzed: 10/17/2023 Analyst Initials: DHV SOP: C4-SOP-MICRO-014

qq	h	1		
PP	D	ppb	ppb	
Aflatoxins Total 2.0	0	20	<loq< th=""><th>Pass</th></loq<>	Pass
Ochratoxin A 4.0	0	20	<loq< th=""><th>Pass</th></loq<>	Pass

Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Sample: S310049-03

Sample Collected: 10/10/2023 9:00 Sample Received: 10/11/2023 12:43 Report Created: 10/20/2023 17:21



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

Catalina Hills / Venom 2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807	FINAL	Sample: S310049-03 CC ID#: 2310C4L0040.3233 Lot#: N/A Batch#: DIJES1010 Batch Size: N/A
Sample Name: Jesus Juice Distillate-H		
Strain Name: Jesus Juice		Sample Collected: 10/10/2023 9:00
Matrix: Concentrates_Extracts		Sample Received: 10/11/2023 12:43
Amount Received: 18.0644 g		Report Created: 10/20/2023 17:21

Microbials

Pass

E. coli by 3M Petrifilm- Compliance

Date Analyzed: 10/20/2023	Analyst Initials: K	AM SOP: C4-SO	P-MICRO-010	
Analyte	LOQ	Limit	Result	Qualifier Status
	CFU/g	CFU/g	CFU/g	
E. coli	10	100	<10	Pass

Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 10/20/2023 Analyst Initials: KAM SOP: C4-SOP-MICRO-013

Analyte	Result	Qualifier Status
	in one gram	
Salmonella spp.	Not Detected	Pass
Aspergillus	Not Detected	Pass

Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

hillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

5 of 7



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

Sample: S310049-03 CC ID#: 2310C4L0040.3233 Lot#: N/A Batch#: DIJES1010 Batch Size: N/A

Sample Collected: 10/10/2023 9:00

Sample Received: 10/11/2023 12:43

Report Created: 10/20/2023 17:21

Sample Name: Jesus Juice Distillate-H

Strain Name: Jesus Juice Matrix: Concentrates Extracts

Array and Data in a contract of the contract o

Amount Received: 18.0644 g

Residual Solvents by Headspace GC/MS - Compliance

Date Analyzed: 10/16/2023 Analyst Initials: JCB SOP: C4-SOP-CHEM-005

Analyte	LOQ	Limit	Result Qualifier	Status	Analyte	LOQ	Limit	Result Qualifier	Status
	ppm	ppm	ppm			ppm	ppm	ppm	
Acetone	107	1000	<loq< td=""><td>Pass</td><td>2,2-Dimethylbutane</td><td>34.3</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	2,2-Dimethylbutane	34.3		<loq< td=""><td></td></loq<>	
Acetonitrile	42.9	410	<loq< td=""><td>Pass</td><td>2-methylpentane/2,</td><td>68.7</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	2-methylpentane/2,	68.7		<loq< td=""><td></td></loq<>	
Benzene	0.858	2	<loq< td=""><td>Pass</td><td>3-dimethylbutane 2-Propanol (IPA)</td><td>536</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	3-dimethylbutane 2-Propanol (IPA)	536	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Butanes	536	5000	<loq< td=""><td>Pass</td><td></td><td></td><td></td><td></td><td></td></loq<>	Pass					
n-Butane	536		<loq< td=""><td></td><td>Isopropyl acetate</td><td>536</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>		Isopropyl acetate	536	5000	<loq< td=""><td>Pass</td></loq<>	Pass
iso-Butane	536		<loq< td=""><td></td><td>Methanol</td><td>322</td><td>3000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>		Methanol	322	3000	<loq< td=""><td>Pass</td></loq<>	Pass
Chloroform	12.9	60	<loq< td=""><td>Pass</td><td>Pentanes</td><td>536</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Pentanes	536	5000	<loq< td=""><td>Pass</td></loq<>	Pass
					n-Pentane	536		<loq l1,="" td="" v1<=""><td>1</td></loq>	1
Dichloromethane	64.4	600	<loq< td=""><td>Pass</td><td>iso-pentane</td><td>536</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	iso-pentane	536		<loq< td=""><td></td></loq<>	
Ethanol	536	5000	538	Pass	neo-Pentane	536		<loq l1<="" td=""><td></td></loq>	
Ethyl acetate	536	5000	<loq< td=""><td>Pass</td><td>Toluene</td><td>98.7</td><td>890</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Toluene	98.7	890	<loq< td=""><td>Pass</td></loq<>	Pass
Diethyl Ether	536	5000	<loq< td=""><td>Pass</td><td>Xylenes</td><td>236</td><td>2170</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Xylenes	236	2170	<loq< td=""><td>Pass</td></loq<>	Pass
n-Heptane	536	5000	<loq td="" v<=""><td>1 Pass</td><td>•</td><td></td><td>2170</td><td></td><td>F 455</td></loq>	1 Pass	•		2170		F 455
Hexanes	34.3	290	<loq< td=""><td>Pass</td><td></td><td>472</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass		472		<loq< td=""><td></td></loq<>	
n-Hexane	34.3		<loq< td=""><td></td><td>o-Xylene</td><td>236</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>		o-Xylene	236		<loq< td=""><td></td></loq<>	
3-Methylpentane	34.3		<loq< td=""><td></td><td>Ethyl benzene</td><td>236</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>		Ethyl benzene	236		<loq< td=""><td></td></loq<>	



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Pass





AZDHS Certification # 00000005LCMI00301434

Catalina Hills / Venom

2046 W Ironwood Dr
Phoenix, AZ 85021
19289654611
Lic#: 00000016DCCC00020807

FINAL

Sample: S310049-03 CC ID#: 2310C4L0040.3233 Lot#: N/A Batch#: DIJES1010 Batch Size: N/A

Sample Name: Jesus Juice Distillate-H Strain Name: Jesus Juice

Matrix: Concentrates Extracts

Amount Received: 18.0644 g

Sample Received: 10/11/2023 12:43 Report Created: 10/20/2023 17:21

Sample Collected: 10/10/2023 9:00

Notes and Definitions

Item	Definition
11	Interference. Relative intensity of a characteristic ion in the sample analyte exceeded 30% of the relative intensity in the reference spectrum.
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
V1	CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1
< LOQ	Results below the Limit of Quantification.
Limit	Maximum allowable concentration as defined by Table 3.1 in Arizona Administrative code (A.A.C.) Title 9, Chapter 17
CFU/g	Colony forming units per gram
ppm	Parts per million
ppb	Parts per billion
NT	Not Tested
Sum of Ca	annabinoids = THCA + d9-THC + CBDA + CBD + d8-THC + CBG + CBN + CBC
Total Canr	nabinoids = Total THC + Total CBD + d8-THC + CBG + CBN + CBC



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

7 of 7