

. No · 96186 Accredit Certificate No.: L22-417-R1

AZDHS Certification # 00000005LCMI00301434

Catalina Hills / Venom 2046 W Ironwood Dr Phoenix, AZ 85021

Lic#: 00000016DCCC00020807

19289654611


AMENDED


Sample: S308022-02 CC ID#: 2308C4L0015.2304 Lot#: N/A Batch#: DILEM0803 Batch Size: N/A

Sample Name: Lemon OG Distillate-S Strain Name: Lemon OG Matrix: Concentrates Extracts Amount Received: 18.4686 g

Sample Collected: 08/3/2023 9:00 Sample Received: 08/04/2023 14:29 Report Created: 10/04/2023 11:19

SAFETY





Cannabinoid Results

86.0%	84.1%	<loq< th=""><th></th></loq<>	
Sum of Cannabinoids (Q3)	Total THC	Total CBD	тнс сво
	Total THC= THCA * 0.877 + d9-		

Total CBD= CBDA * 0.877 + CBD



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

hillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

1 of 8



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

AMENDED

Sample: S308022-02 CC ID#: 2308C4L0015.2304 Lot#: N/A Batch#: DILEM0803 Batch Size: N/A

Sample Name: Lemon OG Distillate-S

Strain Name: Lemon OG

Matrix: Concentrates_Extracts

Amount Received: 18.4686 g

Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 08/07/2023	Analyst Initials: DRF		SOP: C4-SOP-	CHEM-003
Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCA	1.56	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
d9-THC	1.56	84.1	841	
d8-THC	1.56	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBDA	1.56	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBD	1.56	<loq< td=""><td>< LOQ</td><td>M1</td></loq<>	< LOQ	M1
CBG	1.56	1.96	19.6	
CBN	1.56	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBC	1.56	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Sum of Cannabinoids	1.56	86.0	860	Q3
Total THC	1.56	84.1	841	
Total CBD	1.56	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	

Total THC= THCA * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Sample Collected: 08/3/2023 9:00 Sample Received: 08/04/2023 14:29 Report Created: 10/04/2023 11:19



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

AMENDED

Sample Name: Lemon OG Distillate-S

Strain Name: Lemon OG

Matrix: Concentrates_Extracts

Amount Received: 18.4686 g

Pesticides by LC/MS/MS - Compliance

Lot#: N/A Batch#: DILEM0803 Batch Size: N/A

Sample: S308022-02

CC ID#: 2308C4L0015.2304

Sample Collected: 08/3/2023 9:00 Sample Received: 08/04/2023 14:29 Report Created: 10/04/2023 11:19

Analyte	LOQ	Limit	Result	Qualifier	Status	Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.119	0.5	<loq< td=""><td></td><td>Pass</td><td>Hexythiazox</td><td>0.249</td><td>1.0</td><td><loq< td=""><td>M2</td><td>Pass</td></loq<></td></loq<>		Pass	Hexythiazox	0.249	1.0	<loq< td=""><td>M2</td><td>Pass</td></loq<>	M2	Pass
Acephate	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Imazalil</td><td>0.100</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imazalil	0.100	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acequinocyl	0.498	2.0	<loq< td=""><td></td><td>Pass</td><td>Imidacloprid</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imidacloprid	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acetamiprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Kresoxim-methyl</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Kresoxim-methyl	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Aldicarb	0.100	0.4	<loq< td=""><td>V1</td><td>Pass</td><td>Malathion</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Malathion	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Azoxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Metalaxyl</td><td>0.100</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Metalaxyl	0.100	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenazate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methiocarb</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methiocarb	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenthrin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methomyl</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methomyl	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Boscalid	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Myclobutanil</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Myclobutanil	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbaryl	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Naled</td><td>0.124</td><td>0.5</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Naled	0.124	0.5	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbofuran	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Oxamyl</td><td>0.249</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Oxamyl	0.249	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorantraniliprole	0.050	0.2	<loq< td=""><td>V1</td><td>Pass</td><td>Paclobutrazol</td><td>0.100</td><td>0.4</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Paclobutrazol	0.100	0.4	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Chlorfenapyr	0.498	1.0	<loq< td=""><td>R1</td><td>Pass</td><td>Permethrins</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	R1	Pass	Permethrins	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorpyrifos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Phosmet</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Phosmet	0.050	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Clofentezine	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Piperonyl butoxide</td><td>0.498</td><td>2.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Piperonyl butoxide	0.498	2.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cyfluthrin	0.498	1.0	<loq< td=""><td>V1</td><td>Pass</td><td>Prallethrin</td><td>0.100</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Prallethrin	0.100	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Cypermethrin	0.249	1.0	<loq< td=""><td></td><td>Pass</td><td>Propiconazole</td><td>0.100</td><td>0.4</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Propiconazole	0.100	0.4	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Daminozide	0.498	1.0	<loq< td=""><td></td><td>Pass</td><td>Propoxur</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propoxur	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diazinon	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Pyrethrins</td><td>0.321</td><td>1.0</td><td><loq< td=""><td>M1</td><td>Pass</td></loq<></td></loq<>		Pass	Pyrethrins	0.321	1.0	<loq< td=""><td>M1</td><td>Pass</td></loq<>	M1	Pass
Dichlorvos	0.050	0.1	<loq< td=""><td></td><td>Pass</td><td>Pyridaben</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>M2</td><td>Pass</td></loq<></td></loq<>		Pass	Pyridaben	0.050	0.2	<loq< td=""><td>M2</td><td>Pass</td></loq<>	M2	Pass
Dimethoate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spinosad</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spinosad	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Ethoprophos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiromesifen</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiromesifen	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etofenprox	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Spirotetramat</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spirotetramat	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etoxazole	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiroxamine</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiroxamine	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenoxycarb	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Tebuconazole</td><td>0.100</td><td>0.4</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Tebuconazole	0.100	0.4	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Fenpyroximate	0.100	0.4	<loq< td=""><td>V1</td><td>Pass</td><td>Thiacloprid</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Thiacloprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fipronil	0.100	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Thiamethoxam</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Thiamethoxam	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Flonicamid	0.249	1.0	<loq< td=""><td></td><td>Pass</td><td>Trifloxystrobin</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>M2</td><td>Pass</td></loq<></td></loq<>		Pass	Trifloxystrobin	0.050	0.2	<loq< td=""><td>M2</td><td>Pass</td></loq<>	M2	Pass
Fludioxonil	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass						



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

:29

Pass



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

AMENDED

Sample: S308022-02 CC ID#: 2308C4L0015.2304 Lot#: N/A Batch#: DILEM0803 Batch Size: N/A

Sample Name: Lemon OG Distillate-S Strain Name: Lemon OG

Matrix: Concentrates Extracts

Amount Received: 18.4686 g

Metals by ICP-MS - Compliance

Date Analyzed: 08/10/2023	Analyst Initial	s: SML SOP	C4-SOP-CHE	M-008	
Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm		
Arsenic	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cadmium	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Lead	0.401	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Mercury	0.401	1.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass

Mycotoxins by ELISA- Compliance

Date Analyzed: 08/08/2023 Analyst Initials: KAM SOP: C4-SOP-MICRO-014

Analyte	LOQ	Limit	Result	Qualifier St	atus
	ppb	ppb	ppb		
Aflatoxins Total	2.00	20	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Ochratoxin A	4.00	20	<loq< th=""><th></th><th>Pass</th></loq<>		Pass

Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Sample Collected: 08/3/2023 9:00 Sample Received: 08/04/2023 14:29 Report Created: 10/04/2023 11:19

Pass

Pass



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

AMENDED

Sample: S308022-02 CC ID#: 2308C4L0015.2304 Lot#: N/A Batch#: DILEM0803 Batch Size: N/A

Sample Name: Lemon OG Distillate-S

Strain Name: Lemon OG Matrix: Concentrates Extracts

Amount Received: 18.4686 g

Microbials

Pass

E. coli by 3M Petrifilm- Compliance

Date Analyzed: 08/09/2023	Analyst Initials: N	IRB SOP: C4-SO	P-MICRO-010	
Analyte	LOQ	Limit	Result	Qualifier Status
	CFU/g	CFU/g	CFU/g	
E coli	10	100	<10	Pass

Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 08/09/2023 Analyst Initials: MRB SOP: C4-SOP-MICRO-013

Analyte	Result	Qualifier Status
	in one gram	
Salmonella spp.	Not Detected	Pass
Aspergillus	Not Detected	Pass

Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

illian Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Sample Collected: 08/3/2023 9:00 Sample Received: 08/04/2023 14:29 Report Created: 10/04/2023 11:19



AZDHS Certification # 00000005LCMI00301434

PJLA Accreditation No.: 96186 Certificate No.: 122-417-81

Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

AMENDED

Sample: S308022-02 CC ID#: 2308C4L0015.2304 Lot#: N/A Batch#: DILEM0803 Batch Size: N/A

Sample Collected: 08/3/2023 9:00

Report Created: 10/04/2023 11:19

Sample Received: 08/04/2023 14:29

Sample Name: Lemon OG Distillate-S

Strain Name: Lemon OG Matrix: Concentrates Extracts

Amount Received: 18.4686 g

Residual Solvents by Headspace GC/MS - Compliance

Date Analyzed: 08/09/2023 Analyst Initials: SML SOP: C4-SOP-CHEM-005

Analyte	LOQ	Limit	Result Qualifier	Status	Analyte	LOQ	Limit	Result Qualifier	Status
	ppm	ppm	ppm			ppm	ppm	ppm	
Acetone	123	1000	<loq< td=""><td>Pass</td><td>2,2-Dimethylbutane</td><td>39.4</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	2,2-Dimethylbutane	39.4		<loq< td=""><td></td></loq<>	
Acetonitrile	49.3	410	<loq< td=""><td>Pass</td><td>2-methylpentane/2,</td><td>78.8</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	2-methylpentane/2,	78.8		<loq< td=""><td></td></loq<>	
Benzene	0.985	2	<loq td="" v1<=""><td>1 Pass</td><td>3-dimethylbutane</td><td>040</td><td>5000</td><td>4.00</td><td>Deee</td></loq>	1 Pass	3-dimethylbutane	040	5000	4.00	Deee
Butanes	616	5000	<loq< td=""><td>Pass</td><td>2-Propanol (IPA)</td><td>616</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	2-Propanol (IPA)	616	5000	<loq< td=""><td>Pass</td></loq<>	Pass
n-Butane	616		<loq< td=""><td></td><td>Isopropyl acetate</td><td>616</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>		Isopropyl acetate	616	5000	<loq< td=""><td>Pass</td></loq<>	Pass
iso-Butane	616		<loq< td=""><td></td><td>Methanol</td><td>369</td><td>3000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>		Methanol	369	3000	<loq< td=""><td>Pass</td></loq<>	Pass
				_	Pentanes	616	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Chloroform	14.8	60	<loq< td=""><td>Pass</td><td>n-Pentane</td><td>616</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	n-Pentane	616		<loq< td=""><td></td></loq<>	
Dichloromethane	73.9	600	<loq< td=""><td>Pass</td><td>iso-pentane</td><td>616</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	iso-pentane	616		<loq< td=""><td></td></loq<>	
Ethanol	616	5000	<loq< td=""><td>Pass</td><td>neo-Pentane</td><td>616</td><td></td><td><loq l1<="" td=""><td>l</td></loq></td></loq<>	Pass	neo-Pentane	616		<loq l1<="" td=""><td>l</td></loq>	l
Ethyl acetate	616	5000	737	Pass			5000		
Diethyl Ether	616	5000	<loq< td=""><td>Pass</td><td>Propane</td><td>616</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Propane	616	5000	<loq< td=""><td>Pass</td></loq<>	Pass
n-Heptane	616	5000	<loq< td=""><td>Pass</td><td>Toluene</td><td>113</td><td>890</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Toluene	113	890	<loq< td=""><td>Pass</td></loq<>	Pass
Hexanes	39.4	290	<loq< td=""><td>Pass</td><td>Xylenes</td><td>271</td><td>2170</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Xylenes	271	2170	<loq< td=""><td>Pass</td></loq<>	Pass
		290		Fd55	m/p-Xylene	542		<loq< td=""><td></td></loq<>	
n-Hexane	39.4		<loq< td=""><td></td><td>o-Xylene</td><td>271</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>		o-Xylene	271		<loq< td=""><td></td></loq<>	
3-Methylpentane	39.4		<loq< td=""><td></td><td>Ethyl benzene</td><td>271</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>		Ethyl benzene	271		<loq< td=""><td></td></loq<>	



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received. SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Pass

6 of 8



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

AMENDED

Sample: S308022-02 CC ID#: 2308C4L0015.2304 Lot#: N/A Batch#: DILEM0803 Batch Size: N/A

Sample Name: Lemon OG Distillate-S Strain Name: Lemon OG

Matrix: Concentrates Extracts

Amount Received: 18.4686 g

Sample Collected: 08/3/2023 9:00 Sample Received: 08/04/2023 14:29 Report Created: 10/04/2023 11:19

Notes and Definitions

ltem	Definition
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
M1	Matrix Spike recovery was higher than control limit but recovery of the LCS was within control limits.
M2	Matrix Spike recovery was lower than control limit but recovery of the LCS was within control limits.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
R1	The RPD for the LCS/LCSD pair exceeded 20% but recoveries were within control limits.
V1	CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1
< LOQ	Results below the Limit of Quantification.
Limit	Maximum allowable concentration as defined by Table 3.1 in Arizona Administrative code (A.A.C.) Title 9, Chapter 17
CFU/g	Colony forming units per gram
ppm	Parts per million
ppb	Parts per billion
NT	Not Tested
Sum of Ca	annabinoids = THCA + d9-THC + CBDA + CBD + d8-THC + CBG + CBN + CBC
T () O	

Total Cannabinoids = Total THC + Total CBD + d8-THC + CBG + CBN + CBC



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Lillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

7 of 8

09/26/2023

To Whom It May Concern:

This letter confirms the request made by Will Pennstrom to amend Samples ID S308022-02 (CC Sample ID 2308C4L0015.2304) to change the Sample Name and Strain Name. The amended report was generated using the lab's new report format, resulting in changes to the report layout and design, but the data is unchanged.

Per AZDHS, if any kind of sample information is altered after the report is issued, then the only way a new report could be valid and defensible would be for the new report to have information of what was changed, date of change, who changed and why. This can be in the information area of the COA.

Below is Will Pennstrom's official request received on 09/26/2023:

Dakota,

We would like to request an amendment to Sample ID 2304 on Order #2308C4L0015 We would like to update the sample name from "Lemonhead OG Distillate-S" to "Lemon OG Distillate-S"

We would also like to update the strain name from "Lemonhead OG" to "Lemon OG" This amendment is being requested due to compliance issues with the word Lemonhead related to child product safety as well as potential copyright conflicts.

Thanks,

Will pennstrom facility manager

Thank you, Jillian Blaney **Technical Laboratory Director**



smart decisions.

7650 East Evans Road Unit A Scottsdale, AZ 85260

480.219.6460 info@sclabs.com

sciabs.com