



Sample Name: Strawberry Sunday Distillate-S

Certificate of Analysis

AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

Strain Name: Strawberry Sunday

Matrix: Concentrates Extracts

FINAL

Sample: S308045-03

CC ID#: 2308C4L0044.2401

Lot#: N/A

Batch#: DISTR0810 Batch Size: N/A

> Sample Received: 08/10/2023 Report Created: 08/16/2023



Potency Results

80.8%

<LOQ%

Total THC

Total CBD

THC **CBD**

RATIO

Total THC= THCa * 0.877 + d9-THC Total CBD= CBDa * 0.877 + CBD

SAFETY

Microbials	Residual Solvents	Mycotoxins	Pesticides	Metals
PASS	PASS	PASS	PASS	PASS



Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434 Tillian Blenney

Jillian Blaney Technical Laboratory Director





AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

FINAL

Sample: S308045-03 CC ID#: 2308C4L0044.2401

Lot#: N/A

Batch#: DISTR0810 Batch Size: N/A

> Sample Received: 08/10/2023 Report Created: 08/16/2023

Sample Name: Strawberry Sunday Distillate-S

Strain Name: Strawberry Sunday Matrix: Concentrates Extracts

Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 08/14/2023 Analyst Initials: DRF

Analyte	LOQ	Mass	Mass	Q	
	%	%	mg/g		
THCA	1.58	<loq< td=""><td>< LOQ</td><td></td><td></td></loq<>	< LOQ		
d9-THC	1.58	80.8	808		
d8-THC	1.58	<loq< td=""><td>< LOQ</td><td></td><td></td></loq<>	< LOQ		
CBDA	1.58	<loq< td=""><td>< LOQ</td><td></td><td></td></loq<>	< LOQ		
CBD	1.58	<loq< td=""><td>< LOQ</td><td>M1</td><td></td></loq<>	< LOQ	M1	
CBG	1.58	2.53	25.3		
CBN	1.58	<loq< td=""><td>< LOQ</td><td></td><td></td></loq<>	< LOQ		
CBC	1.58	<loq< td=""><td>< LOQ</td><td></td><td></td></loq<>	< LOQ		
Sum of Cannab	inoids 1.58	83.3	833	Q3	
Total THC	1.58	80.8	808		
Total CBD	1.58	<loq< td=""><td>< LOQ</td><td></td><td></td></loq<>	< LOQ		

Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDa * 0.877 + CBD. LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids method: HPLC-DAD.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

FINAL

Sample: S308045-03 CC ID#: 2308C4L0044.2401

Lot#: N/A

Batch#: DISTR0810 Batch Size: N/A

> Sample Received: 08/10/2023 Report Created: 08/16/2023

Sample Name: Strawberry Sunday Distillate-S

Strain Name: Strawberry Sunday Matrix: Concentrates Extracts

Pesticides by LC/MS/MS - Compliance

Date Analyzed: 08/15/20	123 Analys	t Initials: JCB									
Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.119	0.5	<loq< td=""><td>V1</td><td>Pass</td><td>Hexythiazox</td><td>0.247</td><td>1.0</td><td><loq< td=""><td>M2</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Hexythiazox	0.247	1.0	<loq< td=""><td>M2</td><td>Pass</td></loq<>	M2	Pass
Acephate	0.099	0.4	<loq< td=""><td></td><td>Pass</td><td>Imazalil</td><td>0.099</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Imazalil	0.099	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Acequinocyl	0.494	2.0	<loq< td=""><td></td><td>Pass</td><td>Imidacloprid</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imidacloprid	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acetamiprid	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Kresoxim-methyl</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Kresoxim-methyl	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Aldicarb	0.099	0.4	<loq< td=""><td>V1</td><td>Pass</td><td>Malathion</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Malathion	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Azoxystrobin	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Metalaxyl</td><td>0.099</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Metalaxyl	0.099	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenazate	0.049	0.2	<loq< td=""><td>M1</td><td>Pass</td><td>Methiocarb</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	M1	Pass	Methiocarb	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Bifenthrin	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Methomyl</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methomyl	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Boscalid	0.099	0.4	<loq< td=""><td></td><td>Pass</td><td>Myclobutanil</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Myclobutanil	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Carbaryl	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td><td>Naled</td><td>0.124</td><td>0.5</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Naled	0.124	0.5	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Carbofuran	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Oxamyl</td><td>0.247</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Oxamyl	0.247	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorantraniliprole	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Paclobutrazol</td><td>0.099</td><td>0.4</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Paclobutrazol	0.099	0.4	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Chlorfenapyr	0.494	1.0	<loq< td=""><td></td><td>Pass</td><td>Permethrins</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>M1, V1</td><td>Pass</td></loq<></td></loq<>		Pass	Permethrins	0.049	0.2	<loq< td=""><td>M1, V1</td><td>Pass</td></loq<>	M1, V1	Pass
Chlorpyrifos	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Phosmet</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Phosmet	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Clofentezine	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Piperonyl butoxide</td><td>0.494</td><td>2.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Piperonyl butoxide	0.494	2.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cyfluthrin	0.494	1.0	<loq< td=""><td>L1</td><td>Pass</td><td>Prallethrin</td><td>0.099</td><td>0.2</td><td><loq< td=""><td>M1</td><td>Pass</td></loq<></td></loq<>	L1	Pass	Prallethrin	0.099	0.2	<loq< td=""><td>M1</td><td>Pass</td></loq<>	M1	Pass
Cypermethrin	0.247	1.0	<loq< td=""><td></td><td>Pass</td><td>Propiconazole</td><td>0.099</td><td>0.4</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Propiconazole	0.099	0.4	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Daminozide	0.494	1.0	<loq< td=""><td></td><td>Pass</td><td>Propoxur</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>M2</td><td>Pass</td></loq<></td></loq<>		Pass	Propoxur	0.049	0.2	<loq< td=""><td>M2</td><td>Pass</td></loq<>	M2	Pass
Diazinon	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Pyrethrins</td><td>0.318</td><td>1.0</td><td><loq< td=""><td>M1, V1</td><td>Pass</td></loq<></td></loq<>		Pass	Pyrethrins	0.318	1.0	<loq< td=""><td>M1, V1</td><td>Pass</td></loq<>	M1, V1	Pass
Dichlorvos	0.049	0.1	<loq< td=""><td></td><td>Pass</td><td>Pyridaben</td><td>0.049</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyridaben	0.049	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dimethoate	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Spinosad</td><td>0.049</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spinosad	0.049	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Ethoprophos	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiromesifen</td><td>0.049</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiromesifen	0.049	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etofenprox	0.099	0.4	<loq< td=""><td></td><td>Pass</td><td>Spirotetramat</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>M1, V1</td><td>Pass</td></loq<></td></loq<>		Pass	Spirotetramat	0.049	0.2	<loq< td=""><td>M1, V1</td><td>Pass</td></loq<>	M1, V1	Pass
Etoxazole	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiroxamine</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiroxamine	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenoxycarb	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Tebuconazole</td><td>0.099</td><td>0.4</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>		Pass	Tebuconazole	0.099	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Fenpyroximate	0.099	0.4	<loq< td=""><td>V1</td><td>Pass</td><td>Thiacloprid</td><td>0.049</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Thiacloprid	0.049	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fipronil	0.099	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Thiamethoxam</td><td>0.049</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Thiamethoxam	0.049	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Flonicamid	0.247	1.0	<loq< td=""><td></td><td>Pass</td><td>Trifloxystrobin</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>M2</td><td>Pass</td></loq<></td></loq<>		Pass	Trifloxystrobin	0.049	0.2	<loq< td=""><td>M2</td><td>Pass</td></loq<>	M2	Pass
Fludioxonil	0.099	0.4	<loq< td=""><td>M2</td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>	M2	Pass						

LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticides method: LC/MS/MS.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434



Jillian Blaney Technical Laboratory Director





AZDHS Certification # 00000005LCMI00301434

FINAL



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

Sample: S308045-03

CC ID#: 2308C4L0044.2401

Lot#: N/A

Batch#: DISTR0810 Batch Size: N/A

> Sample Received: 08/10/2023 Report Created: 08/16/2023

Sample Name: Strawberry Sunday Distillate-S

Strain Name: Strawberry Sunday Matrix: Concentrates Extracts

Metals by ICP-MS - Compliance

Pass

Date Analyzed: 08/15/2023 Analyst Initials: SML

Analyte	LOQ	Limit	Mass	Q	Status
	ppm	ppm	ppm		
Arsenic	0.101	0.405	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cadmium	0.101	0.405	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Lead	0.402	1.05	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Mercury	0.402	1.25	<loq< td=""><td></td><td>Pass</td></loq<>		Pass

LOQ = Limit of Quantitation; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins by ELISA- Compliance

Pass

Date Analyzed: 08/14/2023 Analyst Initials: MRB

Analyte	LOQ	Limit	Mass	Q	Status
	ppb	ppb	ppb		
Aflatoxins Total	2.00	20	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Ochratoxin A	4.00	20	<loq< td=""><td></td><td>Pass</td></loq<>		Pass

LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434 Lillian Blenney

Jillian Blaney Technical Laboratory Director





AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

FINAL

Sample: S308045-03 CC ID#: 2308C4L0044.2401

Lot#: N/A

Batch#: DISTR0810 Batch Size: N/A

> Sample Received: 08/10/2023 Report Created: 08/16/2023

Sample Name: Strawberry Sunday Distillate-S

Strain Name: Strawberry Sunday Matrix: Concentrates Extracts

Microbials Pass

E. coli by 3M Petrifilm- Compliance

Plate

Date Analyzed: 08/15/2023 Analyst Initials: KAM

Analyte	LOQ	Limit	Result	Q Status
	CFU/g	CFU/g	CFU/g	_
E. coli	10	100	<10	Pass

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics.

Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 08/15/2023 Analyst Initials: KAM

Analyte	Result	Q	Status
	in one gram		
Salmonella spp.	Not Detected		Pass
Aspergillus	Not Detected		Pass

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics.



Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434 Fillien Blevrey

Jillian Blaney Technical Laboratory Director



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807 Sample Name: Strawberry Sunday Distillate-S **FINAL**

Sample: S308045-03 CC ID#: 2308C4L0044.2401

Lot#: N/A

Batch#: DISTR0810 Batch Size: N/A

> Sample Received: 08/10/2023 Report Created: 08/16/2023

Matrix: Concentrates Extracts

Residual Solvents by Headspace GC/MS - Compliance

Date Analyzed: 08/11/2023 Analyst Initials: SML

Strain Name: Strawberry Sunday

Pass

Date Analyzed. 00/11/2020	Allalysti	IIIIais. OIVIL									
Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Acetone	121	1000	<loq< td=""><td></td><td>Pass</td><td>2-methylpentane/2,</td><td>77.3</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	2-methylpentane/2,	77.3		<loq< td=""><td></td><td></td></loq<>		
Acetonitrile	48.3	410	<loq< td=""><td></td><td>Pass</td><td>3-dimethylbutane</td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass	3-dimethylbutane					
Benzene	0.966	2	<loq< td=""><td></td><td>Pass</td><td>2-Propanol (IPA)</td><td>604</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	2-Propanol (IPA)	604	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Butanes	604	5000	<loq< td=""><td></td><td>Pass</td><td>Isopropyl acetate</td><td>604</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Isopropyl acetate	604	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
n-Butane	604		<loq< td=""><td></td><td></td><td>Methanol</td><td>362</td><td>3000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>			Methanol	362	3000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
iso-Butane	604		<loq< td=""><td></td><td></td><td>Pentanes</td><td>604</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>			Pentanes	604	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chloroform	14.5	60	<loq< td=""><td></td><td>Pass</td><td>n-Pentane</td><td>604</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	n-Pentane	604		<loq< td=""><td></td><td></td></loq<>		
Dichloromethane	72.5	600	<loq< td=""><td></td><td>Pass</td><td>iso-pentane</td><td>604</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	iso-pentane	604		<loq< td=""><td></td><td></td></loq<>		
Ethanol	604	5000	<loq< td=""><td></td><td>Pass</td><td>neo-Pentane</td><td>604</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	neo-Pentane	604		<loq< td=""><td></td><td></td></loq<>		
Ethyl acetate	604	5000	<loq< td=""><td></td><td>Pass</td><td>Propane</td><td>604</td><td>5000</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propane	604	5000	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diethyl Ether	604	5000	<loq< td=""><td></td><td>Pass</td><td>Toluene</td><td>111</td><td>890</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Toluene	111	890	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
n-Heptane	604	5000	<loq< td=""><td></td><td>Pass</td><td>Xylenes</td><td>266</td><td>2170</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Xylenes	266	2170	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Hexanes	38.6	290	<loq< td=""><td></td><td>Pass</td><td>m/p-Xylene</td><td>531</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		Pass	m/p-Xylene	531		<loq< td=""><td></td><td></td></loq<>		
n-Hexane	38.6	200	<loq< td=""><td></td><td>. 455</td><td>o-Xylene</td><td>266</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>		. 455	o-Xylene	266		<loq< td=""><td></td><td></td></loq<>		
3-Methylpentane	38.6		<loq< td=""><td></td><td></td><td>Ethyl benzene</td><td>266</td><td></td><td><loq< td=""><td></td><td></td></loq<></td></loq<>			Ethyl benzene	266		<loq< td=""><td></td><td></td></loq<>		
2,2-Dimethylbutane	38.6		<loq< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>								
2,2-Difficulty/butaffe	30.0		~LUQ								

LOQ = Limit of Quantitation: ND = Not Detected: Unless otherwise stated all quality control samples performed within specifications established by the Laboratory Solvents method: GC/MS



Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434



Jillian Blaney Technical Laboratory Director



Sample Name: Strawberry Sunday Distillate-S

Certificate of Analysis

AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom 2046 W Ironwood Dr

Strain Name: Strawberry Sunday

Matrix: Concentrates Extracts

Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

Sample: S308045-03 CC ID#: 2308C4L0044.2401 Lot#: N/A

Batch#: DISTR0810 Batch Size: N/A

> Sample Received: 08/10/2023 Report Created: 08/16/2023

Notes and Definitions

Item	Definition
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
M1	Matrix Spike recovery was higher than control limit but recovery of the LCS was within control limits.
M2	Matrix Spike recovery was lower than control limit but recovery of the LCS was within control limits.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
V1	CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1
ND	Analyte NOT DETECTED at or above the reporting limit.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director