



AZDHS Certification # 00000005LCMI00301434

Catalina Hills / Venom 2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807


FINAL

Sample: S310050-04 CC ID#: 2310C4L0044.3237 Lot#: N/A Batch#: BSH100923-4 Batch Size: N/A

Sample Name: Amnesia Haze Shatter-S Strain Name: Amnesia Haze Matrix: Concentrates_Extracts Amount Received: 13.9404 g

Sample Collected: 10/11/2023 9:30 Sample Received: 10/11/2023 12:42 Report Created: 10/20/2023 17:51





Cannabinoid Results

81.9%	72.1%	<loq< th=""><th>RA 1</th><th>.TIO : 0</th><th></th></loq<>	RA 1	.TIO : 0	
Sum of Cannabinoids (Q3)	Total THC	Total CBD	THC	CBD	
	Total THC= THCA * 0.877 + d9- Total CBD= CBDA * 0.877 + CE				



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

1 of 7



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

Sample Name: Amnesia Haze Shatter-S

Strain Name: Amnesia Haze

Matrix: Concentrates Extracts

Amount Received: 13.9404 g

Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 10/16/2023	Analyst Initials: DRF		SOP: C4-SOP-	CHEM-003
Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCA	1.50	80.3	803	
d9-THC	1.50	1.61	16.1	
d8-THC	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBDA	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBD	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBG	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBN	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBC	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Sum of Cannabinoids	1.50	81.9	819	Q3
Total THC	1.50	72.1	721	
Total CBD	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Total Cannabinoids	1.50	72.1	721	Q3

al THC= THCA * 0.877 d9-THC. Total CBD 0 877

SC Labs[®]

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Sample: S310050-04 CC ID#: 2310C4L0044.3237 Lot#: N/A Batch#: BSH100923-4 Batch Size: N/A

> Sample Collected: 10/11/2023 9:30 Sample Received: 10/11/2023 12:42 Report Created: 10/20/2023 17:51



AZDHS Certification # 00000005LCMI00301434



Pass

Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

Sample Name: Amnesia Haze Shatter-S

Strain Name: Amnesia Haze

Matrix: Concentrates Extracts

Amount Received: 13.9404 g

Pesticides by LC/MS/MS - Compliance

Sample Collected: 10/11/2023 9:30

Lot#: N/A

Analyte	LOQ	Limit	Result	Qualifier	Status	Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.121	0.5	<loq< td=""><td></td><td>Pass</td><td>Imazalil</td><td>0.100</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imazalil	0.100	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acephate	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Imidacloprid</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imidacloprid	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acetamiprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Kresoxim-methyl</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Kresoxim-methyl	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Aldicarb	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Malathion</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Malathion	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Azoxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Metalaxyl</td><td>0.100</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Metalaxyl	0.100	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenazate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methiocarb</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Methiocarb	0.050	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Bifenthrin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methomyl</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methomyl	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Boscalid	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Myclobutanil</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Myclobutanil	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbaryl	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Naled</td><td>0.126</td><td>0.5</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Naled	0.126	0.5	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbofuran	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Oxamyl</td><td>0.251</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Oxamyl	0.251	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorantraniliprole	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Paclobutrazol</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Paclobutrazol	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorfenapyr	0.502	1.0	<loq< td=""><td>11</td><td>Pass</td><td>Permethrins</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	11	Pass	Permethrins	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorpyrifos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Phosmet</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Phosmet	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Clofentezine	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Piperonyl butoxide</td><td>0.502</td><td>2.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Piperonyl butoxide	0.502	2.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cyfluthrin	0.502	1.0	<loq< td=""><td></td><td>Pass</td><td>Prallethrin</td><td>0.100</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Prallethrin	0.100	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cypermethrin	0.251	1.0	<loq< td=""><td></td><td>Pass</td><td>Propiconazole</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propiconazole	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Daminozide	0.502	1.0	<loq< td=""><td></td><td>Pass</td><td>Propoxur</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propoxur	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diazinon	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Pyrethrins</td><td>0.324</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyrethrins	0.324	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dichlorvos	0.050	0.1	<loq< td=""><td></td><td>Pass</td><td>Pyridaben</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyridaben	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dimethoate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spinosad</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spinosad	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Ethoprophos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiromesifen</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiromesifen	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etofenprox	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Spirotetramat</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spirotetramat	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etoxazole	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiroxamine</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiroxamine	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenoxycarb	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Tebuconazole</td><td>0.100</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Tebuconazole	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenpyroximate	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiacloprid</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiacloprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fipronil	0.100	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Thiamethoxam</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Thiamethoxam	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Flonicamid	0.251	1.0	<loq< td=""><td>V1</td><td>Pass</td><td>Trifloxystrobin</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Trifloxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fludioxonil	0.100	0.4	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass						
Hexythiazox	0.251	1.0	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass						



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

3 of 7

Sample Received: 10/11/2023 12:42 Report Created: 10/20/2023 17:51

Sample: S310050-04

CC ID#: 2310C4L0044.3237

Batch#: BSH100923-4

Batch Size: N/A



AZDHS Certification # 00000005LCMI00301434

FINAL

Pass

Pass



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

L

Sample: S310050-04 CC ID#: 2310C4L0044.3237 Lot#: N/A Batch#: BSH100923-4 Batch Size: N/A

Sample Name: Amnesia Haze Shatter-S Strain Name: Amnesia Haze

Matrix: Concentrates_Extracts

Amount Received: 13.9404 g

Metals by ICP-MS - Compliance

Date Analyzed: 10/18/2023	Analyst Initial	s: RSS SOP:	C4-SOP-CHE	M-008	
Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm		
Arsenic	0.098	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cadmium	0.098	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Lead	0.393	1.0	0.479		Pass
Mercury	0.393	1.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass

Mycotoxins by ELISA- Compliance

Date Analyzed: 10/17/2023 Analyst Initials: DHV SOP: C4-SOP-MICRO-014

qq	h	1		
PP	D	ppb	ppb	
Aflatoxins Total 2.0	0	20	<loq< th=""><th>Pass</th></loq<>	Pass
Ochratoxin A 4.0	0	20	<loq< th=""><th>Pass</th></loq<>	Pass

Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Sample Collected: 10/11/2023 9:30 Sample Received: 10/11/2023 12:42 Report Created: 10/20/2023 17:51



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

Catalina Hills / Venom	Sample: S310050-04	
2046 W Ironwood Dr Phoenix, AZ 85021		CC ID#: 2310C4L0044.3237 Lot#: N/A
19289654611 Lic#: 00000016DCCC00020807	FINAL	Batch#: BSH100923-4 Batch Size: N/A
Sample Name: Amnesia Haze Shatter-S		
Strain Name: Amnesia Haze		Sample Collected: 10/11/2023 9:30
Matrix: Concentrates_Extracts		Sample Received: 10/11/2023 12:42
Amount Received: 13.9404 g		Report Created: 10/20/2023 17:51

Microbials

Pass

E. coli by 3M Petrifilm- Compliance

Date Analyzed: 10/20/2023	Analyst Initials: K	KAM SOP: C4-SOI	P-MICRO-010	
Analyte	LOQ	Limit	Result	Qualifier Status
	CFU/g	CFU/g	CFU/g	
E. coli	10	100	<10	Pass

Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 10/20/2023 Analyst Initials: KAM SOP: C4-SOP-MICRO-013

Analyte	Result	Qualifier Status
	in one gram	
Salmonella spp.	Not Detected	Pass
Aspergillus	Not Detected	Pass

Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Lillien Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

5 of 7



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

Sample: S310050-04 CC ID#: 2310C4L0044.3237 Lot#: N/A Batch#: BSH100923-4 Batch Size: N/A

Sample Collected: 10/11/2023 9:30

Sample Received: 10/11/2023 12:42

Report Created: 10/20/2023 17:51

Sample Name: Amnesia Haze Shatter-S Strain Name: Amnesia Haze

Matrix: Concentrates_Extracts

Amount Received: 13.9404 g

Residual Solvents by Headspace GC/MS - Compliance

Date Analyzed: 10/16/2023 Analyst Initials: JCB SOP: C4-SOP-CHEM-005

Analyte	LOQ	Limit	Result Qualifier	Status	Analyte	LOQ	Limit	Result Qualifier	Status
	ppm	ppm	ppm			ppm	ppm	ppm	
Acetone	121	1000	<loq< td=""><td>Pass</td><td>2,2-Dimethylbutane</td><td>38.8</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	2,2-Dimethylbutane	38.8		<loq< td=""><td></td></loq<>	
Acetonitrile	48.5	410	<loq< td=""><td>Pass</td><td>2-methylpentane/2,</td><td>77.7</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	2-methylpentane/2,	77.7		<loq< td=""><td></td></loq<>	
Benzene	0.971	2	<loq< td=""><td>Pass</td><td>3-dimethylbutane</td><td>607</td><td>5000</td><td><1.00</td><td>Pass</td></loq<>	Pass	3-dimethylbutane	607	5000	<1.00	Pass
Butanes	607	5000	<loq< td=""><td>Pass</td><td>2-Propanol (IPA)</td><td></td><td>5000</td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	2-Propanol (IPA)		5000	<loq< td=""><td></td></loq<>	
n-Butane	607		<loq< td=""><td></td><td>Isopropyl acetate</td><td>607</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>		Isopropyl acetate	607	5000	<loq< td=""><td>Pass</td></loq<>	Pass
so-Butane	607		<loq< td=""><td></td><td>Methanol</td><td>364</td><td>3000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>		Methanol	364	3000	<loq< td=""><td>Pass</td></loq<>	Pass
Chloroform	14.6	60	<loq< td=""><td>Pass</td><td>Pentanes</td><td>607</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Pentanes	607	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Dichloromethane	72.8	600	<loq< td=""><td>Pass</td><td>n-Pentane</td><td>607</td><td></td><td><loq l1,="" td="" v<=""><td></td></loq></td></loq<>	Pass	n-Pentane	607		<loq l1,="" td="" v<=""><td></td></loq>	
Ethanol	607	5000	<loq< td=""><td>Pass</td><td>iso-pentane</td><td>607</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	iso-pentane	607		<loq< td=""><td></td></loq<>	
Ethyl acetate	607	5000	<loq< td=""><td>Pass</td><td>neo-Pentane</td><td>607</td><td></td><td><loq l1<="" td=""><td></td></loq></td></loq<>	Pass	neo-Pentane	607		<loq l1<="" td=""><td></td></loq>	
Diethyl Ether	607	5000	<loq< td=""><td>Pass</td><td>Toluene</td><td>112</td><td>890</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Toluene	112	890	<loq< td=""><td>Pass</td></loq<>	Pass
-	607	5000			Xylenes	267	2170	<loq< td=""><td>Pass</td></loq<>	Pass
n-Heptane			<loq td="" v<=""><td></td><td>m/p-Xylene</td><td>534</td><td></td><td><loq< td=""><td></td></loq<></td></loq>		m/p-Xylene	534		<loq< td=""><td></td></loq<>	
Hexanes	38.8	290	<loq< td=""><td>Pass</td><td>o-Xylene</td><td>267</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	o-Xylene	267		<loq< td=""><td></td></loq<>	
n-Hexane	38.8		<loq< td=""><td></td><td>Ethyl benzene</td><td>267</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>		Ethyl benzene	267		<loq< td=""><td></td></loq<>	
3-Methylpentane	38.8		<loq< td=""><td></td><td>2</td><td></td><td></td><td></td><td></td></loq<>		2				



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Pass





AZDHS Certification # 00000005LCMI00301434

Catalina Hills / Venom

2046 W Ironwood Dr
Phoenix, AZ 85021
19289654611
Lic#: 00000016DCCC00020807

FINAL

Sample: S310050-04 CC ID#: 2310C4L0044.3237 Lot#: N/A Batch#: BSH100923-4 Batch Size: N/A

Sample Name: Amnesia Haze Shatter-S Strain Name: Amnesia Haze Matrix: Concentrates Extracts

Amount Received: 13.9404 g

Sample Collected: 10/11/2023 9:30 Sample Received: 10/11/2023 12:42 Report Created: 10/20/2023 17:51

Notes and Definitions

Item	Definition
11	Interference. Relative intensity of a characteristic ion in the sample analyte exceeded 30% of the relative intensity in the reference spectrum.
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
V1	CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1
< LOQ	Results below the Limit of Quantification.
Limit	Maximum allowable concentration as defined by Table 3.1 in Arizona Administrative code (A.A.C.) Title 9, Chapter
	17
CFU/g	Colony forming units per gram
ppm	Parts per million
ppb	Parts per billion
NT	Not Tested
Sum of Ca	annabinoids = THCA + d9-THC + CBDA + CBD + d8-THC + CBG + CBN + CBC
Total Canr	nabinoids = Total THC + Total CBD + d8-THC + CBG + CBN + CBC



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

7 of 7