



AZDHS Certification # 00000005LCMI00301434

FINAL



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

Sample: S310022-01 CC ID#: 2310C4L0012.3141

Lot#: N/A

Batch#: BSH100223-1 Batch Size: N/A


Sample Name: Electric Lemon Shatter-S

Strain Name: Electric Lemon Matrix: Concentrates Extracts Amount Received: 16.0556 g

Sample Collected: 10/4/2023 9:45 Sample Received: 10/04/2023 14:26

Report Created: 10/12/2023 17:31

SAFETY



Microbials	Residual Solvents	Mycotoxins	Pesticides
PASS	PASS	PASS	PASS

Metals

PASS

Terpenes

Total Terpenes (Q3)

Cannabinoid Results

78.3%

Sum of Cannabinoids (Q3)

68.8% <LOQ

Total THC

Total CBD

RATIO

THC **CBD**

Total THC= THCA * 0.877 + d9-THC Total CBD= CBDA * 0.877 + CBD



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434 Tillien Blenney

Technical Laboratory Director





AZDHS Certification # 00000005LCMI00301434

FINAL



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

Sample: S310022-01 CC ID#: 2310C4L0012.3141

Lot#: N/A

Batch#: BSH100223-1 Batch Size: N/A

Sample Name: Electric Lemon Shatter-S

Strain Name: Electric Lemon Matrix: Concentrates Extracts Amount Received: 16.0556 g

Sample Collected: 10/4/2023 9:45 Sample Received: 10/04/2023 14:26 Report Created: 10/12/2023 17:31

Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 10/05/2023 Analyst Initials: DRF SOP: C4-SOP-CHEM-003

Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCA	1.48	76.8	768	
d9-THC	1.48	1.50	15.0	
d8-THC	1.48	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBDA	1.48	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBD	1.48	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBG	1.48	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBN	1.48	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBC	1.48	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Sum of Cannabinoids	1.48	78.3	783	Q3
Total THC	1.48	68.8	688	
Total CBD	1.48	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Total Cannabinoids	1.48	68.8	688	Q3

Total THC= THCA * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blaney Technical Laboratory Director



AZDHS Certification # 00000005LCMI00301434

FINAL



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

Sample: S310022-01 CC ID#: 2310C4L0012.3141

Lot#: N/A

Batch#: BSH100223-1 Batch Size: N/A

Sample Name: Electric Lemon Shatter-S

Strain Name: Electric Lemon Matrix: Concentrates Extracts Amount Received: 16.0556 g

Sample Collected: 10/4/2023 9:45

Sample Received: 10/04/2023 14:26 Report Created: 10/12/2023 17:31

Pesticides by LC/MS/MS - Compliance

Date Analyzed: 10/06/2023 Analyst Initials: JCB SOP: C4-SOP-CHEM-006

Г	a	S	S

Analyte	LOQ	Limit	Result	Qualifier	Status	Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.119	0.5	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Hexythiazox</td><td>0.248</td><td>1.0</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Hexythiazox	0.248	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Acephate	0.099	0.4	<loq< td=""><td></td><td>Pass</td><td>Imazalil</td><td>0.099</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imazalil	0.099	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acequinocyl	0.497	2.0	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Imidacloprid</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Imidacloprid	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acetamiprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Kresoxim-methyl</td><td>0.099</td><td>0.4</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Kresoxim-methyl	0.099	0.4	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Aldicarb	0.099	0.4	<loq< td=""><td></td><td>Pass</td><td>Malathion</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Malathion	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Azoxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Metalaxyl</td><td>0.099</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Metalaxyl	0.099	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenazate	0.050	0.2	<loq< td=""><td>L1</td><td>Pass</td><td>Methiocarb</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1	Pass	Methiocarb	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenthrin	0.050	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Methomyl</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Methomyl	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Boscalid	0.099	0.4	<loq< td=""><td></td><td>Pass</td><td>Myclobutanil</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Myclobutanil	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbaryl	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Naled</td><td>0.124</td><td>0.5</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>		Pass	Naled	0.124	0.5	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Carbofuran	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Oxamyl</td><td>0.248</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Oxamyl	0.248	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorantraniliprole	0.050	0.2	<loq< td=""><td>V1</td><td>Pass</td><td>Paclobutrazol</td><td>0.099</td><td>0.4</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Paclobutrazol	0.099	0.4	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Chlorfenapyr	0.497	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Permethrins</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Permethrins	0.050	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Chlorpyrifos	0.050	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Phosmet</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Phosmet	0.050	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Clofentezine	0.050	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Piperonyl butoxide</td><td>0.497</td><td>2.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Piperonyl butoxide	0.497	2.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cyfluthrin	0.497	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Prallethrin</td><td>0.099</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Prallethrin	0.099	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Cypermethrin	0.248	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Propiconazole</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Propiconazole	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Daminozide	0.497	1.0	<loq< td=""><td></td><td>Pass</td><td>Propoxur</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propoxur	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diazinon	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Pyrethrins</td><td>0.320</td><td>1.0</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>		Pass	Pyrethrins	0.320	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Dichlorvos	0.050	0.1	<loq< td=""><td></td><td>Pass</td><td>Pyridaben</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Pyridaben	0.050	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Dimethoate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spinosad</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Spinosad	0.050	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Ethoprophos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiromesifen</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Spiromesifen	0.050	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Etofenprox	0.099	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Spirotetramat</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Spirotetramat	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etoxazole	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiroxamine</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiroxamine	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenoxycarb	0.050	0.2	<loq< td=""><td>V1</td><td>Pass</td><td>Tebuconazole</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Tebuconazole	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenpyroximate	0.099	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiacloprid</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiacloprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fipronil	0.099	0.4	<loq< td=""><td>V1</td><td>Pass</td><td>Thiamethoxam</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Thiamethoxam	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Flonicamid	0.248	1.0	<loq< td=""><td>V1</td><td>Pass</td><td>Trifloxystrobin</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Trifloxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fludioxonil	0.099	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>	L1, V1	Pass						



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434



Jillian Blaney Technical Laboratory Director







AZDHS Certification # 00000005LCMI00301434

FINAL

Certificate No.: L22-417-R1

Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

Sample: S310022-01 CC ID#: 2310C4L0012.3141

Lot#: N/A

Batch#: BSH100223-1 Batch Size: N/A

Sample Name: Electric Lemon Shatter-S

Strain Name: Electric Lemon Matrix: Concentrates Extracts Amount Received: 16.0556 g

Sample Collected: 10/4/2023 9:45 Sample Received: 10/04/2023 14:26

Report Created: 10/12/2023 17:31

Metals by ICP-MS - Compliance

Pass

Date Analyzed: 10/09/2023 Analyst Initials: RSS SOP: C4-SOP-CHEM-008

,	,				
Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm		
Arsenic	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cadmium	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Lead	0.398	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Mercury	0.398	1.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass

Mycotoxins by ELISA- Compliance

Pass

Date Analyzed: 10/11/2023 Analyst Initials: DHV SOP: C4-SOP-MICRO-014

Analyte	LOQ	Limit	Result	Qualifier	Status
	ppb	ppb	ppb		
Aflatoxins Total	2.00	20	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Ochratoxin A	4.00	20	<loq< th=""><th></th><th>Pass</th></loq<>		Pass

Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Technical Laboratory Director





AZDHS Certification # 00000005LCMI00301434

FINAL



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

Sample: S310022-01 CC ID#: 2310C4L0012.3141

Lot#: N/A

Batch#: BSH100223-1 Batch Size: N/A

Sample Name: Electric Lemon Shatter-S

Strain Name: Electric Lemon Matrix: Concentrates Extracts Amount Received: 16.0556 g

Sample Collected: 10/4/2023 9:45 Sample Received: 10/04/2023 14:26

Report Created: 10/12/2023 17:31

Microbials Pass

E. coli by 3M Petrifilm- Compliance

Date Analyzed: 10/11/2023 Analyst Initials: KAM SOP: C4-SOP-MICRO-010

Analyte	LOQ	Limit	Result	Qualifier Status
	CFU/g	CFU/g	CFU/g	_
E. coli	10	100	<10	Pass

Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 10/10/2023 Analyst Initials: KAM SOP: C4-SOP-MICRO-013

Analyte	Result	Qualifier Status
	in one gram	
Salmonella spp.	Not Detected	Pass
Aspergillus	Not Detected	Pass

Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics



Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Technical Laboratory Director





AZDHS Certification # 00000005LCMI00301434

FINAL



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

Sample: S310022-01 CC ID#: 2310C4L0012.3141

Lot#: N/A

Batch#: BSH100223-1 Batch Size: N/A

Sample Name: Electric Lemon Shatter-S

Strain Name: Electric Lemon Matrix: Concentrates Extracts Amount Received: 16.0556 g

Sample Collected: 10/4/2023 9:45

Sample Received: 10/04/2023 14:26 Report Created: 10/12/2023 17:31

Residual Solvents by Headspace GC/MS - Compliance

Pass

Date Analyzed: 10/11/2023 Analyst Initials: JCB SOP: C4-SOP-CHEM-005

Analyte	LOQ	Limit	Result Qualifier	Status	Analyte	LOQ	Limit	Result Qualifier	Status
	ppm	ppm	ppm			ppm	ppm	ppm	
Acetone	126	1000	<loq< td=""><td>Pass</td><td>2,2-Dimethylbutane</td><td>40.2</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	2,2-Dimethylbutane	40.2		<loq< td=""><td></td></loq<>	
Acetonitrile	50.3	410	<loq< td=""><td>Pass</td><td>2-methylpentane/2,</td><td>80.4</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	2-methylpentane/2,	80.4		<loq< td=""><td></td></loq<>	
Benzene	1.01	2	<loq< td=""><td>Pass</td><td>3-dimethylbutane</td><td>000</td><td>F000</td><td>1.00</td><td>D</td></loq<>	Pass	3-dimethylbutane	000	F000	1.00	D
Butanes	628	5000	<loq< td=""><td>Pass</td><td></td><td>628</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass		628	5000	<loq< td=""><td>Pass</td></loq<>	Pass
n-Butane	628		<loq< td=""><td></td><td>Isopropyl acetate</td><td>628</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>		Isopropyl acetate	628	5000	<loq< td=""><td>Pass</td></loq<>	Pass
iso-Butane	628		<loq< td=""><td></td><td>Methanol</td><td>377</td><td>3000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>		Methanol	377	3000	<loq< td=""><td>Pass</td></loq<>	Pass
Chloroform	15.1	60	<loq< td=""><td>Pass</td><td>Pentanes</td><td>628</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Pentanes	628	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Dichloromethane	75.4	600	<loq< td=""><td>Pass</td><td>n-Pentane</td><td>628</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	n-Pentane	628		<loq< td=""><td></td></loq<>	
					iso-pentane	628		<loq< td=""><td></td></loq<>	
Ethanol	628	5000	<loq< td=""><td>Pass</td><td>neo-Pentane</td><td>628</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	neo-Pentane	628		<loq< td=""><td></td></loq<>	
Ethyl acetate	628	5000	<loq< td=""><td>Pass</td><td>Toluene</td><td>116</td><td>890</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Toluene	116	890	<loq< td=""><td>Pass</td></loq<>	Pass
Diethyl Ether	628	5000	<loq< td=""><td>Pass</td><td>Xylenes</td><td>276</td><td>2170</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Xylenes	276	2170	<loq< td=""><td>Pass</td></loq<>	Pass
n-Heptane	628	5000	<loq< td=""><td>Pass</td><td>m/p-Xylene</td><td>553</td><td>2170</td><td><loq< td=""><td>1 400</td></loq<></td></loq<>	Pass	m/p-Xylene	553	2170	<loq< td=""><td>1 400</td></loq<>	1 400
Hexanes	40.2	290	<loq< td=""><td>Pass</td><td>, ,</td><td></td><td></td><td></td><td></td></loq<>	Pass	, ,				
n-Hexane	40.2		<loq< td=""><td></td><td>o-Xylene</td><td>276</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>		o-Xylene	276		<loq< td=""><td></td></loq<>	
3-Methylpentane	40.2		<loq< td=""><td></td><td>Ethyl benzene</td><td>276</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>		Ethyl benzene	276		<loq< td=""><td></td></loq<>	



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434



Jillian Blaney Technical Laboratory Director





AZDHS Certification # 00000005LCMI00301434

FINAL



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611

Lic#: 00000016DCCC00020807

Sample: S310022-01 CC ID#: 2310C4L0012.3141

Lot#: N/A

Batch#: BSH100223-1 Batch Size: N/A

Sample Name: Electric Lemon Shatter-S

Strain Name: Electric Lemon Sample Collected: 10/4/2023 9:45 Matrix: Concentrates Extracts Sample Received: 10/04/2023 14:26 Amount Received: 16.0556 g Report Created: 10/12/2023 17:31

Notes and Definitions

Item	Definition
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
V1	CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1
< LOQ	Results below the Limit of Quantification.
Limit	Maximum allowable concentration as defined by Table 3.1 in Arizona Administrative code (A.A.C.) Title 9, Chapter 17
CFU/g	Colony forming units per gram
ppm	Parts per million
ppb	Parts per billion
NT	Not Tested
Sum of Ca	innahinoida = THCA + d0_THC + CRDA + CRD + d8_THC + CRG + CRN + CRC

Sum of Cannabinoids = THCA + d9-THC + CBDA + CBD + d8-THC + CBG + CBN + CBC

Total Cannabinoids = Total THC + Total CBD + d8-THC + CBG + CBN + CBC



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434



Technical Laboratory Director