



AZDHS Certification # 00000005LCMI00301434

Catalina Hills / Venom 2046 W Ironwood Dr Phoenix, AZ 85021

Lic#: 00000016DCCC00020807

19289654611

FINAL

Sample: S310050-01 CC ID#: 2310C4L0044.3234 Lot#: N/A Batch#: BSH100923-1 Batch Size: N/A

Sample Name: Supa Nova Shatter-I Strain Name: Supa Nova Matrix: Concentrates Extracts Amount Received: 12.9054 g


Sample Collected: 10/11/2023 9:30 Sample Received: 10/11/2023 12:42 Report Created: 10/20/2023 17:51


RATIO

THC

0

CBD





Cannabinoid Results

<LOQ

79.1%

Sum of Cannabinoids (Q3)

Total THC Total CBD Total THC= THCA * 0.877 + d9-THC

Total CBD= CBDA * 0.877 + CBD

69.7%



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received. SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

1 of 7



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

CC ID#: 2310C4L0044.3234 Lot#: N/A Batch#: BSH100923-1

Sample Name: Supa Nova Shatter-I Strain Name: Supa Nova

Matrix: Concentrates Extracts

Amount Received: 12.9054 g

Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 10/16/2023	Analyst Initials: DRF		SOP: C4-SOP-	CHEM-003
Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCA	1.50	76.5	765	
d9-THC	1.50	2.61	26.1	
d8-THC	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBDA	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBD	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBG	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBN	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBC	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Sum of Cannabinoids	1.50	79.1	791	Q3
Total THC	1.50	69.7	697	
Total CBD	1.50	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Total Cannabinoids	1.50	69.7	697	Q3

d9-THC. Total CBD al THC= THCA '



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Batch Size: N/A

Sample: S310050-01

Sample Collected: 10/11/2023 9:30 Sample Received: 10/11/2023 12:42 Report Created: 10/20/2023 17:51



AZDHS Certification # 00000005LCMI00301434



Pass

Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

Sample Name: Supa Nova Shatter-I

Strain Name: Supa Nova

Matrix: Concentrates Extracts

Amount Received: 12.9054 g

Pesticides by LC/MS/MS - Compliance

Batch#: BSH100923-1 Batch Size: N/A

Lot#: N/A

Sample Collected: 10/11/2023 9:30 Sample Received: 10/11/2023 12:42 Report Created: 10/20/2023 17:51

Sample: S310050-01

CC ID#: 2310C4L0044.3234

Analyte	LOQ	Limit	Result	Qualifier	Status	Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.121	0.5	<loq< td=""><td></td><td>Pass</td><td>Imazalil</td><td>0.101</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imazalil	0.101	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acephate	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Imidacloprid</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imidacloprid	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acetamiprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Kresoxim-methyl</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Kresoxim-methyl	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Aldicarb	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Malathion</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Malathion	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Azoxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Metalaxyl</td><td>0.101</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Metalaxyl	0.101	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenazate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methiocarb</td><td>0.050</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Methiocarb	0.050	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Bifenthrin	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Methomyl</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Methomyl	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Boscalid	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Myclobutanil</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Myclobutanil	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbaryl	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Naled</td><td>0.126</td><td>0.5</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Naled	0.126	0.5	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbofuran	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Oxamyl</td><td>0.252</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Oxamyl	0.252	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorantraniliprole	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Paclobutrazol</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Paclobutrazol	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorfenapyr	0.504	1.0	<loq< td=""><td>l1</td><td>Pass</td><td>Permethrins</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	l1	Pass	Permethrins	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorpyrifos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Phosmet</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Phosmet	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Clofentezine	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Piperonyl butoxide</td><td>0.504</td><td>2.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Piperonyl butoxide	0.504	2.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cyfluthrin	0.504	1.0	<loq< td=""><td></td><td>Pass</td><td>Prallethrin</td><td>0.101</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Prallethrin	0.101	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cypermethrin	0.252	1.0	<loq< td=""><td></td><td>Pass</td><td>Propiconazole</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propiconazole	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Daminozide	0.504	1.0	<loq< td=""><td></td><td>Pass</td><td>Propoxur</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Propoxur	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Diazinon	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Pyrethrins</td><td>0.325</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyrethrins	0.325	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dichlorvos	0.050	0.1	<loq< td=""><td></td><td>Pass</td><td>Pyridaben</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyridaben	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dimethoate	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spinosad</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spinosad	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Ethoprophos	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiromesifen</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiromesifen	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etofenprox	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Spirotetramat</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spirotetramat	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etoxazole	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiroxamine</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiroxamine	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenoxycarb	0.050	0.2	<loq< td=""><td></td><td>Pass</td><td>Tebuconazole</td><td>0.101</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Tebuconazole	0.101	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenpyroximate	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiacloprid</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiacloprid	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fipronil	0.101	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Thiamethoxam</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Thiamethoxam	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Flonicamid	0.252	1.0	<loq< td=""><td>V1</td><td>Pass</td><td>Trifloxystrobin</td><td>0.050</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Trifloxystrobin	0.050	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fludioxonil	0.101	0.4	<loq< td=""><td></td><td>Pass</td><td>-</td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass	-					
Hexythiazox	0.252	1.0	<loq< td=""><td></td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>		Pass						



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

Pass

Pass

Sample: S310050-01 CC ID#: 2310C4L0044.3234 Lot#: N/A Batch#: BSH100923-1 Batch Size: N/A

Sample Name: Supa Nova Shatter-I Strain Name: Supa Nova

Matrix: Concentrates_Extracts

Amount Received: 12.9054 g

Metals by ICP-MS - Compliance

Date Analyzed: 10/18/2023	Analyst Initial	s: RSS SOP	C4-SOP-CHE	M-008	
Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm		
Arsenic	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cadmium	0.100	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Lead	0.400	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Mercury	0.400	1.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass

Mycotoxins by ELISA- Compliance

Date Analyzed: 10/17/2023 Analyst Initials: DHV SOP: C4-SOP-MICRO-014

Analyte	LOQ	Limit	Result	Qualifier	Status
	ppb	ppb	ppb		
Aflatoxins Total	2.00	20	<loq< th=""><th></th><th>Pass</th></loq<>		Pass
Ochratoxin A	4.00	20	<loq< th=""><th></th><th>Pass</th></loq<>		Pass

Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Sample Collected: 10/11/2023 9:30 Sample Received: 10/11/2023 12:42 Report Created: 10/20/2023 17:51



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

Catalina Hills / Venom 2046 W Ironwood Dr		Sample: S310050-01 CC ID#: 2310C4L0044.3234
Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807	FINAL	Lot#: N/A Batch#: BSH100923-1 Batch Size: N/A
Sample Name: Supa Nova Shatter-I		
Strain Name: Supa Nova		Sample Collected: 10/11/2023 9:30
Matrix: Concentrates_Extracts		Sample Received: 10/11/2023 12:42
Amount Received: 12.9054 g		Report Created: 10/20/2023 17:51

Microbials

Pass

E. coli by 3M Petrifilm- Compliance

Date Analyzed: 10/20/2023	Analyst Initials: K	KAM SOP: C4-SOI	P-MICRO-010	
Analyte	LOQ	Limit	Result	Qualifier Status
	CFU/g	CFU/g	CFU/g	
E. coli	10	100	<10	Pass

Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 10/20/2023 Analyst Initials: KAM SOP: C4-SOP-MICRO-013

Analyte	Result	Qualifier Status
	in one gram	
Salmonella spp.	Not Detected	Pass
Aspergillus	Not Detected	Pass

Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

hillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

5 of 7



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr Phoenix, AZ 85021 19289654611 Lic#: 00000016DCCC00020807

FINAL

Sample: S310050-01 CC ID#: 2310C4L0044.3234 Lot#: N/A Batch#: BSH100923-1 Batch Size: N/A

Sample Collected: 10/11/2023 9:30

Sample Received: 10/11/2023 12:42

Report Created: 10/20/2023 17:51

Sample Name: Supa Nova Shatter-I Strain Name: Supa Nova Matrix: Concentrates Extracts

Amount Received: 12.9054 g

Residual Solvents by Headspace GC/MS - Compliance

Date Analyzed: 10/16/2023 Analyst Initials: JCB SOP: C4-SOP-CHEM-005

Analyte	LOQ	Limit	Result Qualifier	Status	Analyte	LOQ	Limit	Result Qualifier	Status
	ppm	ppm	ppm			ppm	ppm	ppm	
Acetone	120	1000	<loq< td=""><td>Pass</td><td>2,2-Dimethylbutane</td><td>38.5</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	2,2-Dimethylbutane	38.5		<loq< td=""><td></td></loq<>	
Acetonitrile	48.1	410	<loq< td=""><td>Pass</td><td>2-methylpentane/2,</td><td>76.9</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	2-methylpentane/2,	76.9		<loq< td=""><td></td></loq<>	
Benzene	0.962	2	<loq< td=""><td>Pass</td><td></td><td>601</td><td>5000</td><td></td><td>Deee</td></loq<>	Pass		601	5000		Deee
Butanes	601	5000	<loq< td=""><td>Pass</td><td>2-Propanol (IPA)</td><td>601</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	2-Propanol (IPA)	601	5000	<loq< td=""><td>Pass</td></loq<>	Pass
n-Butane	601		<loq< td=""><td></td><td>Isopropyl acetate</td><td>601</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>		Isopropyl acetate	601	5000	<loq< td=""><td>Pass</td></loq<>	Pass
so-Butane	601		<loq< td=""><td></td><td>Methanol</td><td>361</td><td>3000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>		Methanol	361	3000	<loq< td=""><td>Pass</td></loq<>	Pass
Chloroform	14.4	60	<loq< td=""><td>Pass</td><td>Pentanes</td><td>601</td><td>5000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Pentanes	601	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Dichloromethane	72.1	600	<loq< td=""><td>Pass</td><td>n-Pentane</td><td>601</td><td></td><td><loq l1,="" td="" v1<=""><td></td></loq></td></loq<>	Pass	n-Pentane	601		<loq l1,="" td="" v1<=""><td></td></loq>	
Ethanol	601	5000	<loq< td=""><td>Pass</td><td>iso-pentane</td><td>601</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	iso-pentane	601		<loq< td=""><td></td></loq<>	
Ethyl acetate	601	5000	<loq< td=""><td>Pass</td><td>neo-Pentane</td><td>601</td><td></td><td><loq l1<="" td=""><td></td></loq></td></loq<>	Pass	neo-Pentane	601		<loq l1<="" td=""><td></td></loq>	
,	601				Toluene	111	890	<loq< td=""><td>Pass</td></loq<>	Pass
Diethyl Ether		5000	<loq< td=""><td>Pass</td><td>Xylenes</td><td>264</td><td>2170</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Xylenes	264	2170	<loq< td=""><td>Pass</td></loq<>	Pass
n-Heptane	601	5000	<loq td="" v<=""><td></td><td>m/p-Xylene</td><td>529</td><td></td><td><loq< td=""><td></td></loq<></td></loq>		m/p-Xylene	529		<loq< td=""><td></td></loq<>	
Hexanes	38.5	290	<loq< td=""><td>Pass</td><td>o-Xylene</td><td>264</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>	Pass	o-Xylene	264		<loq< td=""><td></td></loq<>	
n-Hexane	38.5		<loq< td=""><td></td><td>Ethyl benzene</td><td>264</td><td></td><td><loq< td=""><td></td></loq<></td></loq<>		Ethyl benzene	264		<loq< td=""><td></td></loq<>	
3-Methylpentane	38.5		<loq< td=""><td></td><td>2</td><td>201</td><td></td><td></td><td></td></loq<>		2	201			



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Pass



AZDHS Certification # 00000005LCMI00301434



Catalina Hills / Venom

2046 W Ironwood Dr
Phoenix, AZ 85021
19289654611
Lic#: 00000016DCCC00020807

FINAL

Sample: S310050-01 CC ID#: 2310C4L0044.3234 Lot#: N/A Batch#: BSH100923-1 Batch Size: N/A

Sample Name: Supa Nova Shatter-I Strain Name: Supa Nova

Matrix: Concentrates Extracts

Amount Received: 12.9054 g

Sample Collected: 10/11/2023 9:30 Sample Received: 10/11/2023 12:42 Report Created: 10/20/2023 17:51

Notes and Definitions

Item	Definition
11	Interference. Relative intensity of a characteristic ion in the sample analyte exceeded 30% of the relative intensity in the reference spectrum.
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
V1	CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1
< LOQ	Results below the Limit of Quantification.
Limit	Maximum allowable concentration as defined by Table 3.1 in Arizona Administrative code (A.A.C.) Title 9, Chapter 17
CFU/g	Colony forming units per gram
ppm	Parts per million
ppb	Parts per billion
NT	Not Tested
Sum of Ca	annabinoids = THCA + d9-THC + CBDA + CBD + d8-THC + CBG + CBN + CBC
Total Can	nabinoids = Total THC + Total CBD + d8-THC + CBG + CBN + CBC



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

7 of 7