



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2601SMAZ0199.0692
 Batch #: 260126VPCR1to2THCCBN



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21328

Vital Pectin Gummies Cran Raspberry 2:1 THC:CBN

Batch #: 260126VPCR1to2THCCBN Sample ID: 2601SMAZ0199.0692
 Strain: Indica Blend Amount Received: 34.8 g
 Parent Batch #: 250617MDIS Sample Type: Soft Chew
 Production Method: Alcohol Sample Collected: 01/28/2026 10:23:00
 Harvest Date: 02/18/2025 Manufacture Date: 01/26/2026
 Received: 01/28/2026 Published: 02/12/2026



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Not Tested
Pesticides, Fungicides, and Growth Regulators Not Tested	Mycotoxins Not Tested	Heavy Metals Not Tested

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

10.7810 mg/serving
 107.8104 mg/container
Total THC

0.0626 mg/serving
 0.6264 mg/container
Total CBD

5.3905 mg/serving
 53.9052 mg/container
CBN

0.4350 mg/serving
 4.3500 mg/container
CBG

16.9232 mg/serving
 169.2324 mg/container
Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2601SMAZ0199.0692
 Batch #: 260126VPCR1to2THCCBN



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21328

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 01/28/2026
 SOP: 418.AZ
 Batch Number: 5083
 Test ID: 113928

Sample Analysis

Date: 01/29/2026
 SOP: 417.AZ - HPLC
 Sample Weight: 1.079 g
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.0030	0.0090	1	0.0043	0.0430	0.1496	1.4964	M1
CBD	0.0030	0.0090	1	0.0018	0.0180	0.0626	0.6264	M1
CBDA	0.0030	0.0090	1	ND	ND	ND	ND	M1
CBDV	0.0030	0.0090	1	ND	ND	ND	ND	M1
CBG	0.0030	0.0090	1	0.0125	0.1250	0.4350	4.3500	M1
CBGA	0.0030	0.0090	1	ND	ND	ND	ND	M1
CBN	0.0030	0.0090	1	0.1549	1.5490	5.3905	53.9052	M1
d8-THC	0.0030	0.0090	1	ND	ND	ND	ND	M1
d9-THC	0.0030	0.0090	1	0.3098	3.0980	10.7810	107.8104	M1
THCA	0.0030	0.0090	1	ND	ND	ND	ND	M1
THCV	0.0030	0.0090	1	0.0031	0.0310	0.1079	1.0788	M1

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.3098	3.0980	10.7810	107.8104	
Total CBD	0.0018	0.0180	0.0626	0.6264	
Total Cannabinoids	0.4863	4.8630	16.9232	169.2324	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 3.48 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2601SMAZ0199.0692
 Batch #: 260126VPCR1to2THCCBN



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21328

Microbial Analysis
Pass

Sample Prep

Batch Date: 01/29/2026
 SOP: 412.AZ
 Batch Number: 5091
 Test ID: 113938

Sample Analysis

Date: 01/30/2026
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.012 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 01/29/2026
 SOP: 406.AZ
 Batch Number: 5090
 Test ID: 113941

Sample Analysis

Date: 01/30/2026
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2601SMAZ0199.0692
 Batch #: 260126VPCR1to2THCCBN



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21328

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2601SMAZ0199.0692
 Batch #: 260126VPCR1to2THCCBN



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 21328

Notes: 2/12/2026 Revision:

Harvest date revised from 06/03/2025 to 02/18/2025

200mg CBD : 100mg THC



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0992.2921
 Batch #: 250617MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 14167

Distillate

Batch #: 250617MDIS
 Strain: Hybrid Blend
 Parent Batch #:
 Production Method: Alcohol
 Harvest Date: 02/18/2025
 Received: 06/18/2025

Sample ID: 2506SMAZ0992.2921
 Amount Received: 7.2 g
 Sample Type: Distillate
 Sample Collected: 06/18/2025 13:43:00
 Manufacture Date: 06/17/2025
 Published: 06/20/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

93.639% Total THC
0.238% Total CBD
0.324% CBN
3.115% CBG
99.026% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0992.2921
 Batch #: 250617MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 14167

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 06/19/2025
 SOP: 418.AZ
 Batch Number: 3541
 Test ID: 78259

Sample Analysis

Date: 06/20/2025
 SOP: 417.AZ - HPLC
 Sample Weight: 0.0425 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.606	1.839	2	1.010	10.097	
CBD	0.606	1.839	2	0.238	2.385	
CBDA	0.606	1.839	2	ND	ND	
CBDV	0.606	1.839	2	ND	ND	
CBG	0.606	1.839	2	3.115	31.155	
CBGA	0.606	1.839	2	ND	ND	
CBN	0.606	1.839	2	0.324	3.236	
d8-THC	0.606	1.839	2	ND	ND	
d9-THC	0.606	1.839	2	93.639	936.395	
THCA	0.606	1.839	2	ND	ND	
THCV	0.606	1.839	2	0.700	6.995	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	93.639	936.395	
Total CBD	0.238	2.385	
Total Cannabinoids	99.026	990.263	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0992.2921
 Batch #: 250617MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 14167

Terpene Total

GC-FID **Tested (0.1077%)**


Sample Prep

Batch Date: 06/19/2025
 SOP: 419
 Batch Number: 3540

Sample Analysis

Date: 06/20/2025
 SOP: 419 - GC-FID
 Sample Weight: 0.426 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.0502	Q3	gamma-Terpinene	0.0009 / 0.0028	1	ND	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	ND	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.0082	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	0.0109	Q3
alpha-Pinene	0.0009 / 0.0028	1	ND	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	ND	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	ND	Q3	Limonene	0.0009 / 0.0028	1	ND	Q3
Borneol	0.0009 / 0.0028	1	ND	Q3	Linalool	0.0009 / 0.0028	1	ND	Q3
Camphene	0.0009 / 0.0028	1	ND	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	ND	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	ND	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0101	Q3	Terpineol	0.0009 / 0.0028	1	0.0050	Q3
Cedrol	0.0009 / 0.0028	1	0.0153	Q3	Terpinolene	0.0009 / 0.0028	1	ND	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	ND	Q3
cis-Ocimene	0.0009 / 0.0028	1	ND	Q3	trans-Nerolidol	0.0009 / 0.0028	1	0.0081	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	ND	Q3	trans-Ocimene	0.0009 / 0.0028	1	ND	Q3
Eucalyptol	0.0009 / 0.0028	1	ND	Q3	Valencene	0.0009 / 0.0028	1	ND	Q3
Fenchone	0.0009 / 0.0028	1	ND	Q3					



Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0992.2921
 Batch #: 250617MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 14167

Microbial Analysis

Pass

Sample Prep

Batch Date: 06/19/2025
 SOP: 412.AZ
 Batch Number: 3543
 Test ID: 78267

Sample Analysis

Date: 06/20/2025
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.035 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 06/19/2025
 SOP: 406.AZ
 Batch Number: 3542
 Test ID: 78268

Sample Analysis

Date: 06/20/2025
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.015 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 06/19/2025
 SOP: 406.AZ
 Batch Number: 3542
 Test ID: 78269

Sample Analysis

Date: 06/20/2025
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.015 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0992.2921
 Batch #: 250617MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 14167

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 06/18/2025
 SOP: 405.AZ
 Batch Number: 3526
 Test ID: 78260

Sample Analysis

Date: 06/19/2025
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.0546 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	60 / 183	1	1000	ND		Heptane	306 / 916	1	5000	ND	
Acetonitrile	26 / 75	1	410	ND		Hexanes	44 / 133	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	306 / 916	1	5000	ND	
Butanes	152 / 458	1	5000	ND		Methanol	183 / 549	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	306 / 916	1	5000	ND	
Dichloromethane	37 / 110	1	600	ND		2-Propanol (IPA)	306 / 916	1	5000	ND	
Ethanol	306 / 916	1	5000	ND		Toluene	55 / 163	1	890	ND	
Ethyl acetate	306 / 916	1	5000	ND		Xylenes	266 / 795	1	2170	ND	
Ethyl ether	306 / 916	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0992.2921
 Batch #: 250617MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 14167

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 06/19/2025
 SOP: 428.AZ
 Batch Number: 3549
 Test ID: 78261

Sample Analysis
 Date: 06/20/2025
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.212 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.057	0.189	10	0.4	ND	
Cadmium	0.057	0.189	10	0.4	ND	
Lead	0.057	0.472	10	1	ND	
Mercury	0.057	0.094	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 06/18/2025
 SOP: 432.AZ
 Batch Number: 3536
 Test ID: 78264

Sample Analysis
 Date: 06/19/2025
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.529 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.78	9.45	1	20	ND	R1
Aflatoxin B1	3.78	9.45	1		ND	
Aflatoxin B2	3.78	9.45	1		ND	I1
Aflatoxin G1	3.78	9.45	1		ND	
Aflatoxin G2	3.78	4.73	1		ND	R1
Ochratoxin A	9.45	9.45	1	20	ND	I1, R1V1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0992.2921
 Batch #: 250617MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 14167

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 06/18/2025
 SOP: 432.AZ
 Batch Number: 3536
 Test ID: 78263

Sample Analysis

Date: 06/19/2025
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.529 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.078 / 0.236	1	0.5	ND	L1	Hexythiazox	0.158 / 0.473	1	1	ND	
Acephate	0.063 / 0.189	1	0.4	ND		Imazalil	0.031 / 0.095	1	0.2	ND	
Acetamiprid	0.031 / 0.095	1	0.2	ND		Imidacloprid	0.063 / 0.189	1	0.4	ND	
Aldicarb	0.063 / 0.189	1	0.4	ND		Kresoxim-methyl	0.063 / 0.189	1	0.4	ND	
Azoxystrobin	0.031 / 0.095	1	0.2	ND		Malathion	0.031 / 0.095	1	0.2	ND	
Bifenazate	0.031 / 0.095	1	0.2	ND		Metaxalyl	0.031 / 0.095	1	0.2	ND	
Bifenthrin	0.031 / 0.095	1	0.2	ND		Methiocarb	0.031 / 0.095	1	0.2	ND	
Boscalid	0.063 / 0.189	1	0.4	ND		Methomyl	0.063 / 0.189	1	0.4	ND	
Carbaryl	0.031 / 0.095	1	0.2	ND		Myclobutanil	0.031 / 0.095	1	0.2	ND	
Carbofuran	0.031 / 0.095	1	0.2	ND		Naled	0.078 / 0.236	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.095	1	0.2	ND		Oxamyl	0.158 / 0.473	1	1	ND	
Chlorfenapyr	0.158 / 0.473	1	1	ND		Pacllobutrazol	0.063 / 0.189	1	0.4	ND	
Chlorpyrifos	0.031 / 0.095	1	0.2	ND		Permethrins	0.031 / 0.095	1	0.2	ND	
Clofentezine	0.031 / 0.095	1	0.2	ND		Phosmet	0.031 / 0.095	1	0.2	ND	
Cyfluthrin	0.158 / 0.473	1	1	ND		Piperonyl Butoxide	0.315 / 0.945	1	2	ND	
Cypermethrin	0.158 / 0.473	1	1	ND		Prallethrin	0.031 / 0.095	1	0.2	ND	
Daminozide	0.158 / 0.473	1	1	ND		Propiconazole	0.063 / 0.189	1	0.4	ND	
Diazinon	0.031 / 0.095	1	0.2	ND		Propoxur	0.031 / 0.095	1	0.2	ND	
Dichlorvos	0.016 / 0.047	1	0.1	ND		Pyrethrins	0.132 / 0.396	1	1	ND	
Dimethoate	0.031 / 0.095	1	0.2	ND		Pyridaben	0.031 / 0.095	1	0.2	ND	
Ethoprophos	0.031 / 0.095	1	0.2	ND		Spinosad	0.031 / 0.095	1	0.2	ND	
Etofenprox	0.063 / 0.189	1	0.4	ND		Spiromesifen	0.031 / 0.095	1	0.2	ND	
Etoxazole	0.031 / 0.095	1	0.2	ND		Spirotetramat	0.031 / 0.095	1	0.2	ND	
Fenoxycarb	0.031 / 0.095	1	0.2	ND		Spiroxamine	0.063 / 0.189	1	0.4	ND	
Fenpyroximate	0.063 / 0.189	1	0.4	ND		Tebuconazole	0.063 / 0.189	1	0.4	ND	
Fipronil	0.063 / 0.189	1	0.4	ND	I1, V1	Thiacloprid	0.031 / 0.095	1	0.2	ND	
Fonicamid	0.158 / 0.473	1	1	ND	V1	Thiamethoxam	0.031 / 0.095	1	0.2	ND	
Fludioxonil	0.063 / 0.189	1	0.4	ND		Trifloxystrobin	0.031 / 0.095	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0992.2921
 Batch #: 250617MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 14167

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC
 1341 W. Industrial Dr.
 Coolidge, AZ 85128
 License #: 00000105DCOU00194638
 Sample ID: 2506SMAZ0992.2921
 Batch #: 250617MDIS



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 14167

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>