

Glitter Bomb 0916

Sample ID: 2502EAZ0101.0474

Strain: Glitter Bomb Matrix: Plant

Type: Flower - Cured Batch#: 240916GLTR-50

Collected: 02/18/2025 Received: 02/18/2025

Completed: 02/20/2025 08:37 PM

Sample Size: 7.61 g; Batch: 8 g

Harvest Date: 01/02/2025 Manufacture Date: 01/27/2025

External Lot ID#:

Production Method: Indoor

Client ROAR

Lic. # 00000080DCQI00709964 2620 West Encanto Boulevard,

PHOENIX, AZ, 85009



Summary

Result
Pass
Complete
Pass
Pass
Pass

Cannabinoids

Method: SOPAZ M-CANNABINOIDS

27.572 %

Total THC

0.035 %

Total CBD

29.001 %

Total Cannabinoids

Analytes	LOQ	Result	Result	Q
	mg/g	%	mg/g	_
THCA	0.394	29.892	298.91	
Δ9 THC	0.394	1.357	13.57■	
Δ8 THC	0.394	ND	ND	
THCVA	0.394	ND	ND	
THCV	0.394	ND	ND	
CBDA	0.394	0.040	0.40∎	
CBD	0.394	ND	ND	
CBN	0.394	ND	ND	
CBGA	0.394	1.071	10.71■	
CBG	0.394	0.090	0.90∎	
CBCA	0.394	0.415	4.15∎	
CBC	0.394	ND	ND	
Total THC		27.572	275.72	
Total CBD		0.035	0.35	
Total Cannabinoids		29.001	290.01	Q3
Sum of Cannabinoids		32.865	328.65	Q3

Total THC = THCa * $0.877 + \Delta 9$ -THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected Moisture Method: SOP AZ_M-MOISTURE



Kevin Nolan

Laboratory Technical Director | 02/20/2025

Firas Haddad Laboratory Manager | 02/20/2025



2 of 4

Glitter Bomb 0916

Sample ID: 2502EAZ0101.0474

Strain: Glitter Bomb Matrix: Plant

Type: Flower - Cured Batch#: 240916GLTR-50

Collected: 02/18/2025 Received: 02/18/2025

Completed: 02/20/2025 08:37 PM

Sample Size: 7.61 g; Batch: 8 g

Harvest Date: 01/02/2025 Manufacture Date: 01/27/2025

External Lot ID#:

Production Method: Indoor

Client ROAR

Lic. # 00000080DCQI00709964 2620 West Encanto Boulevard,

PHOENIX, AZ, 85009

Pesticides

Method: SOPAZ M-PESTICIDES

Analytes	LOQ	Limit	Result	Status	Q	Analytes	LO	Q Limit	Result	Status	Q
	ppm	ppm	ppm				ррг	n ppm	ppm		
Abamectin B1a	0.117	0.500	ND	Pass		Imidacloprid	0.19	2 0.400	ND	Pass	
Acephate	0.192	0.400	ND	Pass		Kresoxim-methyl	0.19	2 0.400	ND	Pass	
Acetamiprid	0.096	0.200	ND	Pass		Malathion	0.09	6 0.200	ND	Pass	
Aldicarb	0.192	0.400	ND	Pass		Metalaxyl	0.09	6 0.200	ND	Pass	
Azoxystrobin	0.096	0.200	ND	Pass		Methiocarb	0.09	6 0.200	ND	Pass	
Bifenazate	0.096	0.200	ND	Pass		Methomyl	0.19	2 0.400	ND	Pass	
Bifenthrin	0.048	0.200	ND	Pass		Myclobutanil	0.09	6 0.200	ND	Pass	
Boscalid	0.192	0.400	ND	Pass		Naled	0.24	0.500	ND	Pass	
Carbaryl	0.096	0.200	ND	Pass		Oxamyl	0.48	1.000	ND	Pass	
Carbofuran	0.096	0.200	ND	Pass		Paclobutrazol	0.19	2 0.400	ND	Pass	
Chlorantraniliprole	0.096	0.200	ND	Pass		Permethrins	0.04	8 0.200	ND	Pass	
Chlorpyrifos	0.048	0.200	ND	Pass		Phosmet	0.09	6 0.200	ND	Pass	
Clofentezine	0.096	0.200	ND	Pass		Piperonyl Butoxide	e 0.48	1 2.000	ND	Pass	
Cypermethrin	0.481	1.000	ND	Pass		Prallethrin	0.09	6 0.200	ND	Pass	
Daminozide	0.481	1.000	ND	Pass	L1	Propiconazole	0.19	2 0.400	ND	Pass	
Diazinon	0.096	0.200	ND	Pass		Propoxur	0.09	6 0.200	ND	Pass	
Dichlorvos	0.048	0.100	ND	Pass		Pyrethrins	0.43	8 1.000	ND	Pass	
Dimethoate	0.096	0.200	ND	Pass		Pyridaben	0.04	8 0.200	ND	Pass	
Ethoprophos	0.096	0.200	ND	Pass		Spinosad	0.09	6 0.200	ND	Pass	
Etofenprox	0.096	0.400	ND	Pass		Spiromesifen	0.09	6 0.200	ND	Pass	
Etoxazole	0.096	0.200	ND	Pass		Spirotetramat	0.09	6 0.200	ND	Pass	
Fenoxycarb	0.096	0.200	ND	Pass		Spiroxamine	0.19	2 0.200	ND	Pass	
Fenpyroximate	0.192	0.400	ND	Pass		Tebuconazole	0.19	2 0.400	ND	Pass	
Fipronil	0.192	0.400	ND	Pass		Thiacloprid	0.09	6 0.200	ND	Pass	
Flonicamid	0.481	1.000	ND	Pass		Thiamethoxam	0.09	6 0.200	ND	Pass	
Fludioxonil	0.192	0.400	ND	Pass		Trifloxystrobin	0.09	6 0.200	ND	Pass	
Hexythiazox	0.240	1.000	ND	Pass		Chlorfenapyr	0.48	1.000	ND	Pass	V1
Imazalil	0.096	0.200	ND	Pass		Cyfluthrin	0.48	1 1.000	ND	Pass	V1

Date Tested: 02/19/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Laboratory Technical Director | 02/20/2025

Firas Haddad Laboratory Manager | 02/20/2025



Glitter Bomb 0916

Sample ID: 2502EAZ0101.0474

Strain: Glitter Bomb Matrix: Plant

Type: Flower - Cured Batch#: 240916GLTR-50 Collected: 02/18/2025 Received: 02/18/2025

Completed: 02/20/2025 08:37 PM

Sample Size: 7.61 g; Batch: 8 g

Harvest Date: 01/02/2025 Manufacture Date: 01/27/2025

External Lot ID#:

Production Method: Indoor

Client **ROAR**

Lic. # 00000080DCQI00709964 2620 West Encanto Boulevard,

PHOENIX, AZ, 85009

Microbial Impurities

Method: SOPAZ_M-ECOLI

Analytes	Result	Limit	Status	Q
Escherichia coli	0	< 100 CFU/g	Pass	

Date Tested: 02/19/2024

Method: SOPAZ_M-MICROBIALS

Analytes	Result	Limit	Status	Q
Salmonella spp	Not Detected	Not Detected in One Gram	Pass	
Aspergillus flavus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected	Not Detected in One Gram	Pass	

Date Tested: 02/19/2025

Heavy Metals

 ${\sf Method: SOPAZ_M-HEAVYMETALS}$

Analytes	LOD	LOQ	Limit	Result	Status	Q
	ppm	ppm	ppm	ppm		
Arsenic	0.033	0.097	0.400	ND	Pass	
Cadmium	0.034	0.097	0.400	ND	Pass	
Mercury	0.026	0.073	0.200	ND	Pass	
Lead	0.136	0.413	1.000	ND	Pass	

Date Tested: 02/19/2025

LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.



Firas Haddad



Glitter Bomb 0916

Sample ID: 2502EAZ0101.0474

Strain: Glitter Bomb Matrix: Plant

Type: Flower - Cured Batch#: 240916GLTR-50

Collected: 02/18/2025 Received: 02/18/2025

Completed: 02/20/2025 08:37 PM

Sample Size: 7.61 g; Batch: 8 g

Harvest Date: 01/02/2025 Manufacture Date: 01/27/2025

External Lot ID#:

Production Method: Indoor

Client ROAR

Lic. # 00000080DCQI00709964 2620 West Encanto Boulevard,

PHOENIX, AZ, 85009

Qualifier Legend

- B1 The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2 The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, growth regulators, mycotoxins, heavy metals, or residual solvents, is below the maximum allowable concentration.
- **D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample
- M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- N1 A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii)
- Q1 Sample integrity was not maintained.
- Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2 The relative percent difference for a sample and duplicate exceeded the limit.
- V1 The recovery from initial or continuing calibration verification standards is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.

Report Notes



Kevin Nolan

Laboratory Technical Director | 02/20/2025







Cultivated by: M & T Retail Facility 1 LLC, dba Vortex Cannabis 00000080DCQI00709964

Distributed by: Border Health, Inc. dba Sticky Saguaro 00000022ESMC44584355, 00000108DCVB00423429

Warning: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.