

Project Packs

Phoenix, AZ 85009

Lic. #00000084ESFH12297246

Sample: 2605LVL0334.2102

Secondary License: ; Chain of Distribution:

Strain: Orange Magic; Batch Size: g; External Batch ID: ORMG260211

Sample Received: 05/14/2026; Report Completed: 05/18/2026; Report Expiration: 05/18/2027

Sampling Date: 05/12/2026; Sampling Time: 1100; Sampling Person: Korey Finley


Harvest Date: 05/04/2026; Manufacturing Date: ; External Lot ID:

Date of Pickup: 05/14/2026 Time Collected: 11:40

ORMG260211

Plant, Flower - Cured, Indoor



	24.26%	ND	28.84%
	Total THC	Total CBD	
	21.24 mg/g	Complete	Total Cannabinoids (Q3)
	Total Terpenes (Q3)	8.0% Moisture (Q3)	

Cannabinoids

Complete

Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCa	0.16	27.25	272.5	
Δ9-THC	0.16	0.36	3.6	
Δ8-THC	0.16	ND	ND	Q3
THCVa	0.16	0.21	2.1	Q3
THCV	0.16	ND	ND	Q3
CBDa	0.16	ND	ND	
CBD	0.16	ND	ND	
CBDVa	0.16	ND	ND	Q3
CBDV	0.16	ND	ND	Q3
CBN	0.16	ND	ND	Q3
CBGa	0.16	0.63	6.3	Q3
CBG	0.16	<LOQ	<LOQ	Q3
CBCa	0.16	0.40	4.0	Q3
CBC	0.16	ND	ND	Q3
Δ10-THC	0.16	NR	NR	
Total		28.84	288.4	Q3

Qualifiers:
Date Tested: 05/15/2026 12:00 am

Total THC = THCa * 0.877 + d9-THC + d10-THC
Total CBD = CBDa * 0.877 + CBD

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.

Project Packs

Phoenix, AZ 85009

Lic. #00000084ESFH12297246

Sample: 2605LVL0334.2102

Secondary License: ; Chain of Distribution:

Strain: Orange Magic; Batch Size: g; External Batch ID: ORMG260211

Sample Received: 05/14/2026; Report Completed: 05/18/2026; Report Expiration: 05/18/2027

Sampling Date: 05/12/2026; Sampling Time: 1100; Sampling Person: Korey Finley

Harvest Date: 05/04/2026; Manufacturing Date: ; External Lot ID:

Date of Pickup: 05/14/2026 Time Collected: 11:40

ORMG260211



Plant, Flower - Cured, Indoor



Terpenes

Analyte	LOQ	Result	Result	Qualifier	Analyte	LOQ	Result	Result	Qualifier
	mg/g	mg/g	%			mg/g	mg/g	%	
β-Caryophyllene	0.20	8.01	0.801	Q3	Citronellol	1.02	ND	ND	Q3
β-Myrcene	0.10	7.13	0.713	Q3	Eucalyptol	0.10	ND	ND	Q3
α-Humulene	0.10	3.03	0.303	Q3	Farnesene	0.02	ND	ND	Q3
δ-Limonene	0.20	2.05	0.205	Q3	Fenchone	0.20	ND	ND	Q3
Linalool	0.20	0.68	0.068	Q3	γ-Terpinene	0.10	ND	ND	Q3
Fenchol	0.10	0.24	0.024	Q3	γ-Terpineol	0.02	ND	ND	Q3
α-Pinene	0.10	0.10	0.010	Q3	Geraniol	2.04	ND	ND	Q3
3-Carene	0.20	ND	ND	Q3	Geranyl Acetate	0.10	ND	ND	Q3
α-Bisabolol	0.10	<LOQ	<LOQ	Q3	Guaiol	0.10	ND	ND	Q3
α-Cedrene	0.10	ND	ND	Q3	Isoborneol	1.02	ND	ND	Q3
α-Phellandrene	0.10	ND	ND	Q3	Isopulegol	0.10	ND	ND	Q3
α-Terpinene	0.10	ND	ND	Q3	Menthol	0.10	ND	ND	Q3
α-Terpineol	0.17	<LOQ	<LOQ	Q3	Nerol	0.10	ND	ND	Q3
β-Eudesmol	0.10	<LOQ	<LOQ	Q3	Pulegone	0.10	ND	ND	Q3
β-Pinene	0.20	ND	ND	Q3	p-Cymene	0.10	ND	ND	Q3
Borneol	0.31	ND	ND	Q3	Sabinene	0.10	ND	ND	Q3
Camphene	0.10	<LOQ	<LOQ	Q3	Sabinene Hydrate	0.10	ND	ND	Q3
Camphor	0.41	ND	ND	Q3	Terpinolene	0.20	ND	ND	Q3
Caryophyllene Oxide	0.10	<LOQ	<LOQ	Q3	trans-Nerolidol	0.10	ND	ND	Q3
Cedrol	0.10	ND	ND	Q3	trans-Ocimene	0.07	ND	ND	Q3
cis-Nerolidol	0.20	ND	ND	Q3	Valencene	0.10	ND	ND	Q3
cis-Ocimene	0.03	ND	ND	Q3					

Primary Aromas



21.24 mg/g
Total Terpenes

Qualifiers:
Date Tested: 05/15/2026 12:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Qualifying code Q3: For informational purposes only.



Certificate of Analysis

Powered by Confident LIMS
3 of 5

Project Packs

Phoenix, AZ 85009

Lic. #00000084ESFH12297246

Sample: 2605LVL0334.2102

Secondary License: ; Chain of Distribution:

Strain: Orange Magic; Batch Size: g; External Batch ID: ORMG260211

Sample Received: 05/14/2026; Report Completed: 05/18/2026; Report Expiration: 05/18/2027

Sampling Date: 05/12/2026; Sampling Time: 1100; Sampling Person: Korey Finley

Harvest Date: 05/04/2026; Manufacturing Date: ; External Lot ID:

Date of Pickup: 05/14/2026 Time Collected: 11:40

ORMG260211

Plant, Flower - Cured, Indoor



Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Qualifier	Analyte	LOQ	Limit	Units	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.040	0.500	ND	Pass		Hexythiazox	0.050	1.000	ND	Pass	
Acephate	0.040	0.400	ND	Pass		Imazalil	0.050	0.200	ND	Pass	
Acetamiprid	0.050	0.200	ND	Pass	V1	Imidacloprid	0.050	0.400	ND	Pass	
Aldicarb	0.050	0.400	ND	Pass	V1	Kresoxim Methyl	0.040	0.400	ND	Pass	
Azoxystrobin	0.050	0.200	ND	Pass	V1	Malathion	0.050	0.200	ND	Pass	
Bifenazate	0.050	0.200	ND	Pass		Metalaxyl	0.050	0.200	ND	Pass	V1
Bifenthrin	0.050	0.200	ND	Pass		Methiocarb	0.040	0.200	ND	Pass	V1
Boscalid	0.040	0.400	ND	Pass		Methomyl	0.050	0.400	ND	Pass	
Carbaryl	0.050	0.200	ND	Pass	V1	Myclobutanil	0.050	0.200	ND	Pass	
Carbofuran	0.050	0.200	ND	Pass	V1	Naled	0.050	0.500	ND	Pass	
Chlorantraniliprole	0.050	0.200	ND	Pass	V1	Oxamyl	0.050	1.000	ND	Pass	
Chlorfenapyr	0.460	1.000	ND	Pass	R1	Paclobotrazol	0.050	0.400	ND	Pass	
Chlorpyrifos	0.050	0.200	ND	Pass		Permethrins	0.050	0.200	ND	Pass	V1
Clofentezine	0.050	0.200	ND	Pass		Phosmet	0.050	0.200	ND	Pass	V1
Cyfluthrin	0.460	1.000	ND	Pass		Piperonyl Butoxide	0.040	2.000	ND	Pass	
Cypermethrin	0.050	1.000	ND	Pass		Prallethrin	0.050	0.200	ND	Pass	
Daminozide	0.460	1.000	ND	Pass		Propiconazole	0.050	0.400	ND	Pass	
Dichlorvos (DDVP)	0.050	0.100	ND	Pass		Propoxur	0.050	0.200	ND	Pass	V1
Diazinon	0.050	0.200	ND	Pass		Pyrethrins	0.470	1.000	ND	Pass	
Dimethoate	0.050	0.200	ND	Pass	V1	Pyridaben	0.050	0.200	ND	Pass	
Ethoprophos	0.050	0.200	ND	Pass		Spinosad	0.050	0.200	ND	Pass	
Etofenprox	0.050	0.400	ND	Pass		Spiromesifen	0.050	0.200	ND	Pass	
Etoxazole	0.050	0.200	ND	Pass		Spirotetramat	0.050	0.200	ND	Pass	
Fenoxycarb	0.050	0.200	ND	Pass		Spiroxamine	0.050	0.400	ND	Pass	
Fenpyroximate	0.050	0.400	ND	Pass		Tebuconazole	0.050	0.400	ND	Pass	
Fipronil	0.050	0.400	ND	Pass		Thiacloprid	0.050	0.200	ND	Pass	
Fonicamid	0.050	1.000	ND	Pass		Thiamethoxam	0.050	0.200	ND	Pass	
Fludioxonil	0.050	0.400	ND	Pass		Trifloxystrobin	0.050	0.200	ND	Pass	

Herbicides

Analyte	LOQ	Limit	Units	Status
---------	-----	-------	-------	--------

Qualifiers:

Date Tested: 05/14/2026 12:00 am

Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021.



1525 N Granite Reef Rd

Scottsdale, AZ

(480) 867-1520

http://www.levelonelabs.com

Lic# 0000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Certificate of Analysis

Powered by Confident LIMS
4 of 5

Project Packs

Phoenix, AZ 85009

Lic. #00000084ESFH12297246

Sample: 2605LVL0334.2102

Secondary License: ; Chain of Distribution:

Strain: Orange Magic; Batch Size: g; External Batch ID: ORMG260211

Sample Received: 05/14/2026; Report Completed: 05/18/2026; Report Expiration: 05/18/2027

Sampling Date: 05/12/2026; Sampling Time: 1100; Sampling Person: Korey Finley

Harvest Date: 05/04/2026; Manufacturing Date: ; External Lot ID:

Date of Pickup: 05/14/2026 Time Collected: 11:40

ORMG260211

Plant, Flower - Cured, Indoor



Microbials

Pass

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not Detected	in one gram	Pass	
Aspergillus terreus	Not Detected	in one gram	Pass	
Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger	Not Detected	in one gram	Pass	

Qualifiers:
Date Tested: 05/15/2026 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 0000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Project Packs

Phoenix, AZ 85009

Lic. #00000084ESFH12297246

Sample: 2605LVL0334.2102

Secondary License: ; Chain of Distribution:

Strain: Orange Magic; Batch Size: g; External Batch ID: ORMG260211

Sample Received: 05/14/2026; Report Completed: 05/18/2026; Report Expiration: 05/18/2027

Sampling Date: 05/12/2026; Sampling Time: 1100; Sampling Person: Korey Finley

Harvest Date: 05/04/2026; Manufacturing Date: ; External Lot ID:

Date of Pickup: 05/14/2026 Time Collected: 11:40

ORMG260211


Plant, Flower - Cured, Indoor



Heavy Metals

Pass

Analyte	Result	LOQ	Limit	Status	Qualifier
	PPM	PPM	PPM		
Arsenic	<0.099	0.099	0.400	Pass	
Cadmium	<0.099	0.099	0.400	Pass	
Lead	<0.099	0.099	1.000	Pass	
Mercury	<0.099	0.099	0.200	Pass	



LEVEL ONE

Qualifiers:
Date Tested: 05/18/2026 12:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.