



Northwest Confections Arizona
 7139 E 22nd St
 Tucson, AZ 85710
 License #: 00000116DCJL00597353
 Sample ID: 2411SMAZ1488.4461
 Batch #: AZ BSN B124



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9544

WYLD Boysenberry 100mg THC : 100mg CBD : 100mg CBN

Batch #: AZ BSN B124

Strain: Indica

Parent Batch #: 240719-001SG

Production Method: Coconut Oil

Harvest Date: 03/19/2024

Received: 11/27/2024

Sample ID: 2411SMAZ1488.4461


Amount Received: 41.4 g

Sample Type: Soft Chew

Sample Collected: 11/27/2024 10:00:00

Manufacture Date: 11/25/2024

Published: 12/04/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)
Tested

Microbial Contaminants
Pass

Residual Solvents
Pass

Pesticides, Fungicides,
 and Growth Regulators
Pass

Mycotoxins
Pass

Heavy Metals
Pass

10.453 mg/serving
 104.535 mg/container
Total THC

11.199 mg/serving
 111.987 mg/container
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)
Not Tested

Moisture Analysis (Q3)
Not Tested

Water Activity (Q3)
Not Tested

10.644 mg/serving
 106.439 mg/container
CBN

Filth & Foreign (Q3)
Not Tested

Homogeneity (Q3)
Not Tested

Additional Microbial
 Contaminants (Q3)
Not Tested

0.360 mg/serving
 3.602 mg/container
CBG

32.764 mg/serving
 327.640 mg/container
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
 7139 E 22nd St
 Tucson, AZ 85710
 License #: 00000116DCJL00597353
 Sample ID: 2411SMAZ1488.4461
 Batch #: AZ BSN B124



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9544

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 12/02/2024
 SOP: 418.AZ
 Batch Number: 2297

Sample Analysis

Date: 12/02/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 1.023 g
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.003	0.010	1	ND	ND	ND	ND	
CBD	0.003	0.010	1	0.271	2.705	11.199	111.987	
CBDA	0.003	0.010	1	ND	ND	ND	ND	
CBDV	0.003	0.010	1	0.001	0.011	0.046	0.455	
CBG	0.003	0.010	1	0.009	0.087	0.360	3.602	
CBGA	0.003	0.010	1	ND	ND	ND	ND	
CBN	0.003	0.010	1	0.257	2.571	10.644	106.439	
d8-THC	0.003	0.010	1	ND	ND	ND	ND	
d9-THC	0.003	0.010	1	0.253	2.525	10.453	104.535	
THCA	0.003	0.010	1	ND	ND	ND	ND	
THCV	0.003	0.010	1	0.002	0.016	0.066	0.662	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.253	2.525	10.453	104.535	
Total CBD	0.271	2.705	11.199	111.987	
Total Cannabinoids	0.791	7.914	32.764	327.640	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
 Serving Weight: 4.14 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
 7139 E 22nd St
 Tucson, AZ 85710
 License #: 00000116DCJL00597353
 Sample ID: 2411SMAZ1488.4461
 Batch #: AZ BSN B124



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9544

Microbial Analysis
 Pass

Sample Prep

Batch Date: 12/02/2024
 SOP: 412.AZ
 Batch Number: 2298

Sample Analysis

Date: 12/03/2024
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.068 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 12/02/2024
 SOP: 406.AZ
 Batch Number: 2301

Sample Analysis

Date: 12/03/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.027 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
 7139 E 22nd St
 Tucson, AZ 85710
 License #: 00000116DCJL00597353
 Sample ID: 2411SMAZ1488.4461
 Batch #: AZ BSN B124



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9544

Residual Solvents
 HS-GC-MS **Pass**

Sample Prep
 Batch Date: 12/03/2024
 SOP: 405.AZ
 Batch Number: 2302

Sample Analysis
 Date: 12/03/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	ND		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
 7139 E 22nd St
 Tucson, AZ 85710
 License #: 00000116DCJL00597353
 Sample ID: 2411SMAZ1488.4461
 Batch #: AZ BSN B124



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9544

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 12/04/2024
 SOP: 428.AZ
 Batch Number: 2314

Sample Analysis
 Date: 12/04/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.221 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.054	0.181	10	0.4	ND	
Cadmium	0.054	0.181	10	0.4	ND	
Lead	0.054	0.453	10	1	ND	
Mercury	0.054	0.090	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 12/03/2024
 SOP: 432.AZ
 Batch Number: 2306

Sample Analysis
 Date: 12/03/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.554 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.61	9.03	1	20	ND	M2 R1
Aflatoxin B1	3.61	9.03	1		ND	M2 R1
Aflatoxin B2	3.61	9.03	1		ND	R1
Aflatoxin G1	3.61	9.03	1		ND	M2 R1
Aflatoxin G2	3.61	4.51	1		ND	R1
Ochratoxin A	9.03	9.03	1	20	ND	I1, L1 V1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
 7139 E 22nd St
 Tucson, AZ 85710
 License #: 00000116DCJL00597353
 Sample ID: 2411SMAZ1488.4461
 Batch #: AZ BSN B124



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9544

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 12/03/2024
 SOP: 432.AZ
 Batch Number: 2306

Sample Analysis

Date: 12/03/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.554 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.075 / 0.226	1	0.5	ND	M2 R1	Hexythiazox	0.151 / 0.451	1	1	ND	M2 R1
Acephate	0.060 / 0.181	1	0.4	ND	M2 R1	Imazalil	0.030 / 0.090	1	0.2	ND	M2 R1
Acetamiprid	0.030 / 0.090	1	0.2	ND	M2 R1	Imidacloprid	0.060 / 0.181	1	0.4	ND	M2 R1
Aldicarb	0.060 / 0.181	1	0.4	ND		Kresoxim-methyl	0.060 / 0.181	1	0.4	ND	M2 R1
Azoxystrobin	0.030 / 0.090	1	0.2	ND	M2 R1	Malathion	0.030 / 0.090	1	0.2	ND	M2 R1
Bifenazate	0.030 / 0.090	1	0.2	ND	M2	Metaxyl	0.030 / 0.090	1	0.2	ND	M2 R1
Bifenthrin	0.030 / 0.090	1	0.2	ND	M2 R1	Methiocarb	0.030 / 0.090	1	0.2	ND	M2 R1
Boscalid	0.060 / 0.181	1	0.4	ND	M2	Methomyl	0.060 / 0.181	1	0.4	ND	M2 R1
Carbaryl	0.030 / 0.090	1	0.2	ND	M2 R1	Myclobutanil	0.030 / 0.090	1	0.2	ND	M2 R1
Carbofuran	0.030 / 0.090	1	0.2	ND	M2 R1	Naled	0.075 / 0.226	1	0.5	ND	M2
Chlorantraniliprole	0.030 / 0.090	1	0.2	ND	M2 R1	Oxamyl	0.151 / 0.451	1	1	ND	R1
Chlorfenapyr	0.151 / 0.451	1	1	ND	R1	Pacllobutrazol	0.060 / 0.181	1	0.4	ND	M2 R1
Chlorpyrifos	0.030 / 0.090	1	0.2	ND	M2 R1	Permethrins	0.030 / 0.090	1	0.2	ND	M2 R1
Clofentezine	0.030 / 0.090	1	0.2	ND	M2 R1	Phosmet	0.030 / 0.090	1	0.2	ND	M2
Cyfluthrin	0.151 / 0.451	1	1	ND	M2 R1 V1	Piperonyl Butoxide	0.301 / 0.903	1	2	ND	M2 R1
Cypermethrin	0.151 / 0.451	1	1	ND	L1 M2 V1	Prallethrin	0.030 / 0.090	1	0.2	ND	R1
Daminozide	0.151 / 0.451	1	1	ND	R1	Propiconazole	0.060 / 0.181	1	0.4	ND	R1
Diazinon	0.030 / 0.090	1	0.2	ND	M2 R1	Propoxur	0.030 / 0.090	1	0.2	ND	M2 R1
Dichlorvos	0.015 / 0.045	1	0.1	ND	R1	Pyrethrins	0.126 / 0.378	1	1	ND	M2 R1
Dimethoate	0.030 / 0.090	1	0.2	ND	M2 R1	Pyridaben	0.030 / 0.090	1	0.2	ND	M2 R1
Ethoprophos	0.030 / 0.090	1	0.2	ND	M2 R1	Spinosad	0.030 / 0.090	1	0.2	ND	M2 R1
Etofenprox	0.060 / 0.181	1	0.4	ND	M2 R1	Spiromesifen	0.030 / 0.090	1	0.2	ND	M2 R1
Etoxazole	0.030 / 0.090	1	0.2	ND	R1	Spirotetramat	0.030 / 0.090	1	0.2	ND	M2 R1
Fenoxycarb	0.030 / 0.090	1	0.2	ND	M2 R1	Spiroxamine	0.060 / 0.181	1	0.4	ND	M2 R1
Fenpyroximate	0.060 / 0.181	1	0.4	ND	M2 R1	Tebuconazole	0.060 / 0.181	1	0.4	ND	M2 R1
Fipronil	0.060 / 0.181	1	0.4	ND	M2 R1	Thiacloprid	0.030 / 0.090	1	0.2	ND	M2 R1
Fonicamid	0.151 / 0.451	1	1	ND	M2 R1	Thiamethoxam	0.030 / 0.090	1	0.2	ND	M2 R1
Fludioxonil	0.060 / 0.181	1	0.4	ND	M2 R1	Trifloxystrobin	0.030 / 0.090	1	0.2	ND	M2 R1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
 7139 E 22nd St
 Tucson, AZ 85710
 License #: 00000116DCJL00597353
 Sample ID: 2411SMAZ1488.4461
 Batch #: AZ BSN B124



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9544

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By: 00000057DCHF00477864

Manufactured By: 00000116DCJL00597353

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
 7139 E 22nd St
 Tucson, AZ 85710
 License #: 00000116DCJL00597353
 Sample ID: 2411SMAZ1488.4461
 Batch #: AZ BSN B124



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 9544

Notes: Rush compliance



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
 221 E 6th St.
 3775 E 34th St.
 Tucson, AZ 85713
 License #: 00000057DCHF00477864
 Sample ID: 2407SMAZ0953.2870
 Batch #: 240719-001SG



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7352

iLAVA Hybrid Blend Delta 9 Distillate

Batch #: 240719-001SG
 Strain: Hybrid Blend
 Parent Batch #:
 Production Method: Alcohol
 Harvest Date: 03/19/2024
 Received: 07/23/2024

Sample ID: 2407SMAZ0953.2870
 Amount Received: 14.4 g
 Sample Type: Distillate
 Sample Collected: 07/23/2024 10:32:00
 Manufacture Date: 07/19/2024
 Published: 07/30/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

93.722%
Total THC

0.255%
Total CBD

0.606%
CBN

2.439%
CBG

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

97.758%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
 221 E 6th St.
 3775 E 34th St.
 Tucson, AZ 85713
 License #: 00000057DCHF00477864
 Sample ID: 2407SMAZ0953.2870
 Batch #: 240719-001SG



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7352

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 07/23/2024
 SOP: 418.AZ
 Batch Number: 1689

Sample Analysis

Date: 07/24/2024
 SOP: 417.AZ - HPLC
 Sample Weight: 0.0405 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.318	0.965	1	ND	ND	
CBD	0.318	0.965	1	0.255	2.550	
CBDA	0.318	0.965	1	ND	ND	
CBDV	0.318	0.965	1	ND	ND	
CBG	0.318	0.965	1	2.439	24.389	
CBGA	0.318	0.965	1	ND	ND	
CBN	0.318	0.965	1	0.606	6.064	
d8-THC	0.318	0.965	1	ND	ND	
d9-THC	0.318	0.965	1	93.722	937.222	
THCA	0.318	0.965	1	ND	ND	
THCV	0.318	0.965	1	0.736	7.355	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	93.722	937.222	
Total CBD	0.255	2.550	
Total Cannabinoids	97.758	977.580	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
 221 E 6th St.
 3775 E 34th St.
 Tucson, AZ 85713
 License #: 00000057DCHF00477864
 Sample ID: 2407SMAZ0953.2870
 Batch #: 240719-001SG



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7352

Microbial Analysis
 Pass

Sample Prep

Batch Date: 07/25/2024
 SOP: 431.AZ
 Batch Number: 1704

Sample Analysis

Date: 07/26/2024
 SOP: 431.AZ - TEMPO (MPN)
 Sample Weight: 1.028 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 07/25/2024
 SOP: 406.AZ
 Batch Number: 1703

Sample Analysis

Date: 07/26/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.029 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 07/25/2024
 SOP: 406.AZ
 Batch Number: 1703

Sample Analysis

Date: 07/26/2024
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.029 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
 221 E 6th St.
 3775 E 34th St.
 Tucson, AZ 85713
 License #: 00000057DCHF00477864
 Sample ID: 2407SMAZ0953.2870
 Batch #: 240719-001SG



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7352

Residual Solvents
 HS-GC-MS **Pass**

Sample Prep
 Batch Date: 07/24/2024
 SOP: 405.AZ
 Batch Number: 1694

Sample Analysis
 Date: 07/25/2024
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.0518 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	64 / 193	1	1000	ND		Heptane	322 / 965	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 140	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	322 / 965	1	5000	ND	
Butanes	160 / 483	1	5000	ND		Methanol	193 / 579	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	322 / 965	1	5000	ND	
Dichloromethane	39 / 116	1	600	ND		2-Propanol (IPA)	322 / 965	1	5000	ND	
Ethanol	322 / 965	1	5000	ND		Toluene	58 / 172	1	890	ND	
Ethyl acetate	322 / 965	1	5000	ND		Xylenes	280 / 838	1	2170	ND	
Ethyl ether	322 / 965	1	5000	ND							

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
 221 E 6th St.
 3775 E 34th St.
 Tucson, AZ 85713
 License #: 00000057DCHF00477864
 Sample ID: 2407SMAZ0953.2870
 Batch #: 240719-001SG



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7352

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 07/23/2024
 SOP: 428.AZ
 Batch Number: 1692

Sample Analysis
 Date: 07/24/2024
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.221 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.018	0.181	10	0.4	ND	
Cadmium	0.018	0.181	10	0.4	ND	
Lead	0.018	0.453	10	1	ND	
Mercury	0.018	0.090	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 07/26/2024
 SOP: 432.AZ
 Batch Number: 1711

Sample Analysis
 Date: 07/30/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.509 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.93	9.82	1	20	ND	R1
Aflatoxin B1	3.93	9.82	1		ND	I1
Aflatoxin B2	3.93	9.82	1		ND	I1
Aflatoxin G1	3.93	9.82	1		ND	I1
Aflatoxin G2	3.93	4.91	1		ND	R1
Ochratoxin A	9.82	9.82	1	20	ND	I1, M1

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
 221 E 6th St.
 3775 E 34th St.
 Tucson, AZ 85713
 License #: 00000057DCHF00477864
 Sample ID: 2407SMAZ0953.2870
 Batch #: 240719-001SG



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7352

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 07/26/2024
 SOP: 432.AZ
 Batch Number: 1711

Sample Analysis

Date: 07/30/2024
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.509 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.246	1	0.5	ND	I1, M2	Hexythiazox	0.164 / 0.491	1	1	ND	M2
Acephate	0.066 / 0.196	1	0.4	ND		Imazalil	0.032 / 0.098	1	0.2	ND	
Acetamiprid	0.032 / 0.098	1	0.2	ND	M2	Imidacloprid	0.066 / 0.196	1	0.4	ND	
Aldicarb	0.066 / 0.196	1	0.4	ND		Kresoxim-methyl	0.066 / 0.196	1	0.4	ND	M2
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	
Bifenazate	0.032 / 0.098	1	0.2	ND	M1	Metaxyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND	M2	Methiocarb	0.032 / 0.098	1	0.2	ND	
Boscalid	0.066 / 0.196	1	0.4	ND	M2	Methomyl	0.066 / 0.196	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND	M2	Myclobutanil	0.032 / 0.098	1	0.2	ND	M2
Carbofuran	0.032 / 0.098	1	0.2	ND	M2	Naled	0.082 / 0.246	1	0.5	ND	M2
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND		Oxamyl	0.164 / 0.491	1	1	ND	
Chlorfenapyr	0.164 / 0.491	1	1	ND	I1, M2	Paclobutrazol	0.066 / 0.196	1	0.4	ND	
Chlorpyrifos	0.032 / 0.098	1	0.2	ND	M2	Permethrins	0.032 / 0.098	1	0.2	ND	M2
Clofentezine	0.032 / 0.098	1	0.2	ND	M2	Phosmet	0.032 / 0.098	1	0.2	ND	M2
Cyfluthrin	0.164 / 0.491	1	1	ND		Piperonyl Butoxide	0.327 / 0.982	1	2	ND	M2
Cypermethrin	0.164 / 0.491	1	1	ND	M2	Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.164 / 0.491	1	1	ND		Propiconazole	0.066 / 0.196	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	M2
Dichlorvos	0.017 / 0.049	1	0.1	ND	I1, M1	Pyrethrins	0.137 / 0.412	1	1	ND	
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	M2
Ethoprophos	0.032 / 0.098	1	0.2	ND	M2	Spinosad	0.032 / 0.098	1	0.2	ND	M2
Etofenprox	0.066 / 0.196	1	0.4	ND	M2	Spiromesifen	0.032 / 0.098	1	0.2	ND	M2
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	
Fenoxycarb	0.032 / 0.098	1	0.2	ND		Spiroxamine	0.066 / 0.196	1	0.4	ND	
Fenpyroximate	0.066 / 0.196	1	0.4	ND	M2	Tebuconazole	0.066 / 0.196	1	0.4	ND	
Fipronil	0.066 / 0.196	1	0.4	ND		Thiacloprid	0.032 / 0.098	1	0.2	ND	
Fonicamid	0.164 / 0.491	1	1	ND		Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.196	1	0.4	ND	M2	Trifloxystrobin	0.032 / 0.098	1	0.2	ND	M2

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
 221 E 6th St.
 3775 E 34th St.
 Tucson, AZ 85713
 License #: 00000057DCHF00477864
 Sample ID: 2407SMAZ0953.2870
 Batch #: 240719-001SG



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7352

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
 221 E 6th St.
 3775 E 34th St.
 Tucson, AZ 85713
 License #: 00000057DCHF00477864
 Sample ID: 2407SMAZ0953.2870
 Batch #: 240719-001SG



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 7352

Notes: Distribution Chain: Forever 46 LLC ; Point of Intended Sale: Forever 46 LLC, 46 Wellness LLC



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>