



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2412SMAZ1546.4626  
 Batch #: AZ EB B131



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9783

## WYLD Elderberry 100mg THC : 50mg CBN

Batch #: AZ EB B131  
 Strain: Indica  
 Parent Batch #: 240719-001SG  
 Production Method: Coconut Oil  
 Harvest Date: 03/19/2024  
 Received: 12/11/2024

Sample ID: 2412SMAZ1546.4626  
 Amount Received: 40.4 g  
 Sample Type: Soft Chew  
 Sample Collected: 12/11/2024 09:53:00  
 Manufacture Date: 12/10/2024  
 Published: 12/17/2024



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

10.702 mg/serving  
 107.020 mg/container  
 Total THC

<LOQ  
 Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

5.397 mg/serving  
 53.974 mg/container  
 CBN

0.380 mg/serving  
 3.798 mg/container  
 CBG

16.544 mg/serving  
 165.438 mg/container  
 Total Cannabinoids (Q3)

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2412SMAZ1546.4626  
 Batch #: AZ EB B131



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9783

**Cannabinoid Profile**

HPLC                      **Tested**

**Sample Prep**  
 Batch Date: 12/11/2024  
 SOP: 418.AZ  
 Batch Number: 2360

**Sample Analysis**  
 Date: 12/12/2024  
 SOP: 417.AZ - HPLC  
 Sample Weight: 1.009 g  
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.003	0.010	1	ND	ND	ND	ND	
CBD	0.003	0.010	1	<LOQ	<LOQ	<LOQ	<LOQ	
CBDA	0.003	0.010	1	ND	ND	ND	ND	
CBDV	0.003	0.010	1	ND	ND	ND	ND	
CBG	0.003	0.010	1	0.009	0.094	0.380	3.798	
CBGA	0.003	0.010	1	ND	ND	ND	ND	
CBN	0.003	0.010	1	0.134	1.336	5.397	53.974	
d8-THC	0.003	0.010	1	ND	ND	ND	ND	
d9-THC	0.003	0.010	1	0.264	2.639	10.662	106.616	
THCA	0.003	0.010	1	0.001	0.012	0.048	0.485	
THCV	0.003	0.010	1	0.002	0.015	0.061	0.606	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.265	2.649	10.702	107.020	
Total CBD	<LOQ	<LOQ	<LOQ	<LOQ	
Total Cannabinoids	0.409	4.095	16.544	165.438	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation  
 Serving Weight: 4.04 None; Servings/Package: 10

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2412SMAZ1546.4626  
 Batch #: AZ EB B131



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9783

**Microbial Analysis**  
 Pass

**Sample Prep**

Batch Date: 12/12/2024  
 SOP: 412.AZ  
 Batch Number: 2367

**Sample Analysis**

Date: 12/13/2024  
 SOP: 412.AZ - 3M Petrifilm  
 Sample Weight: 1.030 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

Batch Date: 12/12/2024  
 SOP: 406.AZ  
 Batch Number: 2366

**Sample Analysis**

Date: 12/13/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.007 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2412SMAZ1546.4626  
 Batch #: AZ EB B131



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9783

**Residual Solvents**

HS-GC-MS                      **Pass**

**Sample Prep**  
 Batch Date: 12/11/2024  
 SOP: 405.AZ  
 Batch Number: 2354

**Sample Analysis**  
 Date: 12/11/2024  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.0503 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 199	1	1000	ND		Heptane	332 / 994	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 144	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	332 / 994	1	5000	ND	
Butanes	165 / 497	1	5000	ND		Methanol	199 / 596	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	332 / 994	1	5000	ND	
Dichloromethane	40 / 119	1	600	ND		2-Propanol (IPA)	332 / 994	1	5000	ND	
Ethanol	332 / 994	1	5000	ND		Toluene	60 / 177	1	890	ND	
Ethyl acetate	332 / 994	1	5000	ND		Xylenes	288 / 863	1	2170	ND	
Ethyl ether	332 / 994	1	5000	ND							

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2412SMAZ1546.4626  
 Batch #: AZ EB B131



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9783

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 12/12/2024  
 SOP: 428.AZ  
 Batch Number: 2361

**Sample Analysis**  
 Date: 12/12/2024  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.230 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.052	0.174	10	0.4	ND	
Cadmium	0.052	0.174	10	0.4	ND	
Lead	0.052	0.435	10	1	ND	
Mercury	0.052	0.087	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 12/16/2024  
 SOP: 432.AZ  
 Batch Number: 2374

**Sample Analysis**  
 Date: 12/16/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.558 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.58	8.96	1	20	ND	
Aflatoxin B1	3.58	8.96	1		ND	
Aflatoxin B2	3.58	8.96	1		ND	
Aflatoxin G1	3.58	8.96	1		ND	
Aflatoxin G2	3.58	4.48	1		ND	
Ochratoxin A	8.96	8.96	1	20	ND	I1, R1

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2412SMAZ1546.4626  
 Batch #: AZ EB B131



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9783

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 12/16/2024  
 SOP: 432.AZ  
 Batch Number: 2374

**Sample Analysis**

Date: 12/16/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.558 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.074 / 0.224	1	0.5	ND		Hexythiazox	0.150 / 0.448	1	1	ND	
Acephate	0.060 / 0.179	1	0.4	ND		Imazalil	0.030 / 0.090	1	0.2	ND	
Acetamiprid	0.030 / 0.090	1	0.2	ND		Imidacloprid	0.060 / 0.179	1	0.4	ND	
Aldicarb	0.060 / 0.179	1	0.4	ND		Kresoxim-methyl	0.060 / 0.179	1	0.4	ND	
Azoxystrobin	0.030 / 0.090	1	0.2	ND		Malathion	0.030 / 0.090	1	0.2	ND	
Bifenazate	0.030 / 0.090	1	0.2	ND	V1	Metaxyl	0.030 / 0.090	1	0.2	ND	
Bifenthrin	0.030 / 0.090	1	0.2	ND		Methiocarb	0.030 / 0.090	1	0.2	ND	
Boscalid	0.060 / 0.179	1	0.4	ND		Methomyl	0.060 / 0.179	1	0.4	ND	
Carbaryl	0.030 / 0.090	1	0.2	ND		Myclobutanil	0.030 / 0.090	1	0.2	ND	
Carbofuran	0.030 / 0.090	1	0.2	ND		Naled	0.074 / 0.224	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.090	1	0.2	ND		Oxamyl	0.150 / 0.448	1	1	ND	
Chlorfenapyr	0.150 / 0.448	1	1	ND		Pacllobutrazol	0.060 / 0.179	1	0.4	ND	
Chlorpyrifos	0.030 / 0.090	1	0.2	ND		Permethrins	0.030 / 0.090	1	0.2	ND	
Clofentezine	0.030 / 0.090	1	0.2	ND		Phosmet	0.030 / 0.090	1	0.2	ND	
Cyfluthrin	0.150 / 0.448	1	1	ND		Piperonyl Butoxide	0.298 / 0.896	1	2	ND	
Cypermethrin	0.150 / 0.448	1	1	ND	V1	Prallethrin	0.030 / 0.090	1	0.2	ND	
Daminozide	0.150 / 0.448	1	1	ND		Propiconazole	0.060 / 0.179	1	0.4	ND	
Diazinon	0.030 / 0.090	1	0.2	ND		Propoxur	0.030 / 0.090	1	0.2	ND	
Dichlorvos	0.015 / 0.045	1	0.1	ND	I1	Pyrethrins	0.125 / 0.375	1	1	ND	
Dimethoate	0.030 / 0.090	1	0.2	ND		Pyridaben	0.030 / 0.090	1	0.2	ND	
Ethoprophos	0.030 / 0.090	1	0.2	ND		Spinosad	0.030 / 0.090	1	0.2	ND	
Etofenprox	0.060 / 0.179	1	0.4	ND		Spiromesifen	0.030 / 0.090	1	0.2	ND	
Etoxazole	0.030 / 0.090	1	0.2	ND		Spirotetramat	0.030 / 0.090	1	0.2	ND	
Fenoxycarb	0.030 / 0.090	1	0.2	ND		Spiroxamine	0.060 / 0.179	1	0.4	ND	
Fenpyroximate	0.060 / 0.179	1	0.4	ND		Tebuconazole	0.060 / 0.179	1	0.4	ND	
Fipronil	0.060 / 0.179	1	0.4	ND		Thiacloprid	0.030 / 0.090	1	0.2	ND	
Fonicamid	0.150 / 0.448	1	1	ND		Thiamethoxam	0.030 / 0.090	1	0.2	ND	
Fludioxonil	0.060 / 0.179	1	0.4	ND		Trifloxystrobin	0.030 / 0.090	1	0.2	ND	

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2412SMAZ1546.4626  
 Batch #: AZ EB B131



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9783

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:** 00000057DCHF00477864

**Manufactured By:** 00000116DCJL00597353

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Northwest Confections Arizona**  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2412SMAZ1546.4626  
 Batch #: AZ EB B131



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9783

**Notes:** Rush compliance



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2407SMAZ0953.2870  
 Batch #: 240719-001SG



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 7352

## iLAVA Hybrid Blend Delta 9 Distillate

Batch #: 240719-001SG  
 Strain: Hybrid Blend  
 Parent Batch #:  
 Production Method: Alcohol  
 Harvest Date: 03/19/2024  
 Received: 07/23/2024

Sample ID: 2407SMAZ0953.2870  
 Amount Received: 14.4 g  
 Sample Type: Distillate  
 Sample Collected: 07/23/2024 10:32:00  
 Manufacture Date: 07/19/2024  
 Published: 07/30/2024



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

**93.722%**  
Total THC

**0.255%**  
Total CBD

**0.606%**  
CBN

**2.439%**  
CBG

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

**97.758%**  
Total Cannabinoids (Q3)

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2407SMAZ0953.2870  
 Batch #: 240719-001SG



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 7352

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 07/23/2024  
 SOP: 418.AZ  
 Batch Number: 1689

**Sample Analysis**

Date: 07/24/2024  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.0405 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.318	0.965	1	ND	ND	
CBD	0.318	0.965	1	0.255	2.550	
CBDA	0.318	0.965	1	ND	ND	
CBDV	0.318	0.965	1	ND	ND	
CBG	0.318	0.965	1	2.439	24.389	
CBGA	0.318	0.965	1	ND	ND	
CBN	0.318	0.965	1	0.606	6.064	
d8-THC	0.318	0.965	1	ND	ND	
d9-THC	0.318	0.965	1	93.722	937.222	
THCA	0.318	0.965	1	ND	ND	
THCV	0.318	0.965	1	0.736	7.355	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	93.722	937.222	
Total CBD	0.255	2.550	
Total Cannabinoids	97.758	977.580	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2407SMAZ0953.2870  
 Batch #: 240719-001SG



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 7352

**Microbial Analysis**  
 Pass

**Sample Prep**

Batch Date: 07/25/2024  
 SOP: 431.AZ  
 Batch Number: 1704

**Sample Analysis**

Date: 07/26/2024  
 SOP: 431.AZ - TEMPO (MPN)  
 Sample Weight: 1.028 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

**Sample Prep**

Batch Date: 07/25/2024  
 SOP: 406.AZ  
 Batch Number: 1703

**Sample Analysis**

Date: 07/26/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.029 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 07/25/2024  
 SOP: 406.AZ  
 Batch Number: 1703

**Sample Analysis**

Date: 07/26/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.029 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2407SMAZ0953.2870  
 Batch #: 240719-001SG



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 7352

**Residual Solvents**

HS-GC-MS

Pass

**Sample Prep**

Batch Date: 07/24/2024  
 SOP: 405.AZ  
 Batch Number: 1694

**Sample Analysis**

Date: 07/25/2024  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.0518 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	64 / 193	1	1000	ND		Heptane	322 / 965	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	46 / 140	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	322 / 965	1	5000	ND	
Butanes	160 / 483	1	5000	ND		Methanol	193 / 579	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	322 / 965	1	5000	ND	
Dichloromethane	39 / 116	1	600	ND		2-Propanol (IPA)	322 / 965	1	5000	ND	
Ethanol	322 / 965	1	5000	ND		Toluene	58 / 172	1	890	ND	
Ethyl acetate	322 / 965	1	5000	ND		Xylenes	280 / 838	1	2170	ND	
Ethyl ether	322 / 965	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2407SMAZ0953.2870  
 Batch #: 240719-001SG



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 7352

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 07/23/2024  
 SOP: 428.AZ  
 Batch Number: 1692

**Sample Analysis**  
 Date: 07/24/2024  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.221 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.018	0.181	10	0.4	ND	
Cadmium	0.018	0.181	10	0.4	ND	
Lead	0.018	0.453	10	1	ND	
Mercury	0.018	0.090	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 07/26/2024  
 SOP: 432.AZ  
 Batch Number: 1711

**Sample Analysis**  
 Date: 07/30/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.509 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.93	9.82	1	20	ND	R1
Aflatoxin B1	3.93	9.82	1		ND	I1
Aflatoxin B2	3.93	9.82	1		ND	I1
Aflatoxin G1	3.93	9.82	1		ND	I1
Aflatoxin G2	3.93	4.91	1		ND	R1
Ochratoxin A	9.82	9.82	1	20	ND	I1, M1

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2407SMAZ0953.2870  
 Batch #: 240719-001SG



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 7352

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 07/26/2024  
 SOP: 432.AZ  
 Batch Number: 1711

**Sample Analysis**

Date: 07/30/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.509 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.246	1	0.5	ND	I1, M2	Hexythiazox	0.164 / 0.491	1	1	ND	M2
Acephate	0.066 / 0.196	1	0.4	ND		Imazalil	0.032 / 0.098	1	0.2	ND	
Acetamiprid	0.032 / 0.098	1	0.2	ND	M2	Imidacloprid	0.066 / 0.196	1	0.4	ND	
Aldicarb	0.066 / 0.196	1	0.4	ND		Kresoxim-methyl	0.066 / 0.196	1	0.4	ND	M2
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	
Bifenazate	0.032 / 0.098	1	0.2	ND	M1	Metaxyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND	M2	Methiocarb	0.032 / 0.098	1	0.2	ND	
Boscalid	0.066 / 0.196	1	0.4	ND	M2	Methomyl	0.066 / 0.196	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND	M2	Myclobutanil	0.032 / 0.098	1	0.2	ND	M2
Carbofuran	0.032 / 0.098	1	0.2	ND	M2	Naled	0.082 / 0.246	1	0.5	ND	M2
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND		Oxamyl	0.164 / 0.491	1	1	ND	
Chlorfenapyr	0.164 / 0.491	1	1	ND	I1, M2	Pacllobutrazol	0.066 / 0.196	1	0.4	ND	
Chlorpyrifos	0.032 / 0.098	1	0.2	ND	M2	Permethrins	0.032 / 0.098	1	0.2	ND	M2
Clofentezine	0.032 / 0.098	1	0.2	ND	M2	Phosmet	0.032 / 0.098	1	0.2	ND	M2
Cyfluthrin	0.164 / 0.491	1	1	ND		Piperonyl Butoxide	0.327 / 0.982	1	2	ND	M2
Cypermethrin	0.164 / 0.491	1	1	ND	M2	Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.164 / 0.491	1	1	ND		Propiconazole	0.066 / 0.196	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	M2
Dichlorvos	0.017 / 0.049	1	0.1	ND	I1, M1	Pyrethrins	0.137 / 0.412	1	1	ND	
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	M2
Ethoprophos	0.032 / 0.098	1	0.2	ND	M2	Spinosad	0.032 / 0.098	1	0.2	ND	M2
Etofenprox	0.066 / 0.196	1	0.4	ND	M2	Spiromesifen	0.032 / 0.098	1	0.2	ND	M2
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	
Fenoxycarb	0.032 / 0.098	1	0.2	ND		Spiroxamine	0.066 / 0.196	1	0.4	ND	
Fenpyroximate	0.066 / 0.196	1	0.4	ND	M2	Tebuconazole	0.066 / 0.196	1	0.4	ND	
Fipronil	0.066 / 0.196	1	0.4	ND		Thiacloprid	0.032 / 0.098	1	0.2	ND	
Fonicamid	0.164 / 0.491	1	1	ND		Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.196	1	0.4	ND	M2	Trifloxystrobin	0.032 / 0.098	1	0.2	ND	M2

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2407SMAZ0953.2870  
 Batch #: 240719-001SG



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 7352

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2407SMAZ0953.2870  
 Batch #: 240719-001SG



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 7352

**Notes:** Distribution Chain: Forever 46 LLC ; Point of Intended Sale: Forever 46 LLC, 46 Wellness LLC



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>