



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2409SMAZ1199.3671  
 Batch #: AZ MED PR B107



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8422

## WYLD MED Pear 1000mg THC : 1000mg CBG

Batch #: AZ MED PR B107  
 Strain: Hybrid  
 Parent Batch #: 240619-001  
 Production Method: Coconut Oil  
 Harvest Date: 02/10/2024  
 Received: 09/18/2024

Sample ID: 2409SMAZ1199.3671  
 Amount Received: 100.9 g  
 Sample Type: Soft Chew  
 Sample Collected: 09/18/2024 12:06:00  
 Manufacture Date: 09/16/2024  
 Published: 09/20/2024



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

<b>1.070%</b> Total THC
<b>&lt;LOQ</b> Total CBD
<b>0.009%</b> CBN
<b>1.065%</b> CBG
<b>2.192%</b> Total Cannabinoids (Q3)

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2409SMAZ1199.3671  
 Batch #: AZ MED PR B107



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8422

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 09/19/2024  
 SOP: 418.AZ  
 Batch Number: 1985

**Sample Analysis**

Date: 09/19/2024  
 SOP: 417.AZ - HPLC  
 Sample Weight: 1.041 g  
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.006	0.019	2	<LOQ	<LOQ	<LOQ	<LOQ	
CBD	0.006	0.019	2	<LOQ	<LOQ	<LOQ	<LOQ	
CBDA	0.006	0.019	2	ND	ND	ND	ND	
CBDV	0.006	0.019	2	<LOQ	<LOQ	<LOQ	<LOQ	
CBG	0.006	0.019	2	1.065	10.654	53.749	1074.989	
CBGA	0.006	0.019	2	0.039	0.389	1.963	39.250	
CBN	0.006	0.019	2	0.009	0.090	0.454	9.081	
d8-THC	0.006	0.019	2	ND	ND	ND	ND	
d9-THC	0.006	0.019	2	1.070	10.696	53.961	1079.226	
THCA	0.006	0.019	2	ND	ND	ND	ND	
THCV	0.006	0.019	2	0.009	0.087	0.439	8.778	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	1.070	10.696	53.961	1079.226	
Total CBD	<LOQ	<LOQ	<LOQ	<LOQ	
Total Cannabinoids	2.192	21.916	110.566	2211.324	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation  
 Serving Weight: 5.045 None; Servings/Package: 20

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2409SMAZ1199.3671  
 Batch #: AZ MED PR B107



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8422

**Microbial Analysis**  
 Pass

**Sample Prep**

Batch Date: 09/19/2024  
 SOP: 431.AZ  
 Batch Number: 1983

**Sample Analysis**

Date: 09/20/2024  
 SOP: 431.AZ - TEMPO (MPN)  
 Sample Weight: 1.066 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

Batch Date: 09/19/2024  
 SOP: 406.AZ  
 Batch Number: 1982

**Sample Analysis**

Date: 09/20/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.022 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2409SMAZ1199.3671  
 Batch #: AZ MED PR B107



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8422

**Residual Solvents**

HS-GC-MS                      **Pass**

**Sample Prep**  
 Batch Date: 09/18/2024  
 SOP: 405.AZ  
 Batch Number: 1979

**Sample Analysis**  
 Date: 09/19/2024  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.055 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	60 / 182	1	1000	ND		Heptane	304 / 909	1	5000	ND	
Acetonitrile	25 / 75	1	410	ND		Hexanes	44 / 132	1	290	ND	
Benzene	0.13 / 0.36	1	2	ND		Isopropyl acetate	304 / 909	1	5000	ND	
Butanes	151 / 455	1	5000	ND		Methanol	182 / 545	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	304 / 909	1	5000	ND	
Dichloromethane	36 / 109	1	600	ND		2-Propanol (IPA)	304 / 909	1	5000	ND	
Ethanol	304 / 909	1	5000	ND		Toluene	55 / 162	1	890	ND	
Ethyl acetate	304 / 909	1	5000	ND		Xylenes	264 / 789	1	2170	ND	
Ethyl ether	304 / 909	1	5000	ND							

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2409SMAZ1199.3671  
 Batch #: AZ MED PR B107



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8422

**Heavy Metals**

ICP-MS Pass

**Sample Prep**  
 Batch Date: 09/20/2024  
 SOP: 428.AZ  
 Batch Number: 1992

**Sample Analysis**  
 Date: 09/20/2024  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.240 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.050	0.167	10	0.4	ND	
Cadmium	0.050	0.167	10	0.4	ND	
Lead	0.050	0.417	10	1	ND	
Mercury	0.050	0.083	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS Pass

**Sample Prep**  
 Batch Date: 09/18/2024  
 SOP: 432.AZ  
 Batch Number: 1980

**Sample Analysis**  
 Date: 09/18/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.538 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.72	9.29	1	20	ND	R1
Aflatoxin B1	3.72	9.29	1		ND	R1
Aflatoxin B2	3.72	9.29	1		ND	
Aflatoxin G1	3.72	9.29	1		ND	
Aflatoxin G2	3.72	4.65	1		ND	
Ochratoxin A	9.29	9.29	1	20	ND	

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2409SMAZ1199.3671  
 Batch #: AZ MED PR B107



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8422

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 09/18/2024  
 SOP: 432.AZ  
 Batch Number: 1980

**Sample Analysis**

Date: 09/18/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.538 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.077 / 0.232	1	0.5	ND		Hexythiazox	0.155 / 0.465	1	1	ND	
Acephate	0.062 / 0.186	1	0.4	ND		Imazalil	0.031 / 0.093	1	0.2	ND	
Acetamiprid	0.031 / 0.093	1	0.2	ND		Imidacloprid	0.062 / 0.186	1	0.4	ND	
Aldicarb	0.062 / 0.186	1	0.4	ND		Kresoxim-methyl	0.062 / 0.186	1	0.4	ND	
Azoxystrobin	0.031 / 0.093	1	0.2	ND		Malathion	0.031 / 0.093	1	0.2	ND	
Bifenazate	0.031 / 0.093	1	0.2	ND	L1	Metaxyl	0.031 / 0.093	1	0.2	ND	
Bifenthrin	0.031 / 0.093	1	0.2	ND		Methiocarb	0.031 / 0.093	1	0.2	ND	
Boscalid	0.062 / 0.186	1	0.4	ND		Methomyl	0.062 / 0.186	1	0.4	ND	
Carbaryl	0.031 / 0.093	1	0.2	ND		Myclobutanil	0.031 / 0.093	1	0.2	ND	
Carbofuran	0.031 / 0.093	1	0.2	ND		Naled	0.077 / 0.232	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.093	1	0.2	ND		Oxamyl	0.155 / 0.465	1	1	ND	L1 M1
Chlorfenapyr	0.155 / 0.465	1	1	ND		Pacllobutrazol	0.062 / 0.186	1	0.4	ND	
Chlorpyrifos	0.031 / 0.093	1	0.2	ND		Permethrins	0.031 / 0.093	1	0.2	ND	
Clofentezine	0.031 / 0.093	1	0.2	ND		Phosmet	0.031 / 0.093	1	0.2	ND	
Cyfluthrin	0.155 / 0.465	1	1	ND		Piperonyl Butoxide	0.309 / 0.929	1	2	ND	
Cypermethrin	0.155 / 0.465	1	1	ND		Prallethrin	0.031 / 0.093	1	0.2	ND	
Daminozide	0.155 / 0.465	1	1	ND		Propiconazole	0.062 / 0.186	1	0.4	ND	
Diazinon	0.031 / 0.093	1	0.2	ND		Propoxur	0.031 / 0.093	1	0.2	ND	
Dichlorvos	0.016 / 0.046	1	0.1	ND		Pyrethrins	0.130 / 0.389	1	1	ND	
Dimethoate	0.031 / 0.093	1	0.2	ND		Pyridaben	0.031 / 0.093	1	0.2	ND	
Ethoprophos	0.031 / 0.093	1	0.2	ND		Spinosad	0.031 / 0.093	1	0.2	ND	
Etofenprox	0.062 / 0.186	1	0.4	ND		Spiromesifen	0.031 / 0.093	1	0.2	ND	
Etoxazole	0.031 / 0.093	1	0.2	ND		Spirotetramat	0.031 / 0.093	1	0.2	ND	
Fenoxycarb	0.031 / 0.093	1	0.2	ND		Spiroxamine	0.062 / 0.186	1	0.4	ND	
Fenpyroximate	0.062 / 0.186	1	0.4	ND		Tebuconazole	0.062 / 0.186	1	0.4	ND	
Fipronil	0.062 / 0.186	1	0.4	ND		Thiacloprid	0.031 / 0.093	1	0.2	ND	
Fonicamid	0.155 / 0.465	1	1	ND		Thiamethoxam	0.031 / 0.093	1	0.2	ND	
Fludioxonil	0.062 / 0.186	1	0.4	ND		Trifloxystrobin	0.031 / 0.093	1	0.2	ND	

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2409SMAZ1199.3671  
 Batch #: AZ MED PR B107



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8422

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:** 00000057DCHF00477864

**Manufactured By:** 00000116DCJL00597353

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



**Northwest Confections Arizona**  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000116DCJL00597353  
 Sample ID: 2409SMAZ1199.3671  
 Batch #: AZ MED PR B107



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 8422

**Notes:** Compliance Rush



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2406SMAZ0818.2482  
 Batch #: 240619-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 6716

## iLAVA Hybrid Blend Delta 9 Distillate

Batch #: 240619-001  
 Strain: Hybrid Blend  
 Parent Batch #:  
 Production Method: Alcohol  
 Harvest Date: 02/10/2024  
 Received: 06/20/2024

Sample ID: 2406SMAZ0818.2482  
 Amount Received: 14.8 g  
 Sample Type: Distillate  
 Sample Collected: 06/20/2024 08:06:00  
 Manufacture Date: 06/19/2024  
 Published: 06/25/2024



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

<b>96.493%</b> Total THC
<b>0.202%</b> Total CBD
<b>0.324%</b> CBN
<b>2.052%</b> CBG
<b>99.529%</b> Total Cannabinoids (Q3)

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2406SMAZ0818.2482  
 Batch #: 240619-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 6716

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 06/21/2024  
 SOP: 418.AZ  
 Batch Number: 1543

**Sample Analysis**

Date: 06/24/2024  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.044 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.585	1.776	2	ND	ND	
CBD	0.585	1.776	2	0.202	2.025	
CBDA	0.585	1.776	2	ND	ND	
CBDV	0.585	1.776	2	ND	ND	
CBG	0.585	1.776	2	2.052	20.520	
CBGA	0.585	1.776	2	ND	ND	
CBN	0.585	1.776	2	0.324	3.235	
d8-THC	0.585	1.776	2	ND	ND	
d9-THC	0.585	1.776	2	96.493	964.927	
THCA	0.585	1.776	2	ND	ND	
THCV	0.585	1.776	2	0.459	4.587	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	96.493	964.927	
Total CBD	0.202	2.025	
Total Cannabinoids	99.529	995.295	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2406SMAZ0818.2482  
 Batch #: 240619-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 6716

**Microbial Analysis**  
 Pass

**Sample Prep**

Batch Date: 06/24/2024  
 SOP: 431.AZ  
 Batch Number: 1552

**Sample Analysis**

Date: 06/25/2024  
 SOP: 431.AZ - TEMPO (MPN)  
 Sample Weight: 1.098 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

**Sample Prep**

Batch Date: 06/24/2024  
 SOP: 406.AZ  
 Batch Number: 1551

**Sample Analysis**

Date: 06/25/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.037 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 06/24/2024  
 SOP: 406.AZ  
 Batch Number: 1551

**Sample Analysis**

Date: 06/25/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.037 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2406SMAZ0818.2482  
 Batch #: 240619-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 6716

**Residual Solvents**  
 HS-GC-MS **Pass**

**Sample Prep**  
 Batch Date: 06/21/2024  
 SOP: 405.AZ  
 Batch Number: 1541

**Sample Analysis**  
 Date: 06/24/2024  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.053 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 189	1	1000	ND		Heptane	315 / 943	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 137	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	315 / 943	1	5000	ND	
Butanes	157 / 472	1	5000	ND		Methanol	189 / 566	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	315 / 943	1	5000	ND	
Dichloromethane	38 / 113	1	600	ND		2-Propanol (IPA)	315 / 943	1	5000	ND	
Ethanol	315 / 943	1	5000	ND		Toluene	57 / 168	1	890	ND	
Ethyl acetate	315 / 943	1	5000	ND		Xylenes	274 / 819	1	2170	ND	
Ethyl ether	315 / 943	1	5000	ND							

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2406SMAZ0818.2482  
 Batch #: 240619-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 6716

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 06/24/2024  
 SOP: 428.AZ  
 Batch Number: 1550

**Sample Analysis**  
 Date: 06/24/2024  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.229 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.018	0.175	10	0.4	ND	
Cadmium	0.018	0.175	10	0.4	ND	
Lead	0.018	0.437	10	1	ND	
Mercury	0.018	0.087	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 06/24/2024  
 SOP: 432.AZ  
 Batch Number: 1547

**Sample Analysis**  
 Date: 06/25/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.548 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.65	9.12	1	20	ND	R1 V1
Aflatoxin B1	3.65	9.12	1		ND	
Aflatoxin B2	3.65	9.12	1		ND	I1, V1
Aflatoxin G1	3.65	9.12	1		ND	I1, V1
Aflatoxin G2	3.65	4.56	1		ND	R1
Ochratoxin A	9.12	9.12	1	20	ND	I1, M2 V1

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2406SMAZ0818.2482  
 Batch #: 240619-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 6716

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 06/24/2024  
 SOP: 432.AZ  
 Batch Number: 1547

**Sample Analysis**

Date: 06/25/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.548 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.076 / 0.228	1	0.5	ND	I1, M2	Hexythiazox	0.152 / 0.456	1	1	ND	M2
Acephate	0.061 / 0.182	1	0.4	ND		Imazalil	0.030 / 0.091	1	0.2	ND	
Acetamiprid	0.030 / 0.091	1	0.2	ND		Imidacloprid	0.061 / 0.182	1	0.4	ND	
Aldicarb	0.061 / 0.182	1	0.4	ND		Kresoxim-methyl	0.061 / 0.182	1	0.4	ND	M2
Azoxystrobin	0.030 / 0.091	1	0.2	ND		Malathion	0.030 / 0.091	1	0.2	ND	I1
Bifenazate	0.030 / 0.091	1	0.2	ND		Metaxalyl	0.030 / 0.091	1	0.2	ND	
Bifenthrin	0.030 / 0.091	1	0.2	ND	M2	Methiocarb	0.030 / 0.091	1	0.2	ND	M1
Boscalid	0.061 / 0.182	1	0.4	ND	M2	Methomyl	0.061 / 0.182	1	0.4	ND	
Carbaryl	0.030 / 0.091	1	0.2	ND		Myclobutanil	0.030 / 0.091	1	0.2	ND	M2
Carbofuran	0.030 / 0.091	1	0.2	ND		Naled	0.076 / 0.228	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.091	1	0.2	ND		Oxamyl	0.152 / 0.456	1	1	ND	
Chlorfenapyr	0.152 / 0.456	1	1	ND	I1, M2	Paclobutrazol	0.061 / 0.182	1	0.4	ND	V1
Chlorpyrifos	0.030 / 0.091	1	0.2	ND	M2	Permethrins	0.030 / 0.091	1	0.2	ND	M2
Clofentezine	0.030 / 0.091	1	0.2	ND	M2	Phosmet	0.030 / 0.091	1	0.2	ND	M2
Cyfluthrin	0.152 / 0.456	1	1	ND	M2	Piperonyl Butoxide	0.304 / 0.912	1	2	ND	
Cypermethrin	0.152 / 0.456	1	1	ND	M2	Prallethrin	0.030 / 0.091	1	0.2	ND	
Daminozide	0.152 / 0.456	1	1	ND		Propiconazole	0.061 / 0.182	1	0.4	ND	M2
Diazinon	0.030 / 0.091	1	0.2	ND	M2	Propoxur	0.030 / 0.091	1	0.2	ND	
Dichlorvos	0.016 / 0.046	1	0.1	ND		Pyrethrins	0.128 / 0.382	1	1	ND	M2
Dimethoate	0.030 / 0.091	1	0.2	ND		Pyridaben	0.030 / 0.091	1	0.2	ND	
Ethoprophos	0.030 / 0.091	1	0.2	ND	M2	Spinosad	0.030 / 0.091	1	0.2	ND	M2
Etofenprox	0.061 / 0.182	1	0.4	ND		Spiromesifen	0.030 / 0.091	1	0.2	ND	M2
Etoxazole	0.030 / 0.091	1	0.2	ND		Spirotetramat	0.030 / 0.091	1	0.2	ND	
Fenoxycarb	0.030 / 0.091	1	0.2	ND	M2	Spiroxamine	0.061 / 0.182	1	0.4	ND	
Fenpyroximate	0.061 / 0.182	1	0.4	ND	M2	Tebuconazole	0.061 / 0.182	1	0.4	ND	I1, M2
Fipronil	0.061 / 0.182	1	0.4	ND		Thiacloprid	0.030 / 0.091	1	0.2	ND	
Fonicamid	0.152 / 0.456	1	1	ND		Thiamethoxam	0.030 / 0.091	1	0.2	ND	
Fludioxonil	0.061 / 0.182	1	0.4	ND	M2	Trifloxystrobin	0.030 / 0.091	1	0.2	ND	M2

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2406SMAZ0818.2482  
 Batch #: 240619-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 6716

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2406SMAZ0818.2482  
 Batch #: 240619-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 6716

**Notes:** Distribution Chain: Forever 46 LLC ; Point of Intended Sale: Forever 46 LLC, 46 Wellness LLC



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>